2400 Centrepark West Dr. Suite 100
West Palm Beach, FL 33409
Phone: (561) 840-1800
www.svmicrowave.com

# PFAS Product Declaration Statement

Per- and polyfluoroalkyl substances (PFAS) comprise a broad class of fluorinated substances used in numerous industrial and commercial applications. The definition and regulatory treatment of PFAS vary by jurisdiction and regulatory program. PFAS are subject to evolving federal, state, and international reporting, disclosure, labeling, and restriction requirements.

SV Microwave, Inc. designs and manufactures high-performance RF and microwave connectors, cable assemblies, and components for defense, aerospace, telecommunications, and other critical applications. Certain SV Microwave products may contain intentionally added PFAS to provide required electrical, dielectric, thermal, chemical, or mechanical performance. These materials may include fluoropolymers such as polytetrafluoroethylene (PTFE), fluorinated ethylene propylene (FEP), perfluoroalkoxy alkane (PFA), and other fluorinated materials.

The attached SV Microwave Parts List identifies products currently determined to contain PFAS based on information reasonably available to SV Microwave, including material specifications, supplier information, and product records. The list identifies the applicable SV Microwave part number and identified PFAS substance, including the Chemical Abstracts Service (CAS) Registry Number where available. The information is subject to change as additional supply-chain or regulatory information becomes available.

SV Microwave monitors applicable PFAS regulatory requirements, including requirements administered by the U.S. Environmental Protection Agency (EPA) under the Toxic Substances Control Act (TSCA), as well as applicable state and international requirements. Because PFAS definitions, exemptions, reporting requirements, and restrictions vary by jurisdiction, inclusion of a substance or product on the attached list does not, by itself, indicate that the product is reportable, restricted, or prohibited under any particular PFAS regulation.

The information provided is based on information reasonably available to SV Microwave, including material specifications and supplier information. PFAS content and regulatory status may vary based on product configuration, material formulation, supplier information, and applicable regulatory requirements.

More information about PFAS: PFAS Explained | US EPA

SV Microwave, Inc.
Compliance Department
Compliance@svmicro.com
09/21/2026


*All printed copies of this document are considered to be uncontrolled.*

# SV Microwave, Inc. Parts List

| Part Number | ProductType | PFAS Function | Reporting Rqd | MatlDescription | CAS | ChemicalDesc | PFASDescription | Concentration % (by weight) |
|---|---|---|---|---|---|---|---|---|
| 0100-0002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0100-0010 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0100-0021 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0100-0030 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0100-0033 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0100-0038 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0100-0043 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0100-0044 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0100-0049 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0100-0060 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0100-0061 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0100-0062 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0100-0065 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0100-0068 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0100-0097 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0100-0102 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0100-0103 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0100-0104 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0100-0105 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0100-0106 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0100-0107 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0110-0012 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-11-034/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-27-170/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-27-170/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-052/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-052/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-052/043B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-147/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-147/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-147/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-147/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-147/043B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-147/043B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-228/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-228/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-228/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-228/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-433/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-433/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-433/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-433/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-433/043AB | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-433/043AB | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-433/043B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-433/043B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-490/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-490/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-600/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-600/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-786/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-786/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-786/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-786/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-787/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-787/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-29-807/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-32-901/043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-32-901/043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-32-901/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-32-901/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-32-901/043B | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-32-901/043B | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-40-827/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-40-827A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-45-134/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-45-134/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-45-134/043B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-45-219/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-45-219/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-45-219/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-45-219/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-45-219/043B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-45-219/043B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-45-308/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-45-308/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-45-308/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-45-308/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-45-402 | Other | Insulator | Yes | VIRGIN PTFE ROD - COLOR GRAY | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-52-026/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-52-041/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 012-52-041/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0227-0007 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0227-0008 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0227-0009 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0229-0000 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0229-0073 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0229-0100 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0229-0101 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0229-0102 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0229-0116 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0229-4003 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0229-4006 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0229-4103 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0229-4115 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0229-4116 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0229-6019 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0229-8003 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0240-0008 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0240-0100 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0240-0101 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0240-4004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0240-4106 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0240-6001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0250-0009 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0250-4018 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0250-4106 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 025-32-030 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 033-80-262/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 033-80-300/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 033-80-300/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 033-80-300A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 033-80-300A/291 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 041-48-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 041-80-037 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 041-93-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 041-93-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0429-4800 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0680-1320 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 0680-1321 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 0680-1322 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 0680-1323 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 0700-0170 | FILM CARD | Insulator | No | PARAXYLYENE CONFORMALCOATING,TYPEXY | | | | 10,000 ppm to <150,000 ppm (15%) |
| 0700-0171 | FILM CARD | Insulator | No | PARAXYLYENE CONFORMALCOATING,TYPEXY | | | | 10,000 ppm to <150,000 ppm (15%) |
| 0700-0172 | FILM CARD | Insulator | No | PARAXYLYENE CONFORMALCOATING,TYPEXY | | | | 10,000 ppm to <150,000 ppm (15%) |
| 0700-0173 | FILM CARD | Insulator | No | PARAXYLYENE CONFORMALCOATING,TYPEXY | | | | 10,000 ppm to <150,000 ppm (15%) |
| 070-80-009 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 071-12-017 | Other | Insulator | No | TECAPEEK | | | | 10,000 ppm to <150,000 ppm (15%) |
| 071-12-031 | Other | Insulator | No | TECAPEEK | | | | 10,000 ppm to <150,000 ppm (15%) |
| 071-38-020 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 071-38-021 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 077-11-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 077-29-049 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 077-29-060 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 077-29-062 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 077-87-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 077-88-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 082-40-018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 082-40-020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 082-40-020/209 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6311-005 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6311-010 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6311-015 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6311-020 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6311-025 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6311-030 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6311-035 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6311-040 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6311-045 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6311-050 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6311-055 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6311-060 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6311-065 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6311-070 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6311-075 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6311-080 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6311-085 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6312-010 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6312-020 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6312-030 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6312-060 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6312-090 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6312-100 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6312-110 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0912-6312-120 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0915-6114-03 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 0915-6114-05 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 0915-6114-07 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 0915-6114-09 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 0915-6114-11 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 0915-6114-13 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 0915-6114-15 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 0915-6114-17 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 0915-6114-19 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 0915-6114-21 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 0915-6114-23 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 0915-6114-25 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 0915-6114-33 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 0915-6115-01 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 0915-6115-02 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 0915-6115-03 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 0915-6115-04 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 0915-6115-05 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 0929-0297-07 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0929-6833-3.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0929-6833-0.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0929-6833-00 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0929-6833-01 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0929-6833-01 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0929-6833-1.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0929-6833-1.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0929-6834-01 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0929-6834-01 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0929-6834-03 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0929-6834-03 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0929-6834-06 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0929-6834-06 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0950-0250-03 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 0950-0250-06 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 0965-4200-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0965-4200-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 0965-4200-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0965-4200-02 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 0965-4200-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0965-4200-03 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 0965-4200-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 0965-4200-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 0980-0000-09 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 0980-0000-11 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 0980-0000-13.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 0980-0000-14 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 0980-0000-8.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1000-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1001-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1001-0001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1001-0001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1002-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1002-0001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1002-0006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1002-0006 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1003-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1003-0001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1009-0001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1021-0001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1025-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1025-0001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1025-0005 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1025-0005 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1026-0001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1026-0001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1027-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1029-0001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1029-0004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1029-0004 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1033-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1033-0001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1033-0002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1096-0005 | ADAPTER | Insulator | No | ETHYLENE PROPYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1096-0005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1096-0005 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1097-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1097-0001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1097-0002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1097-0003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1097-0003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1097-0003 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1101-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1101-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1102-0003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1102-0003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1104-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1104-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1104-6016 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1104-6016 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1107-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4012 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4013 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4016 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4019 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4019 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4020 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4021 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4023 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4024 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4028 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4028 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4032 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4034 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4034 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4037 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4037 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4040 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4042 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4042 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4043 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4044 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4045 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4055 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4055 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4055P | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4055P | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4059 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4059EM | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4063 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4063 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4064 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4065 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4068 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4068 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4073 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4077 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4078 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4085 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4086 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4087 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4092 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4092 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4092 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4093 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4093 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4093 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4093 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4093 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4095 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4098 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4103 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4103 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4103 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4104 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4108 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4109 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4111 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4112 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4114 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4115 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4116 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4119 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4119 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4119 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4119 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4119 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1112-4123 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4123 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4132 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4144 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4145 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4145 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4146 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4146 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4147 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4147 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4148 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4148 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4152 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4153 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4154 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4154 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4157 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4157 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4167 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4167 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4174 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4174 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4176 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4176 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4178 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4186 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4187 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4188 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4189 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4192 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4197 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4199 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4199 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4203 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4218 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4218 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4226 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4226 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4227 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4228 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4229 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4230 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4231 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4232 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4237 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4237 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4239 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-4239 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6035 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6035 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6036 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6036 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6086 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6086EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6096 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6107 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6107 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6113 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6114 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6124 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6124 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6138 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6183 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6188 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6189 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6192 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6200 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6201 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6201 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6202 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6203 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6204 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6204 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6209 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6209 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6210 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6210 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6211 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6211 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6212 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6213 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6213 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6214 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6214 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6215 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6216 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6216 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6217 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6218 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6218 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6219 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6226 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6231 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6233 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6233 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6234 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6234 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6235 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6236 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6237 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1112-6238 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1113-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1113-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1113-6002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1113-6002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1115-1002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1115-1002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6016 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6037 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6045 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1115-6048 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6076 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6076EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6083 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6088 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6100 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6100EDU | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6124 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6125 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6126 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6127 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6132 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6141 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6141 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6148 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6151 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6152 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6153 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6153 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6154 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1115-6155 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1116-6012 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1116-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1116-6085 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1116-6086 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1116-6087 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1116-6089 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1116-6093 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1116-6094 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1116-6095 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1116-6096 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1117-4001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1117-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1117-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1117-6036 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1117-6036 | ADAPTER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1117-6037 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1117-6038 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1117-6038 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-002 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-017 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-018 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-019 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-024 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-025 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-030 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-031 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-035 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-036 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-040 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-042 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-044 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-045 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-046 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-047 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-048 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-049 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-050 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-051 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-052 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-053 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-054 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-054 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-055 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-057 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-058 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-059 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-060 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-063 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-064 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-169 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-170 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-173 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-174 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-175 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-177 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-178 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-179 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-180 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-181 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-182 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-09-183 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-11-029 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-12-014 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-14-000 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 112-15-014 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1122-0002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1122-0002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1122-6040 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1122-6041 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-244 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-245 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-246 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-247 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-248 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-273 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-281 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-282 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-283 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-285 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-288 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-289 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-289/136 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-291 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-300 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-301 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-302 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-310 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 112-29-311 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-312 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-318 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-319 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-323 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-324 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-330/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-330/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-330/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-330/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-333 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-334 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-335 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-343 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-347 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-356 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-357 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-359 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-360 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-361 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-371 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-373 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-374 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-378 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-399 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-400 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-405 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-406 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-425 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-426 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-430 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-431 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-503 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-521 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-522 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-523 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-524 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-556 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-29-560 | Other | Insulator | No | ULTEM 1010 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1123-0003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1123-0003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1123-0004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1123-0007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1123-6006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-38-007 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-40-192 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-40-193 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-45-022 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-45-049 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-45-086 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-47-012 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-47-013 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-47-019 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 112-47-022 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-47-023 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-50-030 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 112-50-036 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-50-036 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 112-52-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1126-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1126-6005 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1126-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1126-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-75-001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1127-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-020 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-023 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-024 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-029 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-030 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-035 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-047 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-053 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-054 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-054 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-054 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-054 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-055 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-055 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-055 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-055 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-057 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-057 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-062 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-063 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-064 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-80-071 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-84-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-84-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1128-4001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-84-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-84-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-84-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-84-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-84-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-84-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-84-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-84-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-4002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-4004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-4004 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-4006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-4006 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6026 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6026 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6027 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6032 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6035 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1129-6070 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6073 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6079 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6079 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6080 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6080 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6081 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6081 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6083 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6083 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6105 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6115 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6115 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6115EDU | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6115EDU | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6119 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6119EDU | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6120 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6121 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6122 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6122 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6122 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6129 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6129 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6133 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6133 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6150 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6150 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6174 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6174 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6175 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6175EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6188 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6199 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6268 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6268 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6268 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6271 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6271 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6273 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6273 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6273 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6277 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6278 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6278 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6279 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6280 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6282 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6282 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6287 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6287 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6289 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6289 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6290 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6291 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6291 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6293 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6293 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6293 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6294 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6297 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6299 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6299 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6300 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6300 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6301 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6301 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6302 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6303 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6311 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6311 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6311 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6312 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6312 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6312 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6313 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6317 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6318 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6318 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6326 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6329 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6329 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6329 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6333 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6334 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6334 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1129-6335 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 112-97-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-97-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 112-97-004 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1132-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-0001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1132-0002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-0002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1132-0003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-0003 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4003 | ADAPTER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4003 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4012 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1132-4017 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4021 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4022 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4022EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4024 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4025 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4026 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4027 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4030 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4031 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4031 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4032 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4037 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4038 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4039 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4041 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4045 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4048 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4048 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4052 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4053 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4057 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4058 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4059 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4066 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4067 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4068 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4068A | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4069 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4071 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4072 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4076 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4078 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4078 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4083 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4083 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4083 | ADAPTER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4087 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4089 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4090 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4090A | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4091 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4092 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4093 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4094 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4094A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4095 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4096 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4097 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4097EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4098 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4098EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4099 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4100 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4101 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4107 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4108 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4112 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4113 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4114 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4114 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4115 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4115 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4116 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4116 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4117 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4117 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4118 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4118EDU | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4123 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4125 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4125 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4125 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4126 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4127 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4131 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4137 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4138 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4139 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4140 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4141 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4146 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4150 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4150 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4150 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4152 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4153 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4155 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4155 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4165 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4167 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4168 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4169 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4170 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4171 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4173 | ADAPTER | Insulator | Yes | MATERIAL SPECIFICATION ETFE | 25038-71-5 | Ethene, 1,1,2,2-tetrafluoro-, polymer with ethene | Ethylene-tetrafluoroethylene Copolymer (ETFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4179 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4181 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4183 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4184 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4185 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4192 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4194 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4194 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4196 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4196 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4198 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4199 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4202 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4206 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4207 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1132-4208 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4208 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4208 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4215 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4216 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4217 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4217 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4218 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4219 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4220 | ADAPTER | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4221 | ADAPTER | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4223 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4223 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4223 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4224 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4224 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4224 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4228 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4228 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4229 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4232 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4232 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4233 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4233 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4235 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4235 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4235 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4237 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4238 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4249 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4249 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4249 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-4256 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6025 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6025 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6025 | ADAPTER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6048 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6048 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6053 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6053 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6081 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6081 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6085 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6085 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6101 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6101 | ADAPTER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6101 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6108 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6109 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6112 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6114 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6116 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6118 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6119 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6121 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6123 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6125 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6125 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6132 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6132 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6133 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6134 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6135 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6135A | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6137 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6137 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6138 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6139 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6141 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6141 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6142 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6142 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6144 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6144 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6145 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6145 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6146 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6146 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6147 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6147 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6150 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6153 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6153 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6154 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6155 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6156 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6157 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6158 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6159 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6159 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6160 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6160 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6161 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6162 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6163 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1132-6164 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1133-6040 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1133-6041 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1133-6053 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1133-6054 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1134-6012 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1134-6012 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4001P | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1138-4006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4013 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4016 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4020 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4025 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4026 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4039 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4040 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4041 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4042 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4043 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4045 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4047 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4048 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4050 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4051 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4052 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4057 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4062 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4062 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4063 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4063 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4063 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4063 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4063 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4066 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4067 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4072 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4073 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4074 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4076 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4076 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4079 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4084 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-4093 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6013 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6019 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6040 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6040 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6040 | ADAPTER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6040 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6041 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6041 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6041 | ADAPTER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6042 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6042 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6043 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6043 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6044 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6044 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6045 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6046 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6047 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6047 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6048 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6048 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6049 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6050 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6052 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6053 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6055 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6056 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6057 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6058 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6060 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1138-6061 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-0000 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-0000 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-0000 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-0002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-0002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-0005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-0005 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-0006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-0007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-0007 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-0009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-0015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-0015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-0016 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-0019 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-4002 | ADAPTER | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-4003 | ADAPTER | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-4003 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-4004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-4006 | ADAPTER | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-4006 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6082 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6082 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6083 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6083 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6084 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6084 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6085 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6085 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6086 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6086 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6087 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6087 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6088 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6088 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6089 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6089 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6090 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1140-6090 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6091 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6091 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6092 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6092 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6093 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6093 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6094 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6094 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6095 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6095 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6096 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6096 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6097 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6097 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6098 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6098 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6099 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6099 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6100 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6100 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6101 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6101 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6102 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6102 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6103 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6103 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6104 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6104 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6105 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6105 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6111 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6111 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6112 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6112 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6113 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6113 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6114 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6115 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6119 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6119 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6120 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6121 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6124 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6124 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6125 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6126 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6127 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6129 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6134 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6136 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6136 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6138 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6139 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6140 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6140 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6141 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6142 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6143 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6144 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6144 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6145 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6145 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6146 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6147 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6147 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6147 | ADAPTER | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6148 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6156 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6157 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6158 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6159 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6161 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6161 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6161 | ADAPTER | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6162 | ADAPTER | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6164 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6164 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6165 | ADAPTER | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6166 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6167 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6167 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-6168 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-8001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1140-8001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-8001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1140-8001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1145-6017 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1145-6017 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1145-6026 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1145-6026EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1145-6058 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1145-6058 | ADAPTER | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1147-0000 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1147-0000 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1147-0000 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1147-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1147-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0000 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0000 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0000 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0000 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0006 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1148-0007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0007 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0008 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0009 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0014EDU | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0017 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0019 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0019 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0019 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0019 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0021 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0021 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0021 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1148-0021 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1149-4002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-4003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-4005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-4005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-4005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-4007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-4008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-4011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-4012 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6003 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6406 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6411 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6411 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6412 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6413 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6413 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6414 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6415 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6415 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6416 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6416 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6417 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6418 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6419 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6419 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6420 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6420 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6421 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6422 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1149-6423 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1150-0003 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1150-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1150-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1150-6005 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1150-6006 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1150-6006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1150-6426 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1150-6426 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1150-6426 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1150-6946 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1150-6946 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1151-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1151-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1152-6023 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1152-6023 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1152-6024 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1152-6024 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1152-6025 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1152-6026 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1152-6026 | ADAPTER | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1152-6027 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1152-6027 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1152-6029 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1157-6017 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1158-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1158-6001 | ADAPTER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1158-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1158-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1158-6006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1158-6006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1158-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1158-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1158-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1158-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1158-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1158-6012 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1158-6012 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1158-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1158-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1158-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1158-6015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1158-6015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1158-6017 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1158-6018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1175-6000 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1175-6000 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1175-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1175-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1175-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1175-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1175-6002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1175-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1175-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1175-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-4000 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-4001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-4003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-4004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-4006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-4009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-4010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-4013 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-4022 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-4025 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-4026 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-4027 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-6047 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-6051 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1180-6052 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1180-6054 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-6058 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-6058 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1180-6059 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-6059 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1180-6063 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-8001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-8001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-8001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-8001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1180-8001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1180-8001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1180-8002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-8002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-8002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-8002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1180-8002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1180-8002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1180-8003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1180-8003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1183-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1183-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1183-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1183-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1183-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1183-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1183-6006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1183-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1183-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1183-6008 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1183-6009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1183-6009 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1183-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1183-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1185-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1185-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1185-6011 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1185-6012 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1185-6012 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1185-6012 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1187-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1187-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1187-0001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1187-0001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1187-6667 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1187-6671 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1187-6671 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1188-6023 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1188-6023 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1188-6023 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1188-6024 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1190-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1192-4401 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1192-4402 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1192-4403 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1192-4404 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1192-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1192-6015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1192-6016 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1192-6029 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1193-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1193-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1193-6007 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1193-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1193-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1193-6008 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1200-SMP | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1200-SMP | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1200-SMP | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1201-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1201-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1201-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1201-60005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1201-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1203-4000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1204-4000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1204-4003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1204-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1204-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-00009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-00010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-00015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-00022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-10004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40026EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1211-40059 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40059S | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40067-TD | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40068-TD | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40071 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40072 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40076 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40076 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40111 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40111 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40112 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40112 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40113 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40113 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40114 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40114 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40115 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40115 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40116 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40116 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40162 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40167 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40167 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40168 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40168 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40169 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40169 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40170 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40170 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40171 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40171 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40172 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40172 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40176 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40178 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40178 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40793 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40793 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40796 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40799 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40799 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40812 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40813 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40823 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-40823-TR | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-6012 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-6014 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60198 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60209 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60209A | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60210 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60210A | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60211 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60211A | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60213 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60213 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60215 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60215 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60219 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60219A | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60220 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60233 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60233 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60250 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60252 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60255 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60261 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60261A | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60262 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-60263 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-6063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-6063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-6066 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66068 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66090 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66091 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66124 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66134 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66135 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66136 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66137 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66137-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66138 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66138-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66139 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66139-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66147 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66149 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66157 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66164 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66172 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66172EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66173 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66173EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66174 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66175 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66179 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66185 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66185 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66188 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66188EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66195 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66195-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66215 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66237 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1211-66237 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66237 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66251 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66253 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66254 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66269 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66270 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66271 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66273 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66278 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66278EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66279 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66279EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66298 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66304 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66304A | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66304M | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66310 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66310 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66317 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66324 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66324 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66331 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66343 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66347 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66347EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66356 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66357 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66357EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66358 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66360 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66361 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66362 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66362A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66365 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66365A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66373 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66373A | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66397 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66397 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66398 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66398 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66399 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66400 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66400 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66401 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66401 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66407 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66409 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66409 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66410 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66410 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66411 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66411 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66423 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66434 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66443 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66444 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66452 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66453 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66454 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66455 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66456 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66457 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66458 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66459 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66463 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66463 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66463 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66464 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66464 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66466 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66467 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66468 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66472 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66495 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1211-66495 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-40010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-40010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-40010-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-40010-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-40011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-40011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-40013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-40013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-40016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-40021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-40021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-40026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-40026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-60037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-60037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-60056 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1212-60056 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1212-60057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-60057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-60060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-60060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-60061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-60061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-60062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1212-60062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1213-4000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1213-4001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1213-4002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1213-4003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1213-4004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1213-4007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1213-4007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1213-4008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1213-4008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1214-4001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1214-4002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1214-4003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-4003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-4004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40047 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40049Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-4005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40051 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40051Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40053 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-4006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40064 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40064 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40072 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40072 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40074 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40074 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40076 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40076 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40077 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40077 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40078 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40079 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-4008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40080 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40081 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40082 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40085 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40086 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40087 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-4008EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-4009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40090 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40092 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40097 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-4009Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-4010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40107 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40108 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40109 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-4010Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40110 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40113 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40113 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40115 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40117 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40117 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40120 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40125 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40125 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40131 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40132 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40138 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40139 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-40139 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-60024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-60031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-60031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-60032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-60032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1221-60037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1221-60037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-4000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-4000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-4000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40029 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-4003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40037 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40039 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-4004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-4004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-4004 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-4004Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-4004Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-4004Q | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-4005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-4005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-4005 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40051 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40051 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40051 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40051 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-4005Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-4005Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-4005Q | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-4006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40066 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40066 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40070 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40071 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40071 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40072 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40072 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40072 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40072 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40073 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40075 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40076 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40076 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40077 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40077 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40077 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40085 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40087 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40088 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40088 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40088 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40088 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40091 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40091 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40091 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1222-40094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40097 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40097 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40097 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40099 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40099 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40099 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-4010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40100 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40108 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40108 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40108 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-4011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40110 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40110 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40110 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40116 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40116 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-40116 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-4012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-4012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-60007 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1222-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1269-4500 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1279-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1279-6003EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1285-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1285-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1285-6002-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1285-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1285-6003-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1285-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1285-6004-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1285-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1285-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1285-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1290-4001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1290-4004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1290-4006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1290-4007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1290-4008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1290-4009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1290-4010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1311-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1311-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1311-00006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1312-00006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1312-00006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1312-00006EDU | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1312-00006EDU | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1312-00007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1312-00009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1312-00009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1321-00003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1321-00003EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1321-00005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1321-00008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1321-00008EDU | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1321-00013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1321-00015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1322-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1322-00005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1322-00006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1322-00006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-09-009 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-12-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-15-006 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 133-15-011 | Other | Insulator | No | ULTEM 1010 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 133-16-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-16-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-16-003 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 133-16-004 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 133-16-005 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 133-16-007 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 133-27-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-27-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-29-118 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-29-139 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-29-155 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-29-163 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-29-183 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-29-183/208 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-29-199 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-29-204 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-40-110 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-50-020 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-52-003 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-80-019 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-80-020 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-87-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-87-017 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-87-018 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-87-019 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 133-88-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1378-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1378-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1407-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1407-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1408-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1411-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1411-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1411-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1411-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1411-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1411-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1411-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1412-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1421-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1421-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1421-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1421-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1421-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1421-60027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1440-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1440-6002 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1440-6003 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1485-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1485-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60123 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60123 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60124 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60125 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60125 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60126 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60128 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60129 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60134 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60135 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60135 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60136 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60136 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60137 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60138 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60139 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60139 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60140 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60140 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60140 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60140 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60141 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60141 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60141 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60142 | CONNECTOR | Insulator | No | ULTEM 1010 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60142 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60143 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60144 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60146 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60148 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60149 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60149 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60151 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1511-60151 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1512-60029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1512-60032 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1512-60033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1512-60033 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1512-60034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1512-60034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1512-60034 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1521-00009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1521-00010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60131 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60131EM | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60170 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60171 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60182 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60182 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60189 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60189 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60205 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60217 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60217 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60226 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60229 | CONNECTOR | Insulator | No | ULTEM 1010 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60234 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60234 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60242 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60243 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60246 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60246 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60246 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60247 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60247 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60261 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1521-60269 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1521-80001 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 152-70-000 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1611-60022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1611-60024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1611-60025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1611-60028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1611-60030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1611-60034 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1611-60037 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1611-60038 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1621-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1621-00003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1621-60079 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1621-60085 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1621-60086 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1621-60100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1621-60102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1650-4001 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 166-11-008/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-11-008/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 166-11-008/043B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-11-009/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-11-009/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-11-009/043B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-29-005/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-29-005/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-29-005/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-29-005/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-29-017/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-29-017/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-29-042/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-29-042/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-29-048/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-29-108/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-29-108/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-29-129/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-29-134/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-29-134/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-32-014/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-32-014/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-32-014A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-32-014A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-32-014A/491 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 166-32-014A/491 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1708-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1708-0001 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1708-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1708-6002 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1708-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1708-6003 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1708-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1708-6004 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1708-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1708-6006 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1708-6302 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1708-6302 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1709-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1709-6001 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1709-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1709-6002 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1709-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1709-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1709-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1709-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1709-6902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1709-6902 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1711-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1711-00003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1711-00003 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1711-00005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1711-00005 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1711-00006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1711-00006 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1711-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1711-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1711-40001 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60008 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60010 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60011 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60021 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60039 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60044 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60052 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60057 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60067 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60078 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60078 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60084 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60084 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60084 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60084 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60085 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1711-60085 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1712-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1712-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1712-6000 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1712-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1712-60002 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1712-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1712-60004 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1721-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1721-00003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1721-00005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1721-60925 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1721-60925 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1721-60964 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1721-60978 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1721-60978 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1721-60989 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1721-61009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1721-61012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1721-61014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1721-61017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1721-61019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1721-61021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1721-6908 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1732-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1732-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1732-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1732-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1732-6011 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1732-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1732-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1733-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1733-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1733-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1733-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1733-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1733-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1733-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1733-6016 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1733-6016A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1733-6020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1733-6021 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1740-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1740-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1741-60013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1741-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1741-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1742-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1742-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1742-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1742-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1751-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1751-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1751-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1751-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1751-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1751-60025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1751-60025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1755-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1755-0002 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1755-6107 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1758-6105 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1758-6106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1767-0500 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1767-0500 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1767-0501 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1767-0502 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1767-0503 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1767-0504 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1767-0504 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1769-6500 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1769-6501 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1774-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1774-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1774-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1775-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1775-6007 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1775-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1775-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1775-6008 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1775-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1775-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1775-6017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1775-6017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 1778-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1778-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1778-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1781-0100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1785-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1785-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1785-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1785-0003-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1785-6001 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1785-6002 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1789-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1789-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1789-6001 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 1812-00011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1822-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1822-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 1860-0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2003-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2003-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2005-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2005-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2014-0006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2041-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2041-40002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2051-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2051-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2112-0003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2112-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2121-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2121-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2121-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2121-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2121-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2121-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2121-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2121-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2121-60005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2200-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2200-0016 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2200-0019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2200-0019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2200-0021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 220-15-000 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2202-00009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2202-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 220-25-000 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-26-001 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-27-000 | Other | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 220-27-000A | Other | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 220-29-000 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-29-001 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-29-004 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-29-014 | Other | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 220-29-078 | Other | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 220-29-097 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-29-098 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 220-30-000 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-30-002 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-30-003 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-30-006 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2203-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 220-30-009 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-40-000 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-40-001 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-40-004 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-40-007 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-40-010 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-40-012 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-40-047 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-40-071 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-40-076 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 220-40-080 | Other | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-40-083 | Other | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-40-087 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-40-088 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-41-000 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-45-003 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-45-014 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-48-001 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-48-002 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-48-006 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-50-000 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-50-001 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-50-002 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-50-018 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-50-022 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 220-52-002 | Other | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-53-001 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-53-003 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-65-000 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-70-099 | Other | Insulator | Yes | AFLAS RUBBER | 25190-89-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene and tetrafluoroethene | THV Fluoropolymer | 10,000 ppm to <150,000 ppm (15%) |
| 220-70-100 | Other | Insulator | Yes | AFLAS RUBBER | 25190-89-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene and tetrafluoroethene | THV Fluoropolymer | 10,000 ppm to <150,000 ppm (15%) |
| 220-80-022 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-80-057 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 220-80-062 | Other | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 220-80-074 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 220-80-075 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-000 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-001 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-003 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-007 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-009 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-026 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-028 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-031 | Other | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-034 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-042 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-043 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-045 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-050 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-054 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-060 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-061 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-064 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-065 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-066 | Other | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-070 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-083 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-089 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-103 | Other | Insulator | No | ETHYLENE PROPYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-112 | Other | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-124 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-134 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-145 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-153 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-81-157 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-82-000 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-87-001 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-87-004 | Other | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 220-87-006 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-87-008 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-87-010 | Other | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 220-87-011 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-87-015 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-88-000 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 220-89-000 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2210-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2210-0009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2211-00087 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2211-00089 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2211-10001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2212-00012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2212-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2212-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2212-0010 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2213-0007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2213-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2213-0009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2213-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2221-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2221-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2221-00005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2221-00005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2221-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2222-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2222-00001EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2222-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2222-00002EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2222-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2222-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2222-00005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2231-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2231-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2231-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2231-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2233-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2233-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 2234-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2234-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2242-0009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2242-0009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2242-0010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2242-0010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2243-0009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2243-0009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2243-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2243-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2250-0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2250-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2260-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2260-0006 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2260-0007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2263-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2263-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2263-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2263-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2270-0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2270-0010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2285-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2285-0013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2287-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2287-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2290-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2290-6004 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2292-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2292-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2300-0008 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2300-0016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2301-0008 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2302-0003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2302-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2303-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2303-0010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2310-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2310-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2310-0012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2311-0008 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2311-00702 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2311-00703 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2311-00703 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2311-00704 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2311-00705 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2311-00706 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2311-00706 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2311-0700 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2311-0700A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2311-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2311-6001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2312-0000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2312-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2312-00014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2312-0008 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2312-0009 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2312-0012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2313-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2313-0009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2313-0012 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2314-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2321-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2321-00006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2321-00008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2322-00706 | CONNECTOR | Insulator | Yes | VIRGIN PTFE ROD COLOR BLACK | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2322-0701 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2322-0701 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2322-0702 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2322-0703 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2322-60003 | CONNECTOR | Insulator | Yes | VIRGIN PTFE ROD COLOR BLACK | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2332-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2332-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 233-29-669/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 233-29-774/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2333-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2333-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2334-0003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2334-0003 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2340-0002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2340-0002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2360-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2362-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2363-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2363-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2363-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2363-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2363-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2363-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2363-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2363-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2374-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2385-0007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2385-0013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2387-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2387-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2390-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2390-6004 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2390-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2390-6005 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2390-6006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2390-6006 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2390-6006 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2390-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2407-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-01-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-02-018 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-02-107 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-02-205 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-02-206 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-018 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-020 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-09-021 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-022 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-027 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-028 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-029 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-030 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-032 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-033 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-036 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-038 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-040 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-041 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-045 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-047 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-048 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-049 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-050 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-052 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-053 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-054 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-09-P01 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-10-021 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-10-022 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-10-023 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-10-026 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-10-032 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-10-033 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-10-035 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-10-036 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-10-040 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-10-043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-10-044 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-004A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-011 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-030 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-031 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-032 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-034 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-035 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-036 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-039 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-042 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-044 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-045 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-047 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-048 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-061 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-062 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-064 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-065 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-066 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-069 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-070 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-072 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-073 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-077 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-078 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-079 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-080 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-081 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-082 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-083 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-084 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-088 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-089 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-090 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-091 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-092 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-093 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-094 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-095 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-095MOD1 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-096 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-099 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-101 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-105 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-106 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-108 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-109 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-110 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-111 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-112 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-113 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-115 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-117 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-118 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-120 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-121 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-122 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-124 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-127 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-130 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-131 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-132 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-133 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-134 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-135 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-136 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-137 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-138 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-139 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-140 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-141 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-143 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-146 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-147 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-148 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-149 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-150 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-11-151 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-152 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-153 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-154 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-155 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-156 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-157 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-158 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-160 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-161 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-162 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-164 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-165 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-166 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-167 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-168 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-169 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-170 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-171 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-173 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-174 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-175 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-176 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-179 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-180 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-181 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-182 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-184 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-185 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-186 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-187 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-188 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-189 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-191 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-192 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-193 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-194 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-195 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-196 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-197 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-198 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-199 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-200 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-202 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-203 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-204 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-205 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-207 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-208 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-209 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-210 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-211 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-212 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-213 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-214 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-215 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-216 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-217 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-220 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-221 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-222 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-223 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-226 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-227 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-228 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-229 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-231 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-233 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-234 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-235 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-236 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-237 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-238 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-239 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-240 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-241 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-242 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-243 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-245 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-246 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-247 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-249 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-250 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-251 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-252 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-254 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-255 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-256 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-257 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-258 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-259 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-260 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-261 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-262 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-263 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-264 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-265 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-266 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-267 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-269 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-271 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-276 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-277 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-279 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-280 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-281 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-282 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-283 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-284 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-285 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-286 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-11-287 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-288 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-289 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-290 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-291 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-292 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-293 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-294 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-295 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-296 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-297 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-298 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-299 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-300 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-301 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-302 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-303 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-304 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-305 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-306 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-307 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-308 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-309 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-310 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-311 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-312 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-313 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-316 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-317 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-318 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-319 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-320 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-11-321 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-012 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-018 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-020 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-021 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-022 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-025 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-027 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-028 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-029 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-031 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-032 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-033 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-034 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-035 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-036 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-038 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-039 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-040 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-041 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-044 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-045 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-046 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-048 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-049 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-054 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-060 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-061 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-062 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-063 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-065 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-068 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-069 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-070 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-071 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-072 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-073 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-074 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-075 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-076 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-078 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-080 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-082 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-083 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-085 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-087 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-088 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-090 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-091 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-092 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-094 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-096 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-097 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-100 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-104 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-106 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-107 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-109 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-111 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-112 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-114 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-115 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-117 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-118 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-119 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-120 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-122 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-123 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-124 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-126 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-127 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-128 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-131 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-133 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-12-134 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-135 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-137 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-139 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-140 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-141 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-142 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-143 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-145 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-146 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-148 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-150 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-151 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-152 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-154 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-155 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-156 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-158 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-159 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-163 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-164 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-166 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-168 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-170 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-171 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-172 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-173 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-174 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-175 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-176 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-177 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-179 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-181 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-183 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-184 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-185 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-186 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-187 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-188 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-189 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-190 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-191 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-194 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-196 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-198 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-200 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-201 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-202 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-204 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-205 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-206 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-207 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-208 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-210 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-213 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-214 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-215 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-216 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-217 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-218 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-219 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-220 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-221 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-222 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-223 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-224 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-225 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-226 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-227 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-228 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-232 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-233 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-234 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-237 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-239 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-240 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-241 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-242 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-244 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-245 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-246 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-247 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-249 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-254 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-257 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-258 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-261 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-262 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-263 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-264 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-269 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-271 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-272 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-273 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-276 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-277 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-279 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-280 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-282 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-286 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-287 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-288 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-289 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-292 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-293 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-294 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-295 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-297 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-300 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-301 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-302 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-12-303 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-304 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-305 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-306 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-307 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-308 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-309 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-312 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-313 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-315 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-316 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-317 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-319 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-321 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-323 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-324 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-325 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-326 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-328 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-329 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-330 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-332 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-333 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-334 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-335 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-337 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-338 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-339 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-340 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-342 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-344 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-345 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-346 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-348 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-349 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-350 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-351 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-352 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-353 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-356 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-357 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-358 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-359 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-362 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-363 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-12-364 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-13-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-13-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-13-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-13-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-13-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-13-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-13-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-13-009 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-13-011 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-13-012 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-14-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-14-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-14-002 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-14-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-14-004 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-14-004A | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-14-005 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-14-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-14-009 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-14-011 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-14-012 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-14-013 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-14-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-14-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-14-017 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-14-018 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-14-020 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-14-021 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-14-022 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-006 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-008 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-011 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-012 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-014 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-017 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-017A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-017B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-019 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-024 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-026 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-031 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-031M | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-032 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-033 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-035 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-036 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-039 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-042 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-044 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-047 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-048 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-049 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-051 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-053 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-054 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-056 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-058 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-061 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-062 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-063 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-066 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-073 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-074 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-15-079 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-080 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-081 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-083 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-083M | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-086 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-088 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-090 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-091 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-092 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-094 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-095 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-097 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-098 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-100 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-101 | Other | Insulator | No | ULTEM 1010 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-102 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-103 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-104 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-105 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-106 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-107 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-108 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-109 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-15-111 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-16-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-16-001 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-16-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-16-003 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-16-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-16-006 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-16-006C | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-16-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-16-014 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-16-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-16-018 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-16-021 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-16-024 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-16-027 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-16-030 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-16-031 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-002-A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-004A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-009 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-011 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-012 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-013 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-014 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-017 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-018 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-019 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-020 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-021 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-022 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-024 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-025 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-026 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-027 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-028 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-029 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-031 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-032 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-033 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-035 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-036 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-037 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-038 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-039 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-040 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-042 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-042A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-046 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-047 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-048 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-049 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-051 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-052 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-053 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-057 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-058 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-059 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-061 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-063 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-065 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-067 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-069 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-070 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-072 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-074 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-078 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-079 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-080 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-082 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-084 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-085 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-086 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-087 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-088 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-089 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-17-090 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-091 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-092 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-093 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-095 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-096 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-097 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-098 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-099 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-100 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-101 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-102 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-103 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-104 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-105 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-106 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-107 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-108 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-109 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-110 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-111 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-112 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-113 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-114 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-115 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-116 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-117 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-118 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-120 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-123 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-124 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-126 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-127 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-128 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-129 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-133 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-135 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-136 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-137 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-138 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-140 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-141 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-142 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-143 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-144 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-147 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-148 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-149 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-150 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-151 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-152 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-153 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-154 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-155 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-156 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-163 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-165 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-166 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-168 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-169 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-170 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-17-171 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-18-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-18-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-18-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-18-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-18-009 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-18-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-20-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-20-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-20-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-20-046 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-21-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-21-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-21-018 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-029 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-045 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-048 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-049 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-055 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-063 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-065 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-066 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-067 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-068 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-069 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-070 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-073 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-074 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-075 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-076 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-077 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-079 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-080 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-081 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-082 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-083 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-084 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-22-085 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-025 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-030 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-034 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-036 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-037 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-038 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-039 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-042 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-044 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-046 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-047 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-23-075 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-076 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-077 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-080 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-081 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-082 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-085 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-087 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-089 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-091 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-092 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-094 | Other | Insulator | Yes | VIRGIN PTFE ROD COLOR BLACK | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-095 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-096 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-097 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-100 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-101 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-23-102 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-24-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-26-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-26-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-26-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-26-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-26-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-26-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-26-009 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-26-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-26-012 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-26-013 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-020 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-023 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-024 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-025 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-026 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-027 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-028 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-030 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-034 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-035 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-035A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-037 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-041 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-042 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-046 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-048 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-049 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-053 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-054 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-058 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-066 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-067 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-068 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-069 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-070 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-071 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-077 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-082 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-084 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-089 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-090 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-091 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-093 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-095 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-096 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-098 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-102 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-103 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-103A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-104 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-110 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-113 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-114 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-115 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-117 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-120 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-122 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-123 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-124 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-125 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-126 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-128 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-130 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-132 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-133 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-134 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-136 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-137 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-140 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-141 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-142 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-143 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-144 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-145 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-147 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-148 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-149 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-152 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-153 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-154 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-155 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-156 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-157 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-158 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-159 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-160 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-27-161 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-162 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-163 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-164 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-165 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-166 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-167 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-169 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-27-170 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-28-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-28-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-28-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-28-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-28-009 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-009 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-011 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-021 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-023 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-026 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-028 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-031 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-033 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-038 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-046 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-059 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-064 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-080 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-082 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-092 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-104 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-106 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-116 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-116C | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-129 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-135 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-173 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-184 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-184 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-187 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-188 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-191 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-208 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-209 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-213 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-218 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-223 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-223 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-228 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-250 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-253 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-265 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-265A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-298 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-299 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-303 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-306-EV1B | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-306-EV1D | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-310 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-313 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-314 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-330 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-333 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-339 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-340 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-341 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-342 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-343 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-345 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-346 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-348 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-349 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-351 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-352 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-353 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-355 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-370 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-381 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-386 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-388 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-396 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-399 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-400 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-401 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-404 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-410 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-414 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-415 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-416 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-419 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-421 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-428 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-435 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-440 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-442 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-447 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-448 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-456 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-458 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-461 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-464 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-465 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-466 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-470 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-483 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-487 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-29-510 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-516 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-519 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-523 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-531 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-540 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-546 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-548 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-564 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-566 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-567 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-568 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-571 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-574 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-575 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-576 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-579 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-580 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-582 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-588 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-590 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-591 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-592 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-593 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-594 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-595 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-606 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-608 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-610 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-621 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-622 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-623 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-626 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-628 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-631 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-632 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-635 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-637 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-641 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-647 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-673 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-675 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-678 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-679 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-688 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-690 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-695 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-700 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-710 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-714 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-720 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-722 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-735 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-736 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-738 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-741 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-743 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-756 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-764 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-771 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-779 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-779 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-780 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-780 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-788 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-789 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-790 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-793 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-800 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-802 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-805 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-816 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-829 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-838 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-855 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-864 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-873 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-876 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-880 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-885 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-886 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-888 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-895 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-905 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-907 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-914 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-921 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-925 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-926 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-927 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-928 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-934 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-938 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-940 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-943 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-944 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-946 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-949 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-950 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-952 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-953 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-957 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-958 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-959 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-965 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-971 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-972 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-977 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-978 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-983 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-984 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-29-985 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-986 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-990 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-996 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-997 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-B51 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-29-B51-2 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-30-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-30-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-30-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-30-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-30-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-30-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-30-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-30-022 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-30-094 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-30-096 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-30-146 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-30-148 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-30-150 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-30-159 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-30-170 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-31-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-31-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-31-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-31-014 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-31-018 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-31-038 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-000 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-001 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-002 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-003 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-009 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-012 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-017 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-020 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-021 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-022 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-024 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-026 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-027 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-028 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-030 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-031 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-032 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-034 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-035 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-036 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-037 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-038 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-039 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-040 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-042 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-044 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-045 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-046 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-048 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-049 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-050 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-052 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-053 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-054 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-055 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-056 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-057 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-059 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-060 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-061 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-062 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-064 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-066 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-069 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-070 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-073 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-074 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-076 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-077 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-079 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-080 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-081 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-084 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-085 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-086 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-087 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-089 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-090 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-091 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-092 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-093 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-094 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-096 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-099 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-103 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-104 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-106 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-111 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-113 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-115 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-116 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-118 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-119 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-120 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-123 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-126 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-32-128 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-129 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-130 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-131 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-132 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-133 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-134 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-137 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-139 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-140 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-141 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-142 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-143 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-144 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-146 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-147 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-149 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-150 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-152 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-153 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-154 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-155 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-156 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-157 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-158 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-159 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-160 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-162 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-163 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-164 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-165 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-166 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-168 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-173 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-174 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-174MOD | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-175 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-177 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-178 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-180 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-181 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-182 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-183 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-184 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-185 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-186 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-189 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-191 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-192 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-195 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-196 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-197 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-198 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-199 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-200 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-201 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-202 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-203 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-204 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-205 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-207 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-208 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-209 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-210 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-213 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-215 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-216 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-218 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-219 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-220 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-221 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-222 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-224 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-225 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-226 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-228 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-229 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-230 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-231 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-233 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-235 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-237 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-238 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-239 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-240 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-241 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-243 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-244 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-245 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-246 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-248 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-249 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-250 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-253 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-254 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-255 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-257 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-259 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-266 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-267 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-268 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-270 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-271 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-272 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-275 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-276 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-278 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-279 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-280 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-281 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-283 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-32-285 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-289 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-291 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-292 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-293 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-294 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-299 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-300 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-301 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-302 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-303 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-305 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-306 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-307 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-308 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-311 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-312 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-314 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-315 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-316 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-317 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-318 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-319 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-320 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-321 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-322 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-323 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-324 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-327 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-328 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-330 | Other | Insulator | Yes | MATERIAL SPECIFICATION ETFE | 25038-71-5 | Ethene, 1,1,2,2-tetrafluoro-, polymer with ethene | Ethylene-tetrafluoroethylene Copolymer (ETFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-331 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-332 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-333 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-334 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-335 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-336 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-337 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-340 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-341 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-342 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-343 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-344 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-345 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-346 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-347 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-348 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-349 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-350 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-351 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-352 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-353 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-355 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-357 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-358 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-359 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-360 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-365 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-366 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-367 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-368 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-370 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-371 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-372 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-373 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-374 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-375 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-377 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-381 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-382 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-384 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-385 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-386 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-387 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-388 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-389 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-390 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-391 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-392 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-393 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-394 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-395 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-396 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-397 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-402 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-403 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-404 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-405 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-406 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-407 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-408 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-409 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-410 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-411 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-415 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-416 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-32-417 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-33-002 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-33-004 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-33-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-33-013 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-33-020 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-33-023 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-33-029 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-33-030 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-33-031 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-34-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-36-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-36-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-36-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-36-009 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-38-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-014 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-017 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-018 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-019 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-020 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-023 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-024 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-026 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-027 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-029 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-030 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-033 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-034 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-035 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-036 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-037 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-038 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-040 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-041 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-042 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-046 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-047 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-048 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-049 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-050 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-051 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-052 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-053 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-054 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-055 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-056 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-056A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-056B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-057 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-058 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-061 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-062 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-064 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-065 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-067 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-068 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-069 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-070 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-072 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-073 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-074 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-075 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-076 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-077 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-078 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-079 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-080 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-081 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-082 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-083 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-084 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-085 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-086 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-088 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-090 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-091 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-093 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-094 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-096 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-098 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-100 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-101 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-103 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-104 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-105 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-106 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-107 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-108 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-110 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-111 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-112 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-113 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-114 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-115 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-116 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-119 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-120 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-122 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-123 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-124 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-125 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-126 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-127 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-38-144 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-009 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-012 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-014 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-021 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-023 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-024 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-031 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-40-040 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-041 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-061 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-065 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-067 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-079 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-086 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-087 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-093 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-112 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-139 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-140 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-149 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-156 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-170 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-180 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-181 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-193 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-194 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-202 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-221 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-222 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-225 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-226 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-227 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-228 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-268 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-281 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-284 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-290 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-318 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-319 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-356 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-368 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-369 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-406 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-420 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-427 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-448 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-450 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-466 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-467 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-471 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-476 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-478 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-480 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-481 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-498 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-501 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-508 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-509 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-512 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-516 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-519 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-522 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-523 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-524 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-531 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-532 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-533 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-537 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-538 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-539 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-546 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-547 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-550 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-551 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-554 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-556 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-557 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-558 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-559 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-562 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-573 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-574 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-583 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-584 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-594 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-596 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-598 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-599 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-603 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-605 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-614 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-616 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-618 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-621 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-644 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-646 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-655 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-656 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-658 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-659 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-660 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-661 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-663 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-665 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-666 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-672 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-674 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-675 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-677 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-678 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-680 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-681 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-682 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-683 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-684 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-686 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-688 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-689 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-40-690 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-691 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-692 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-693 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-694 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-695 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-696 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-697 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-698 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-699 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-700 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-701 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-702 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-703 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-704 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-707 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-708 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-710 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-711 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-714 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-716 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-719 | Other | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-720 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-721 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-722 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-724 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-725 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-726 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-727 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-728 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-729 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-730 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-731 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-732 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-734 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-735 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-736 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-737 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-738 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-739 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-740 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-741 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-742 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-743 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-745 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-746 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-750 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-751 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-755 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-759 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-760 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-764 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-765 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-770 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-772 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-773 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-774 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-778 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-784 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-785 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-786 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-788 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-790 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-791 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-792 | Other | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-793 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-794 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-798 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-799 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-800 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-801 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-802 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-804 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-805 | Other | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-806 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-807 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-810 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-811 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-812 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-813 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-815 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-817 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-818 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-819 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-820 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-821 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-822 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-823 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-824 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-827 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-828 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-829 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-830 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-831 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-832 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-833 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-835 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-836 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-837 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-838 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-839 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-840 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-841 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-842 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-843 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-844 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-845 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-846 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-847 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-848 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-849 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-40-851 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-852 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-853 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-854 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-855 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-856 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-857 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-858 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-859 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-860 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-862 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-865 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-866 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-867 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-869 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-870 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-871 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-872 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-873 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-874 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-875 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-876 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-877 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-878 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-879 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-880 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-881 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-882 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-883 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-884 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-887 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-888 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-889 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-891 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-892 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-893 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-894 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-895 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-896 | Other | Insulator | No | HIGH DENSITY POLYETHYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-898 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-899 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-900 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-903 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-904 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-905 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-906 | Other | Insulator | No | HIGH DENSITY POLYETHYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-908 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-909 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-910 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-911 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-912 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-914 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-915 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-916 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-917 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-918 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-919 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-920 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-921 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-922 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-923 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-924 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-925 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-926 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-927 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-928 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-930 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-931 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-932 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-933 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-935 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-936 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-937 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-938 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-939 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-941 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-942 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-943 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-944 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-945 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-946 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-947 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-948 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-949 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-951 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-952 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-953 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-954 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-955 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-956 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-957 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-958 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-959 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-962 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-963 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-964 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-965 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-966 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-968 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-969 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-970 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-971 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-972 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-973 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-974 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-975 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-976 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-977 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-978 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-981 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-982 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-40-983 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-984 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-986 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-987 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-988 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-989 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-992 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-996 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-997 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-998 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-40-999 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-41-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-41-014 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-41-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-41-022 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-41-024 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-41-026 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-41-028 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-41-029 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-41-030 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-41-032 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-41-033 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-41-034 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-41-035 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-42-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-42-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-42-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-42-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-42-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-43-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-43-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-43-011 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-43-013 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-43-014 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-43-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-43-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-011 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-014 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-020 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-021 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-025 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-055 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-063 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-071 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-072 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-074 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-075 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-077 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-078 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-081 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-082 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-102 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-105 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-108 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-113 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-124 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-132 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-134 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-135 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-136 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-137 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-139 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-141 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-142 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-143 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-145 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-146 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-147 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-153 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-155 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-159 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-162 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-163 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-165 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-169 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-173 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-174 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-177 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-178 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-179 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-183 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-192 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-225 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-227 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-228 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-229 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-230 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-231 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-232 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-236 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-238 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-239 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-240 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-241 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-242 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-243 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-247 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-250 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-251 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-252 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-253 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-254 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-257 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-258 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-45-262 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-263 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-264 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-265 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-266 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-269 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-271 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-272 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-273 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-274 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-275 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-276 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-279 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-280 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-281 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-282 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-283 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-284 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-286 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-287 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-288 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-289 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-290 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-293 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-294 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-295 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-296 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-298 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-299 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-300 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-301 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-304 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-305 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-306 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-307 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-308 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-309 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-310 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-315 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-316 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-317 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-318 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-319 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-321 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-322 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-323 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-324 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-325 | Other | Insulator | No | HIGH-LOSS SILICONE 12X12 SHEET ABSORBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-326 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-327 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-329 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-330 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-331 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-332 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-334 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-335 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-336 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-339 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-343 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-344 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-345 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-346 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-347 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-348 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-351 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-352 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-354 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-355 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-356 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-358 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-359 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-360 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-361 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-362 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-363 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-364 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-365 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-366 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-45-367 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-46-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-46-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-46-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-46-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-46-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-46-009 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-46-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-46-011 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-46-012 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-46-013 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-46-014 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-46-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-46-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-017 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-020 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-021 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-026 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-027 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-028 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-029 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-034 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-036 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-037 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-038 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-046 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-047 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-048 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-049 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-050 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-051 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-47-052 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-054 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-055 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-056 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-058 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-061 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-063 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-064 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-065 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-066 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-068 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-069 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-070 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-071 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-47-072 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-012 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-013 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-014 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-018 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-019 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-023 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-026 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-027 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-028 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-029 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-034 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-035 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-037 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-040 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-041 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-042 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-046 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-047 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-048 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-049 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-052 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-053 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-054 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-055 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-056 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-057 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-058 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-059 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-060 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-061 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-062 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-063 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-064 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-065 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-066 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-067 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-068 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-069 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-070 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-071 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-076 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-080 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-084 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-085 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-086 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-087 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-088 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-089 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-092 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-093 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-095 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-111 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-117 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-118 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-119 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-121 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-124 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-128 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-129 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-130 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-131 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-132 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-133 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-134 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-135 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-136 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-137 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-138 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-139 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-140 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-48-141 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-009 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-011 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-012 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-013 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-014 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-49-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-017 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-018 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-019 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-020 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-023 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-024 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-025 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-49-026 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-033 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-036 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-038 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-049 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-050 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-059 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-060 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-062 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-069 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-070 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-080 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-081 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-087 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-104 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-106 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-107 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-108 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-112 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-115 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-118 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-120 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-121 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-130 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-137 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-141 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-143 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-151 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-154 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-156 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-157 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-160 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-162 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-165 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-170 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-172 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-173 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-174 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-175 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-181 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-182 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-184 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-186 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-189 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-192 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-193 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-194 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-196 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-199 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-200 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-204 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-205 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-206 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-207 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-208 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-210 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-213 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-216 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-217 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-218 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-219 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-221 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-222 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-223 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-224 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-225 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-226 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-227 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-228 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-230 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-232 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-234 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-235 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-236 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-238 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-241 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-242 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-244 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-245 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-246 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-247 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-251 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-252 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-253 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-254 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-255 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-260 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-261 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-262 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-263 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-264 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-265 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-266 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-268 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-50-269 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-51-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-51-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-023 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-024 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-025 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-026 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-028 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-029 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-52-030 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-031 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-033 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-034 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-035 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-036 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-037 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-038 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-039 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-040 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-041 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-042 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-043 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-044 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-045 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-046 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-047 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-050 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-051 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-052 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-054 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-055 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-057 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-058 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-059 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-060 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-061 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-062 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-064 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-065 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-066 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-067 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-069 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-070 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-071 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-072 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-073 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-074 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-075 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-077 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-080 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-082 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-084 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-086 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-090 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-091 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-092 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-093 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-094 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-095 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-52-096 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-53-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-53-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-53-011 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-53-012 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-53-013 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-53-014 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-53-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-53-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-53-017 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-53-018 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-53-021 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-53-048 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-54-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-54-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-54-009 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-54-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-54-011 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-54-013 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-54-014 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-54-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-54-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-54-018 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-54-020 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-54-022 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-54-024 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-58-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-58-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-58-009 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-58-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-58-010R | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-58-011 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-58-012 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-60-029 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-011 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-013 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-014 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-022 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-024 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-030 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-035 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-039 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-045 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-047 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-052 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-053 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-054 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-055 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-056 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-057 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-058 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-059 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-060 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-061 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-062 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-064 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-065 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-65-066 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-067 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-068 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-069 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-070 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-071 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-072 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-073 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-074 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-076 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-078 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-079 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-082 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-083 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-084 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-085 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-086 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-087 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-088 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-089 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-090 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-091 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-092 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-093 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-094 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-095 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-65-096 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-67-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-75-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-75-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-75-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-040 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-049 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-051 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-053 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-054 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-055 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-059 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-069 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-070 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-091 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-092 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-097 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-100 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-103 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-115 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-116 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-118 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-120 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-122 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-123 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-124 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-127 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-128 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-134 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-135 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-136 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-137 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-138 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-138B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-140 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-142 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-147 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-148 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-149 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-151 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-151A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-153 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-154 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-155 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-156 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-157 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-158 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-159 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-160 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-161 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-163 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-165 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-172 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-173 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-174 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-175 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-176 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-177 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-178 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-179 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-180 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-181 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-183 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-184 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-186 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-187 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-188 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-191 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-193 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-194 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-195 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-196 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-200 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-201 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-202 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-203 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-204 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-209 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-210 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-211 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-212 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-213 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-215 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-216 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-80-217 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-221 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-223 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-235 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-236 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-237 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-238 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-239 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-241 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-243 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-249 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-251 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-252 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-256 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-257 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-258 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-260 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-262 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-264 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-265 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-266 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-268 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-269 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-275 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-277 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-278 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-279 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-280 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-281 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-282 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-283 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-284 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-287 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-288 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-289 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-291 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-294 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-296 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-297 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-298 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-299 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-300 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-302 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-307 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-308 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-310 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-311 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-312 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-313 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-314 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-318 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-319 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-320 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-321 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-322 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-326 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-329 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-330 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-331 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-332 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-334 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-335 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-336 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-337 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-338 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-339 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-340 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-341 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-342 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-343 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-344 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-345 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-346 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-348 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-349 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-350 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-353 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-354 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-358 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-359 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-360 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-361 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-362 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-363 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-364 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-366 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-368 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-369 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-373 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-374 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-376 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-378 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-380 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-381 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-382 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-385 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-386 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-387 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-388 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-390 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-391 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-393 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-397 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-399 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-400 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-401 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-402 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-403 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-408 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-411 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-412 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-80-413 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-80-414 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-81-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-81-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-81-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-81-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-81-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-82-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-82-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-82-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-82-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-82-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-82-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-82-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-82-009 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-83-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-83-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-83-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-83-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-83-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-84-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-84-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-84-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-84-009 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-84-010 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-84-011 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-84-013 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-84-014 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-84-017 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-84-018 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-84-019 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-84-020 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-84-021 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-007 | Other | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-011 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-012 | Other | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-013 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-019 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-022 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-025 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-026 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-027 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-028 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-029 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-030 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-031 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-032 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-033 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-034 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-035 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-036 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-037 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-038 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-039 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-040 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-040A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-041 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-042 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-044 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-045 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-046 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-049 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-051 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-052 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-053 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-054 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-057 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-058 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-060 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-063 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-064 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-066 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-069 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-075 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-076 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-078 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-079 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-080 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-084 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-086 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-087 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-090 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-092 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-093 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-094A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-094B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-098 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-099 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-101 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-103 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-105 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-107 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-109 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-111 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-112 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-114 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-115 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-116 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-117 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-118 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-121 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-87-122 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-123 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-124 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-127 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-128 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-129 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-130 | Other | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-132 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-133 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-134 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-135 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-136 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-137 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-138 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-139 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-140 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-141 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-142 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-143 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-144 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-145 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-146 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-147 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-148 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-150 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-153 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-154 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-155 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-157 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-158 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-159 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-162 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-163 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-165 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-166 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-168 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-169 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-170 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-171 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-172 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-174 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-175 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-176 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-178 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-179 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-180 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-181 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-182 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-183 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-184 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-185 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-186 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-187 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-188 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-189 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-192 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-193 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-194 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-195 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-196 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-197 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-198 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-199 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-87-201 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-004 | Other | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-009 | Other | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-013 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-013A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-013B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-021 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-024 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-025 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-026 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-027 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-028 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-029 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-030 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-031 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-032 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-033 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-033A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-037 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-039 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-040 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-042 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-044 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-045 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-050 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-051 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-052 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-053 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-054 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-055 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-057 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-060 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-064 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-065 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-066 | Other | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-067 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-068 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-069 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-070 | Other | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-88-071 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-072 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-073 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-074 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-075 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-076 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-079 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-080 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-081 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-082 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-083 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-085 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-086 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-087 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-088 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-089 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-090 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-091 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-092 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-093 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-095 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-096 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-097 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-098 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-103 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-104 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-105 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-106 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-107 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-108 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-88-109 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-008A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-009 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-011 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-012 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-013 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-014 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-017 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-018 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-019 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-028 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-029 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-030 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-032 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-033 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-035 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-036 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-039 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-040 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-041 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-042 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-044 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-046 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-047 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-048 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-053 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-054 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-055 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-056 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-057 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-058 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-059 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-060 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-062 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-063 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-064 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-069 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-070 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-071 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-072 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-077 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-078 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-079 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-080 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-081 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-084 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-085 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-088 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-091 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-095 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-097 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-098 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-100 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-102 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-104 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-105 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-110 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-111 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-114 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-115 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-116 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-117 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-118 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-119 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-120 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-89-121 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-92-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-92-007 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-92-008 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-92-009 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 244-93-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-014 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-029 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-031 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-032 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-033 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-034 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-035 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-039 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-040 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-041 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-042 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-048 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-050 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-053 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-054 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-055 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-057 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-058 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-059 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-060 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-061 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-062 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-065 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-066 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-068 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-069 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-070 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-071 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-072 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-073 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-074 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-076 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-077 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-078 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-079 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-081 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-088 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-089 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-090 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-091 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-092 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-093 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-095 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-096 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-097 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-099 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-101 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-102 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-102_MOD | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-103 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-104 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-105 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-107 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-111 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-112 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-113 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-114 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-115 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-117 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-118 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-119 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-121 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-122 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-123 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-125 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-126 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-127 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-130 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-131 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-132 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-133 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-134 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-136 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-137 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-138 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-139 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-140 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-142 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-143 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-144 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-145 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-146 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-93-147 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-94-001 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 244-95-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-97-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-97-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-97-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-97-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-97-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-97-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 244-97-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2470-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-29-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-001C | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-009 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-012 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-013 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-014 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-014/E | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 251-80-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-018 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-020 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-022 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-022A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-024 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-025 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-026 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-027 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-028 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-029 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-030 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-031 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-033 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-034 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-035 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-036 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-037 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-040 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-045 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-046 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-048 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-048B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-048C | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-048D | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-048E | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-048F | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-049 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-051 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-054 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-057 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-058 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-059 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-059A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-059B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-059C | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-059D | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-059E | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-059F | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-060 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-061 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-062 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-063 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 251-80-079 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-00-107 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-100 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-101 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-102 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-103 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-104 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-105 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-106 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-107 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-108 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-110 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-111 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-112 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-113 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-114 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-115 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-116 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-117 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-118 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-121 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-122 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-123 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-124 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-125 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-126 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-127 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-128 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-129 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-130 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-131 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-132 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-140 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-150 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-170 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-180 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-1XX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-200 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-200 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-201 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-201 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-202 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-202 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-203 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-203 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-204 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-204 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-205 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-205 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-206 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-206 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-207 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-207 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-209 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-209 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-210 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-210 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-220 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-220 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-221 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-221 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-222 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-222 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-223 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-223 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-224 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-224 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 256-05-250 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-250 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-2XX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-2XX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-610 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-05-610 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-100 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-100/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-100/F26 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-101 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-101/F08 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-101/F12 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-101/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-101/F26 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-102 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-102/F04 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-102/F08 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-102/F12 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-102/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-102/F26 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-103 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-103/F04 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-103/F12 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-103/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-103/F26 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-104 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-104/F08 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-104/F12 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-104/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-105 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-105/F12 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-105/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-106 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-106/F04 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-106/F08 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-106/F12 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-106/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-106/F26 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-107 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-107/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-108 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-108/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-109 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-109/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-110 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-110/F04 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-110/F12 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-110/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-110/F26 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-111 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-111/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-112 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-112/F12 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-112/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-113 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-113/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-114 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-114/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-115 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-115/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-116 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-116/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-117 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-117/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-118 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-118/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-119 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-119/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-120 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-120/F12 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-120/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-121 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-121/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-121/F26 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-122 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-122/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-122/F26 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-123 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-123/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-124 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-124/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-125 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-125/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-126 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-126/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-127 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-127/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-128 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-129 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-129/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-130 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-130/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-131 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-131/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-132 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-133 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-133/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-134 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-134/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-140 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-140/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-144 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-146 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-147 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-148 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-149 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-150 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-151 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-1XX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-1XX/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-201 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 256-09-203 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-204 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-205 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-209 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-210 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-211 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-212 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-213 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-214 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-215 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-2XX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-320 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-321 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-601 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-602 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-603 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-604 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-605 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-606 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-607 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-608 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-609 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-610 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-611 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-612 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-613 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-614 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-615 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-616 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-617 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-618 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-619 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-620 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-6XX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-701 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-701 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-701/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-701/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-702 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-702 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-702/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-702/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-703 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-703 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-703/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-703/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-704 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-704 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-704/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-704/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-705 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-705 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-705/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-705/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-706 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-706 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-706/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-706/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-707 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-707 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-707/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-707/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-708 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-708 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-708/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-708/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-709 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-709 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-709/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-709/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-710 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-710 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-710/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-710/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-712 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-712 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-712/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-712/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-713 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-713 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-713/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-713/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-715 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-715 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-715/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-715/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-716 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-716 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-716/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-716/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-717 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-717 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-717/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-717/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-718 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-718 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-720 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-720 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-720/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-720/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-7XX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-7XX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-7XX/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-7XX/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-801 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-801 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-801/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-801/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-802 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-802 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-802/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 256-09-802/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-803 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-803 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-803/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-803/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-804 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-804 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-804/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-804/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-805 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-805 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-805/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-805/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-806 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-806 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-806/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-806/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-807 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-807 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-807/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-807/F18 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-808 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-808 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-814 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-814 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-09-9XX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-16-320 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-16-321 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-29-101 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-29-102 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-29-103 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-29-104 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-29-105 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-29-106 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 256-29-110 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2600-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2604-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2611-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2650-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2660-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2700-6001 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2700-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2700-6002 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2700-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2700-6002B | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2700-6002B | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2700-6002C | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2700-6002C | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2700-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2700-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2700-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2700-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2700-6030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2700-6030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2700-6030 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2700-6039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2700-6039 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2700-6040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2700-6040 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2701-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2701-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2701-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2701-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2701-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2701-6015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2702-6007 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2702-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2702-6015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2702-6401 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2706-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2706-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2706-6004 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2706-6004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2706-6004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2706-6401 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2706-6401 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2711-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2711-60004EDU | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2711-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2711-60012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2711-60016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2711-60018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2711-60025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2711-60025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2711-60026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2711-60026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2711-60027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2712-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2712-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2712-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2712-6008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2712-6015 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2712-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2712-6401 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2712-6402 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2712-6402 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2713-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2713-6001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2713-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2713-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2713-6004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2713-6004 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2713-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2713-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2713-6009 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2713-6009 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2713-6010 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2713-6010 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2713-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2713-6011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2713-6013 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 2713-6013 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2713-6016 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2713-6016 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2713-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2713-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2720-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2720-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2720-6006 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2720-6013 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-60024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-60026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-60027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-60028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-60029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-60029EDU | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-60036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-60040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-60044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-60045 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2721-60046 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-60050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-60057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-60060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-60060 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2721-60061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-60066 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-60067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2721-6019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2722-60405 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2722-60407 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2722-60407 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2722-60410 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2722-60410 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2722-60748 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2722-60748 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2733-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2733-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2733-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2733-6004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2733-6401 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2733-6402 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2733-6404 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2733-6404 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2743-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2743-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2743-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2743-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2746-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2746-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2746-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2746-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2746-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2746-6013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2750-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2750-6024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2750-6039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2750-6042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2750-6043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2750-6045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2750-6047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2750-6062 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2750-6068 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2750-6072 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2750-6075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2750-6081 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2750-6134 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2750-6403 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2750-6420 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2753-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2753-6002B | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2753-6002C | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2770-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2770-6011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2770-6043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2775-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2775-6205 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2775-6205 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2775-6206 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2775-6207 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2775-6208 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2775-6209 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2775-6210 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2775-6211 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2780-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2780-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2780-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2780-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2782-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2782-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2782-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2782-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2782-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2782-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2785-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2785-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2785-6017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2786-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2786-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2786-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2786-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2786-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2786-6005 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2794-6003 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2797-6003 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2797-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 2797-6004 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2797-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2798-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2798-6014 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2800-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2802-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2812-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2816-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2817-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2885-6002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2900-4083 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2900-4083 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2900-4901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2900-4901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6003 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6009 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6009 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6009 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6040 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6051 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6051 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6057 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6066 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6083 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6092 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2900-6092 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2900-ADPTKIT-00 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2900-ADPTKIT-00 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2901-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2901-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2901-6005 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2901-6006 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6013 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6030 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6030 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6033 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6042 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6073 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6075 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6080 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6087 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6087 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6093 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6093 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6111 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6111 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6111 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6111 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6129 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6129 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6136 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6136 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6137 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6147 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6147 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6151 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6162 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2902-6162 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6035 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6040 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6040 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6041 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6044 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6044 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6094 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6098 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6099 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6099 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6111 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6111 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6112 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6113 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 2903-6113 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6114 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6114 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6115 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6115 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6116 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6116 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6117 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6145 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2903-6145 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2904-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2904-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2904-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2904-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2905-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2905-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6002C | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6002C | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6035 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6044 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6049 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6065 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6066 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6066 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6073 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6073 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6075 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6077 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6078 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6080 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6080 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6081 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6081 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6109 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6109 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6111 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6130 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6130 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6132 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6132 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6133 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6133 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6135 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6135 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6136 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6136 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6140 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6140 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6147 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6147 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6159 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6165 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6165 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6168 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6168 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6913 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2906-6913 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2907-6005 | CONNECTOR | Insulator | No | ETHYLENE PROPYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2907-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2907-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2908-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2908-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2908-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2908-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2908-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2908-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2908-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2908-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2908-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2908-6037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2908-6037 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2909-6003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2909-6003 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2909-6003 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2909-6020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2909-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2910-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2910-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2910-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2910-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2910-6005 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2910-6005 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2910-6039 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2910-6046 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2910-6046 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2910-6072 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2910-6072 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2910-6079 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2910-6079 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2910-6079 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2910-6613 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2910-6613 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2910-6613 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2910-6613 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-00004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-40024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-40024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-40025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-40025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-4019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 2911-4019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60073 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60075EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60092 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60092 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60111 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60111EDU | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60120 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60120 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60120EDU | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60120EDU | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60122 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60122 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60126 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60126 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60129 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60129 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60151 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60151 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60208 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60208 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60211 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60211 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60232 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60232 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60244 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60244 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60244 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60245 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60245 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60282 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60282EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60295 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60295 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60297 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60297 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-6032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-6032 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60320 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60320EDU | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-6048 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-6053 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-6053 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-6054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-6054 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-6062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-6062 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-6063 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60950 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60963 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60974 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60974 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60975 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60975 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60977 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60977 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60977 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60979 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60979 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60979 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60986 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60987 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60987 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60989 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60990 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60990 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60992 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60992 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60994 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60994 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60994 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60994 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60994 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60995 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60995 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60995 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60996 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60996 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60996 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-60999 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61000 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61000Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61000Q | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61004 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 2911-61029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61037 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61040 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61041 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61043 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61051 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61051 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61057 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61059 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61064 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61064 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61067 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61069 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61069 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61069Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61069Q | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61070 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61071 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61072 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61073 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61080 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61080 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61082 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61082 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61086 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61086 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61086 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61089 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61089 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61089 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61090 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61090 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61090 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61091 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61091 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61093 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61093 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61105 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61105 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61105 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61105 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61110 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61110 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61112 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61112 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2911-61112 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2911-80001 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2911-80001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-00004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-40039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-40039 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6001A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6001A | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6037 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6037 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6049 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6050 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60916 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60916 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60917 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60917 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60919 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60919 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60923 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60923 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60923 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60931 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60931 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60931 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60932 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60940 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60940 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60949 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60949 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60950 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60950 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60986 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60986 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60986EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60986EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60989 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60989 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60997 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2912-60997 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 2912-61001Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61001Q | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61002Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61002Q | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61010 | CONNECTOR | Insulator | Yes | MATERIAL SPECIFICATION ETFE | 25038-71-5 | Ethene, 1,1,2,2-tetrafluoro-, polymer with ethene | Ethylene-tetrafluoroethylene Copolymer (ETFE) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61032 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61036 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61039 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61040 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61041 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61047 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61049 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61067 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-61070 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6605 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6605 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6608 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6608 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6608 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6609 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6609 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6609 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6904 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6908 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2912-6908 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-4901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2913-4901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2913-4901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6001A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6001A | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6025 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6031 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6035 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6056 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6082 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6082 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6083 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6083 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6084 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6084 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6085 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6085 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6086 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6086 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6087 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6087 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6088 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6088 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6092 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6092 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2913-6094 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2915-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 2915-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2915-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2915-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2915-6602 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2915-6602 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2915-6602 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2915-6605 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2915-6605 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2915-6605 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2915-6614 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2915-6614 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2917-6005 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2920-6023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2920-6023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00004E | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00029A | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00029B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00053 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00053 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00061-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-00063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-10002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-40041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-40045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-40046 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-40047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-40048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-40048 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-40049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-40049-1S | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-40050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-40050-1S | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-40052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-40054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-40054 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-40055 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-40055 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-40058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6007 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6052 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6052 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6052 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6053 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61066 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61080 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61080EDU | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61081 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61085 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61085EDU | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61086 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61086EDU | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61087 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61087EDU | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61089 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61089 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61091 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61098 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61099 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61104 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61119 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61122 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61130 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61134 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61135 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61136 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 2921-61153 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61155 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61161 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61161 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61166 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61168 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61172 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61173 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61173EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61175 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61175 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61175EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61175EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61181 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61189 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61190 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61194 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61194 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61195 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61196 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61196F | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61207 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61212 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61212 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61217 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61217EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61237 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61238 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61244 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61254 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61262 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61262 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61262 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61262 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61266 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61269 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61270 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61270 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61278 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61279 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61280 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61288 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61292 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61297 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61297 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61297 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61306 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61307 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61308 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61308 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61325 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61341 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61346 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61346 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61346 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61349 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61352 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61359 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61362 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61363 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61364 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61364 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61366 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61366EDU | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61372 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61372 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61374 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61378 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61380 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61380EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61383 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61383 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61383 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61389 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61390 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61403 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61405 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61407 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61421 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61427 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61435 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61438 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61441 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61456 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61459 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61463 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61463 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61463A | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61463A | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61465 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61467 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61489 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61493 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61493-TD | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61502 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61509 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61509 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61512 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61512EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61534 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61535 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61540 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61542 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61543 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61551 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61551 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61556 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61556 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61560 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61563 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61567 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 2921-61579 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61580 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61584 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61586 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61586 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61592 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61601 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61601 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61602 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61611 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61611 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61617 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61619 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61619 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61620 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61620 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61621 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61623 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61625 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61627 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61629 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61633 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61635 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61635 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61635 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61635 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61637 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61641 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61643 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61644 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61645 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61648 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61649 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61652 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61656 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61657 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61669 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61670 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61671 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61672 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61674 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61674 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61674-MOD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61674-MOD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61676 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61681 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61681-N | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61681-S | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61685 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61687 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61688 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61688 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61689 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61689 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61692 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61693 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61696 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61697 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61697 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61699 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61700 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61700 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61701 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61701 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61704 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61704-N | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61704-S | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61710 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61710 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61713 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61714 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61715 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61715 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61716 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61717 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61718 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61718 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61723 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61725 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61726 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61727 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61728 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61729 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61731 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61733 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61738 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61743 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61744 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61744 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61745 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61746 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61747 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61748 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61749 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61750 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61752 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61753 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61755 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61757 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61758 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61759 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61761 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61764 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61764 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61764 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61764 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61765 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61765 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61765 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61765 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61770 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 2921-61771 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61771 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61774 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61777 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61778 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61779 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61780 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61782 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61784 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61785S | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61786 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61786-1S | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61789 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61792 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61794 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61794 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61797 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61803 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61804 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61804 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61806 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61806 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61808 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61809 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61809 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61811 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61816 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61817 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61817 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61817 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61817 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61822 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61828 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61830 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61834 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61834 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61834 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61835 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61835 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61836 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61839 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61843 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61849 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61849 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61850 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61852 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61854 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61855 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61858 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61858 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61862 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61866 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61867 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61867 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61869 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61870 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61872 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61874 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61876 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61878 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61878 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61883 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61884 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61885 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61886 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61886 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61887 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61887 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61887 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61888 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61889 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61891 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61895 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61895 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61896 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61898 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61904 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-61915 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6910 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6911 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6911 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6915 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6921 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6937 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6946 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6949 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6952 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6953 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6970 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6974 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6975 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6977 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6983 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6985 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6986 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6987 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6988 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6991 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6992 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-6993 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2921-80001 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2921-80001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-6007A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-6031 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-6031 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2922-6042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 2922-6047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-6049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-6051 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-6052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60921 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60925 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60926 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60926 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60929 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60929 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60929 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60931 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60931 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60931 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60935 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60939 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60939 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60940 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60944 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60944 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60947 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60947 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60949 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60949 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60953 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60959 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60959 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60960 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60961 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60967 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60971 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60974 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60974 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60975 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60975 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60989 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60989 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60996 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60996 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60996-1 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60996-1 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60996-2 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60996-2 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60996-3 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-60996-3 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61005EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61014-1 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61014-1 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61014-2 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61014-2 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61014-3 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61014-3 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61026 | CONNECTOR | Insulator | Yes | MATERIAL SPECIFICATION ETFE | 25038-71-5 | Ethene, 1,1,2,2-tetrafluoro-, polymer with ethene | Ethylene-tetrafluoroethylene Copolymer (ETFE) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61026 | CONNECTOR | Insulator | Yes | MATERIAL SPECIFICATION ETFE | 25038-71-5 | Ethene, 1,1,2,2-tetrafluoro-, polymer with ethene | Ethylene-tetrafluoroethylene Copolymer (ETFE) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-6103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-6104 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61046 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61046 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61051 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61051 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61060 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61060 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61066 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-61071 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-6909 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-6909 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-6916 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2922-6916 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2923-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2923-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2923-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2926-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2926-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2926-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2926-6101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2927-6006 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2928-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2928-6006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2928-6029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2930-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2930-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2930-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 2930-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2930-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2931-6901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2932-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2932-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2932-6059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2932-6063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2932-6064 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2932-6067 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2932-6068 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2932-6069 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6039 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6069 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6071 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6072 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6073 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6076 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6080 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6082 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6083 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2933-6903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2934-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2941-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2941-6004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2941-6300 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2941-6301 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-4032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6004 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6034 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6035 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6039 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6045 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6048 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6059 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6059 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6073 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6073 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6073 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6074 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6089 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6089 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6097 | CONNECTOR | Insulator | No | ETHYLENE PROPYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6097 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6098 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6098 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6106 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6106 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6302 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2942-6302 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-4001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-4070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6027 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6027 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6068 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6068 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6068 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6068 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6069 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6069 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6069 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6069 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6082 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6082 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6082 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 2943-6083 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6083 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6083 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6085 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6086 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6087 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6400 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2943-6400 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2944-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2944-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2944-6001Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2944-6001Q | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2944-6003 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2944-6003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2944-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2944-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2945-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6012Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6012Q | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6032 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6045 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6056 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6057 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6059 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6060 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6061 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6064 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6066 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6067 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6067 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6069 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2946-6070 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2948-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2948-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6061C | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6073 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6081 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6092 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6099 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6132 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6134 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6134 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6135 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6136 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6138 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6139 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6139 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6139 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6140 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6144 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6147 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6161 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6182 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6198 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6200 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6218 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6219 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6220 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6233 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6251 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6257 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6297 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6298 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6306 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6328 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6329 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6330 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6332 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6334 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6336 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6337 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6377 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6383 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6393 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6396 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6410 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6413 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6433 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6439 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6440 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6447 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6450 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6472 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 2950-6473 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6474 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6483 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6489 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6521 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6525 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6546 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6610 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6611 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6623 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6662 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6701 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6720 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6731 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6739 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6769 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6780 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6781 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6784 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6808 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6828 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6920 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6940 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6952 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2950-6955 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6006 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6066 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6068 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6069 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6081 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6110 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6115 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6116 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6121 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6122 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6123 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6146 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6172 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6214 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6216 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6224 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6225 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6261 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6267 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6268 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6272 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6274 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6296 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6303 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6308 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6313 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6317 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6322 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6374 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6375 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6385 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6392 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6401 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6402 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6405 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6410 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6411 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6463 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6463 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6610 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6707 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6708 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6709 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6714 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6714 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2951-6715 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2952-6106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2952-6117 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2952-6123 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2952-6125 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2952-6302 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6117 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6119 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6168 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6172 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6173 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6174 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6176 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6177 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6179 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6181 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6182 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6183 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6184 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6185 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6187 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6188 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6200 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6201 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6206 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6207 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6213 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6215 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6220 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6225 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6309 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6311 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6408 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 2953-6409 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6419 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6420 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2953-6914 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6033 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6071 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6071 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6081 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6081 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6169 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6169 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6217 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6217 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6296 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6296 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6297 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6297 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6316 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6316 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6330 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6332 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6376 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6376 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6379 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6379 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6380 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6380 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6381 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6381 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6501 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2955-6501 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2957-6002 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2957-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6046 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6055 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6078 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6124 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6131 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6147 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6147 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6171 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6204 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6204 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6205 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6205 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6211 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6221 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6229 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6229 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6231 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6233 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6234 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6246 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6246 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6257 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6257 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6271 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6274 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6274 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6280 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6281 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6300 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6308 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6308M | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6308M | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6328 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6350 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6350 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6351 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6352 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6601 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6601 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6611 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6611 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6612 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6612 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6613 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6613 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6614 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6614 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6616 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6616 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6617 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6617 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6618 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6618 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6627 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6627 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6631 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6631 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6634 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 2960-6634 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6634 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6643 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6643 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6668 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6668 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6696 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6696 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6739 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6745 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6745 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6753 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6753 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6756 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6756 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6757 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6757 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6759 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6775 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6778 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6778 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2960-6779 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2961-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2961-6022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2961-6051 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2961-6065 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2961-6603 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2961-6603 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2961-6615 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2961-6615 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2961-6635 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2961-6635 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2961-6636 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2961-6636 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2964-4002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2970-0027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2970-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2970-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2970-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2970-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2970-6021 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2970-6118 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2970-6131 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2971-0049 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2971-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2971-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2971-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2971-6032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2971-6033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2971-6033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2971-6034 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2971-6038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2971-6039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2971-6039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2971-6048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2971-6050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2971-6052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2971-6052 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2971-6059 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2971-6063 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2973-6004 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2973-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2973-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6093 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6132 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6133 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6198 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6199 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6199 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6200 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6200 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6203 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6220 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6222 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6226 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6226 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6228 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6229 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6230 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6230 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6241 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6241 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6242 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6245 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6245 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6268 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6287 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6287 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6293 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6294 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6295 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6296 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6300 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6301 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6302 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6314 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6315 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6320 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6321 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6328 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6328 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6329 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6332 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6335 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6335 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6336 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 2975-6336 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6337 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6338 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6338EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6340 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6344 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6348 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6348EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6353 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6353 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6355 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6359 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6361 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6361 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2975-6362 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2976-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2976-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2976-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2976-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2976-6012 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2979-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2979-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2979-6011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2979-6011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2979-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2979-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2979-6014 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2979-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2979-6025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2980-0019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2980-0306 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2980-0307 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2980-0413 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2980-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2980-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2980-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2980-6010 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2980-6056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2980-6058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2980-6058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2980-6064 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2980-6065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2980-6066 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2980-6066 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2981-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2981-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2981-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2982-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2982-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2982-6003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2982-6003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2982-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2982-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2982-6059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2982-6059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2982-6062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2982-6062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2983-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2983-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2983-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2983-6029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2983-6034 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2983-6040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2983-6041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2983-6045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2985-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2985-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2985-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2985-6025 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2985-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2985-6028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2985-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2985-6032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2985-6034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2985-6035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2985-6036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2985-6037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2985-6038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2986-0014 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2986-0014 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2986-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2986-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2986-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2986-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2986-6009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2986-6019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2986-6019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2986-6019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2986-6021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2986-6021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2986-6022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2986-6022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2986-6022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2986-6023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2986-6023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2986-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2986-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2986-6028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2986-6028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2988-0018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2988-6015 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2988-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2988-6020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2988-6020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2989-0314 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2989-6018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2989-6024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2989-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2989-6028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2989-6042 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2989-6055 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 2989-6056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2990-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2990-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2990-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2990-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2990-6002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2990-6002A | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2990-6002A | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2990-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2990-6006 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2990-6006 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2990-6012 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2990-6033 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2990-6036 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2990-6040 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2990-6045 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2990-6053 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2990-6053 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2990-6056 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2991-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2991-6002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2991-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2991-6009 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2991-6020 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2991-6024 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2991-6030 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2991-6042 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2991-6044 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2992-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2992-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2992-6042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2992-6042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2992-6046 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2992-6046 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2993-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2993-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2993-6003 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2993-6003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2993-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2993-6004 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2993-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2993-6005 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2993-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2993-6026 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2993-6028 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2993-6028 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2993-6033 | ADAPTER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 2993-6033 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2993-6649 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2993-6649 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2993-6649 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2993-6650 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2993-6650 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2993-6650 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6001A | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6001A | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6001A | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6012 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6017 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6026 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6026 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6033 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6034 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6034 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6034 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6046 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6046 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6602 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6602 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6602 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6603 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6603 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6603 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6604 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6604 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2994-6604 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2995-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2996-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2996-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2996-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2996-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2996-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2996-6013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2996-6024 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2997-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2997-6003 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2997-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2997-6009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2997-6017 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2997-6041 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2997-6041 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2997-6046 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2997-6058 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 2998-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2998-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2998-6006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2998-6028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2998-6029 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 2998-6034 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 2998-6040 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 3000-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3000-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3000-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3000-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 300-16-004 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 3003-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3003-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3003-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3003-0007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3003-0007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3003-0009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3003-0009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3003-4013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3003-4013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3003-4018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3003-4018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3006-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3006-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3006-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3006-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3006-0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3006-0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3006-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3006-0011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3009-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3009-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3009-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3009-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3009-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3009-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3009-0004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3009-0004 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3010-0002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3010-0002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3010-0002 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3010-0002 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3011-40003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3011-40003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3011-40004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3011-40004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3012-40002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3012-40002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3014-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3014-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3014-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3014-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3017-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3017-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3017-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3017-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3017-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3017-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3017-0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3017-0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3017-0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3017-0006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3017-0006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3017-0010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3017-0010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3017-0010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3017-0012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3017-0012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3017-0012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3017-4010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3017-4010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3017-4010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3017-4012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3017-4012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3019-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3019-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3019-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3020-0001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3021-40002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3021-40005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3021-40005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3021-40006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3021-40006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3026-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3029-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3039-0008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3050-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3050-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3050-0016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3050-0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3051-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3052-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3053-0001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3053-0010 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3055-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3055-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3055-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3056-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3057-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3057-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3057-4001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3057-4001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3057-4009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3057-4009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3058-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3060-4002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3060-4004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3062-4007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3062-4008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3069-0001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3070-0001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3092-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-547/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-547/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-547/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-547/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-547/043B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-547/043B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-564/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-564/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-564/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 312-29-564/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-803/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-803/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-803/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-803/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-806/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-806/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-806/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-806/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-847/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-847/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-848/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-848/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-862/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-862/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-863/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-863/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-863/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-863/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-864/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-864/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-864/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-864/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-897/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-897/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-29-897/043B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-40-017/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-40-017/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-40-017/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-40-017/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-40-029/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-40-029/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-40-029A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-40-032/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-40-032/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-40-032/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-40-032/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-40-032/043B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-40-032/043B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-40-082/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-40-082/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-40-082/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 312-40-082/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3200-4001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3200-4002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3200-4003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3200-4004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3200-4005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3200-4006 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3200-4006 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3200-4007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3200-SMPM | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3202-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3202-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-00005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-00006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-00007 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3211-00008 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3211-00009 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3211-00010 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3211-00015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-00022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-00024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-00029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-00030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-00032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-20008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-20008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-20008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40047 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40048 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40065 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40105 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40109 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40110 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40117 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40125 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40128 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40128 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40131 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40131 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40140 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40141 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40142 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40143 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40153 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 3211-40158 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40159 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40165 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40165 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40166 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40166 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40169 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40170 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40173 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40173A | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40174 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40175 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40182 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40183 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40185 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40186 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40190 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40195 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40196 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40198 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40199 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40212 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40213 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40215 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40215 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40216 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40221 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40222 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40231 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40231 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40232 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40232 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40233 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40233 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40235 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40237 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40246 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40247 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40248 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40252 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40252 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40258 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40259 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40263 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40278 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40279 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40280 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-40280A | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60046 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60071 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60072 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60086 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60086-TD | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60087 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60087-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60102 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60113 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60113 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60118 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60118-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60136 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60144 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60151 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60152 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60159 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60172 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60173 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60173A | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60174 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60174A | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60179 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60179 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60180 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60180-TD | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60181 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60181-TD | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60194 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60199 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60201 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60204 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60205 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60213 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60226 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60226A | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60243 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60252 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60304 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60305 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60306 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60307 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60307A | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60308 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60308A | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60314 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60326 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60327 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60331 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60335 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60335-TR | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60338 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 3211-60339 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60339A | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60346 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60346EDU | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60350 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60350Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60351 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60351Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60353 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60365 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60370 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60373 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60373Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60375 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60376 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60379 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60381 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60385 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60385 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60385 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60386 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60391 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60392 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60394 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60395 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60396 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60405 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60406 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60406 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60407 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60407-1S | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60407-2S | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60413 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60413 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60416 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60417 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60418 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60419 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60419 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60420 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60422 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60422 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60423 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60426 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60427 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60428 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60436 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60441 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60446 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60448 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60452 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60453 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60457 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60457 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60462 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60463 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60468 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60469 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60470 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60470 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60471 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60474 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60479 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60480 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60482 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60486 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60489 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60492 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60493 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60494 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60499 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60499 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60499 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60502 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60502 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60502 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60502 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60506 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60506 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60510 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60518 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-60518 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-80001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-80001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-80003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3211-80004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40016-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40016-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40033 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 3212-40038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-40045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-60008 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3212-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-60012EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-60014 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3212-60014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-60016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-60016EDU | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-60017 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3212-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-60025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-60030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-60030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-60032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-60040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-60041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3212-60045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3220-4001 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-4000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40004 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40006Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40007Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40019Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-4002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-4002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40022Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-4002Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-4002Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-4003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40053 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40053 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40055 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40066 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40066 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40066 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40066Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40066Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40066Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40068 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40071 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40071 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40071Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40071Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40072 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40073 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40074 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40076 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40077 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40078 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40079 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40080 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40081 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40082 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40083 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40084 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40086 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40087 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40088 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40090 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40092 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40093 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40096 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40105 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 3221-40108 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40109 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40110 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40110 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40111 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40112 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40115 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40118 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40119 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40122 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40122 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40122 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40123 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40125 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40126 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40128 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40128 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40128Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40128Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40129 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40131 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40132 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40139 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40147 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40148 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40149 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40155 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40164 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40167 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40179 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40180 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40180 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40180 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40183 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40185 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40186 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40191 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40194 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40195 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40195 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40195 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40195 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-40195 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-60003Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-60004Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-60016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-60016Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-60017Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-60021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-60027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-60029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3221-60032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40005Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40020Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40020Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40046 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 3222-40046 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40046 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40053 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40053 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40055 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40059Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40059Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40059Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40060Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40060Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40060Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40069 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40069 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40071 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40071 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40071 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40074 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40074 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40074 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40077 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40077 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40077 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40080 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40080 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40080 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40085 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40085 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40085 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40086 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40086 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40092 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40092 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40093 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40108 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40113 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40113 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40113 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40116 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40116 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-40121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3222-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3241-40004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3241-40008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3241-40008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3251-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3251-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3251-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3269-4001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3269-4003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3280-6001 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 3285-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3285-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3285-6001-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3285-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3285-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3286-4100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3287-4100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3287-4100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3287-4101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3287-4101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3287-4301 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 3287-4302 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 3290-4001 | ADAPTER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 3290-4002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3290-4003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3311-60018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3311-60020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3311-60022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3312-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3312-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 3312-60002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3312-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3312-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3312-60003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3321-00003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3321-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3321-60001 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 3321-60060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3321-60061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3321-60065 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 3321-60084 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 333-29-691 | CONNECTOR | Insulator | No | ZIRCONIUM | | | | 10,000 ppm to <150,000 ppm (15%) |
| 333-29-692 | CONNECTOR | Insulator | No | ZIRCONIUM | | | | 10,000 ppm to <150,000 ppm (15%) |
| 333-29-693 | CONNECTOR | Insulator | No | ZIRCONIUM | | | | 10,000 ppm to <150,000 ppm (15%) |
| 333-29-694 | CONNECTOR | Insulator | No | ZIRCONIUM | | | | 10,000 ppm to <150,000 ppm (15%) |
| 333-29-695 | CONNECTOR | Insulator | No | ZIRCONIUM | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3470-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3600-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3630-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3630-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3630-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3630-6001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3707-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3707-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3708-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3708-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3711-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3711-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3712-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3712-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3715-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3715-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3719-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3719-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3719-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40003-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-400102 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40022-MOD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40022-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40022-TR | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40023-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40023-TR | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40042 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40044A | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40045A | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40046 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40051 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40053 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40057-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40074 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40076 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40079 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40082 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40083 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40084 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40085 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40090 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40091 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40092 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40092 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40095 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40097 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40098 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40098 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40108 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40109 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40115 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40116 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40117 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40124 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-40126 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60019-TD | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 3811-60036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60051 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60055 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60068 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60069 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60069 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60071 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60072 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60076 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60077 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60078 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60080 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60081 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60084 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60086 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60088 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60088 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60095 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60095 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60096 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3811-60096 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3812-60006 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40023Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40023Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40024Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40024Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40029Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40046 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40051 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40055 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40055 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40064 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40069 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40070Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40070Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-40071 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3821-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40001Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40001Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 3822-40010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 3822-40036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0042 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0042 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0056 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0056 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0068 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0068 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0079 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0079 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0080 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0080 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0080 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0091 | CONNECTOR | Insulator | No | ETHYLENE PROPYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0091 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0092 | OTHER | Insulator | No | ETHYLENE PROPYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0092 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0904 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0904 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0922 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-0922 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-8019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-8019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-8019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-8019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-8030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-8030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4000-8030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4000-8030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4001-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4001-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4001-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4001-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4001-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4001-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4001-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4001-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4001-0701 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4001-0701 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4001-6002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4001-6002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4001-6002 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4002-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4002-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4002-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4003-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4003-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4003-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4003-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4003-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4003-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4003-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4003-0020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4003-0020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4003-0020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4003-0020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4003-0020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4004-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4004-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 4004-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4004-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4004-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4004-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4004-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4004-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4004-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4004-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4004-0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4004-0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4007-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4007-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4007-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4007-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4007-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4007-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4007-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4007-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4007-0008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4007-0008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4007-0012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4007-0012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4007-0012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4007-0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4007-0015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4007-0015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4007-0017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4007-0017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4007-0017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4007-0017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4008-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4008-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4008-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4008-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4008-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4008-0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4008-0014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4008-0017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4008-0017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4008-0017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4008-8006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4008-8006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4008-8006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4008-8006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4009-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4009-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4009-0008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4009-0020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4009-0020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4009-0020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4009-0020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4010-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4010-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4010-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4010-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4010-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4010-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4010-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00039 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00050 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00053 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00066 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-0007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-0007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-0007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-00074 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-40002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-40005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-40006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60191 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60191 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60193 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60193 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60193 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60195 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60195 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60204 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60205 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60206 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60206 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60206 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60208 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60208 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60219 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 4011-60219 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60219 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60221 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60222 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60222 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60222 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60222 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60222 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60227 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60227 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60228 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60229 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60235 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60236 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60236 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60240 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60240 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60241 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60242 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60242 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60242 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60243 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60243 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4011-60245 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-80006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-80006EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-80007EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-80008EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-80009EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-80010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4011-80010EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-00008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-00008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4012-00019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-00019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-00020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-00020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-00020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-00020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4012-0003 | CONNECTOR | Insulator | No | ETHYLENE PROPYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4012-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4012-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4012-60021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-60021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-60021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-60021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4012-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-60022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4012-60025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-60025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-60033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-60033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-60035 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-60035 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-60035 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-60036 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-60036 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-60036 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-60040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4012-60040 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4012-60041 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4013-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4013-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4014-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4014-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4014-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4014-0012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4014-0012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4017-0014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4017-0014 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4017-0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4017-0015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4017-0015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4017-6009 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4017-6009 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4017-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4017-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00044E | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00050 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00051 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00056 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00069 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-0007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 4021-00070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00076 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00076 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00076 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00076 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00077 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00079 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00079 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4021-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00080 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00081 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00090 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00092 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00096 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-0010 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00105 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00110 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00112 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00112 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00112 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00113 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00114 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00114 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4021-00114 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4021-0012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-0012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4021-0013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-4000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-40000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-40003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-6001 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60024EDU | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60042 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60042EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60042EDU | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60082 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60149 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60150 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60151 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60152 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60160 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60160 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60160 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60160 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60169 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60171 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60172 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60172-EM | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60175 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60180 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60180 | CONNECTOR | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60181 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60181 | CONNECTOR | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60184 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60185 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60186 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60187 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60203 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60203 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60203 | CONNECTOR | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60204 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60204 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60204 | CONNECTOR | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60207 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60208 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60216 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60217 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60218 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60219 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60221 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60222 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60223 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60227 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60229 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60230 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60234 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-60240 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-80000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-80002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-80003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-80003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-80004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-80005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-80005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-80006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-80006EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-80007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-80007EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-80008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-80008EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-80009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-80009EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4021-80010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4022-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4022-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 4022-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4022-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4022-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4022-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4022-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4022-60010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4025-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4025-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4025-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4025-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4025-0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4025-0056 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4026-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4026-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4027-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4027-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4027-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4028-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4028-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4028-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4028-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4029-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4029-0001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4031-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4032-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4032-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4032-0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4036-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4036-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4042-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4042-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4042-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4042-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4042-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4042-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4042-0011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4042-0014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4042-0014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4042-0014 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4044-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4044-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4047-0002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4047-0002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4047-0002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4047-0002 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4052-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4052-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4052-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4052-0101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4053-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4053-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4055-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4055-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4060-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4060-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4060-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4060-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4060-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4060-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4060-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4060-0051 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4060-0063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4060-0063 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4060-0065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4063-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4063-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4063-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4063-0010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4063-0010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4063-0020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4063-0020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4063-0027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4063-0111 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4063-0111 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4063-0116 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4064-0001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4065-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4065-0014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4065-0014 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4066-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4066-0001U | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4066-0030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4066-0037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4066-8037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4066-8038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4066-8038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4066-8039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4066-8039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4066-8040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4066-8041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4066-8041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4067-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4067-0001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4068-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4068-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4068-0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4068-0006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4068-0010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4068-0014 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4068-0015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4070-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4070-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4071-0401 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4072-0010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4072-0010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4072-0013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4072-0013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4075-0007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4075-0007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4075-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4075-0008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 4076-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4079-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0052 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0053 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0064 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0087 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0088 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0094U | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0095 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0109 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0118 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0119 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0124 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0126 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0128 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0132 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0148 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0176 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0178 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0180 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0183 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0187 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0189 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0190 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0190 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0193 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0194 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0199 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0199 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0199 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0202 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0204 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0206 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0213 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0219 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0306 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0306 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0309 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0310 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0311 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0312 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0313 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0412 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0412 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0500 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0501 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0502 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0503 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0504 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0505 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0506 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0507 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0510 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0510 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0511 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0511 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0512 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0512 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0513 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0513 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0550 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0552 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-0556 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-6024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-6028 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-6106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-6204 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-8003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4080-8131 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4082-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4082-0029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4082-0035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4082-0035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4082-0048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4082-0048 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4082-6031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4082-6031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4083-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4083-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4083-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4083-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4083-0027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4084-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4084-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4084-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4084-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4084-0009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4084-0009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4084-0068 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4084-0068 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4084-0069 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4084-0069 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4084-0075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4084-0076 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4084-0076 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4084-0078 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4084-0078 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4084-8008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 4084-8008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4084-8010 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4084-8010 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4085-0009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4085-0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4086-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4086-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4086-0001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4086-0020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4086-0020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4086-0100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4087-0003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4087-0003 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4087-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4087-0008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4087-0014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4087-0014 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4088-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4088-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4088-0201 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4088-0312 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4089-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4089-0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4089-6020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4092-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4092-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4092-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4092-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4092-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4092-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4092-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4092-0032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4092-0032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4092-0032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4092-0032 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4092-0032 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0062 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0062 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4093-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4094-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4094-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4094-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4094-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4094-0050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4094-0050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4094-0050 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4096-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4096-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4096-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4096-0006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4096-0006 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4096-0007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4097-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4097-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4097-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4097-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4098-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4098-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4098-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4099-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4099-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4099-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4099-0006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4099-0007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4099-0007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4099-0007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4100-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4100-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4100-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4100-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4100-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4100-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4100-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4100-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4100-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4100-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4100-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4100-0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4100-0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4100-0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4102-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4102-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4102-0001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4102-0001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4108-8006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4110-0010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4110-0010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4110-0010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4110-0010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4113-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4113-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4113-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 4113-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4113-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4113-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4113-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4113-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4113-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4113-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4113-0010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4113-0011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4113-0035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4113-0035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4113-0035 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4113-0061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4113-0061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4113-0061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4113-0062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4113-0062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4113-0062 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4113-0062 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4113-8056 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4113-8056 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4113-8056 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4113-8056 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4114-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4114-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4114-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4114-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4114-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4114-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4115-0056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4115-0056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4115-0056 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4115-0056 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4115-0056 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4116-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4116-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4116-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4116-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4116-0007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4116-0007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4116-0007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4116-0007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4116-0027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4116-0027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4116-0027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4116-0027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4117-0005 | OTHER | Insulator | No | ETHYLENE PROPYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4117-0005 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4117-0005 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4117-0006 | CONNECTOR | Insulator | No | ETHYLENE PROPYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4117-0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4117-0006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4117-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4117-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4117-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4117-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4117-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4117-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4117-0909 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4117-0909 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4117-0909 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4119-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4119-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4120-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4120-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4120-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4120-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4120-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4120-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 412-29-028/043 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 412-29-028/043 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 412-29-028/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 412-29-028/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 412-29-028/043B | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 412-29-028/043B | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 412-29-107/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 412-29-107/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 412-29-107/043B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 412-29-191/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 412-29-191/043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 412-29-191/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 412-29-191/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 412-29-191/043B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 412-29-191/043B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 412-29-233/043 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 412-29-233/043A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 412-29-233/043B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 412-29-267 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4123-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4123-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4123-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4123-0013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4123-0013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4123-0013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4125-8005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4125-8008 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4126-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4126-0001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4126-0001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4130-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4130-0008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4130-0010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4131-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4131-0012 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4131-0013 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4132-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4132-0001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4132-0002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4132-0002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4132-0005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4132-0005 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 4132-0006 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4132-0006 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4133-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4133-0001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4133-0002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4133-0002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4133-0003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4133-0003 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4133-0020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4133-0020 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4133-0021 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4133-0023 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4133-0023 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4133-0025 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4133-0025 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4133-0027 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4133-0027 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4133-0028 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4133-0028 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4133-0029 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4133-0029 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4134-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4134-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4134-0001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4134-0004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4134-0004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4134-0004 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4134-0013 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4134-0013 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4134-0013 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4134-0014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4134-0014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4134-0014 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4135-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4135-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4135-0001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4135-0001-U | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4135-0001-U | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4135-0001-U | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4135-0006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4135-0006 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4135-0007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4135-0007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4135-0012 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4135-0012 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4135-0012 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4137-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4138-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4138-0014 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4138-0015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4138-0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4140-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4140-0010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4148-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4148-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4149-8001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4149-8002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4150-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4152-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4156-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4156-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4156-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4156-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4232-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4232-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4232-0010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-013 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-017 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-018 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-019 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-020 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-021 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-023 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-024 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-025 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-026 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-027 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-030 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-032 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-033 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-034 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-035 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-036 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-038 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-040 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-041 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-044 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-047 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-048 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-051 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-054 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-056 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-057 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-059 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-060 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-061 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-062 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-063 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-064 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-066 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-070 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-073 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-074 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-076 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-077 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 444-29-078 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-079 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-081 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-083 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-084 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-085 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-087 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-089 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-090 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-092 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-093 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-098 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-103 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-106 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-107 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-110 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-112 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-113 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-117 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-118 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-119 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-122 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-123 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-124 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-125 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-126 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-128 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-129 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-132 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-134 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-135 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-136 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-137 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-138 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-139 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-142 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-143 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-145 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-146 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-147 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-148 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-149 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-151 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-152 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-153 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-154 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-155 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-157 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-158 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-159 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-160 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-161 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-162 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-163 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-165 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-166 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-167 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-168 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-170 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-171 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-172 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-174 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-175 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-176 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-177 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-178 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-179 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-180 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-181 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-182 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-188 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-190 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-193 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-194 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-195 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-196 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-202 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-203 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-204 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-205 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-206 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-207 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-211 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-213 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-215 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-217 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-218 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-219 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-220 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-222 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-223 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-225 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-226 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-227 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-229 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-230 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-231 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-233 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-234 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-236 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-237 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-241 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-242 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-245 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-246 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-247 | Other | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-248 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-249 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-251 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-252 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-255 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 444-29-259 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-260 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-261 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-262 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-266 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-267 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-267A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-267B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-268 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-270 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-271 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-272M | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-273 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-275 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-281 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-282 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-291 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-294 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-297 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-300A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-303 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-306 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-307 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-309 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-310 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-311 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-313 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-314 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-315 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-315B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-316 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-317 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-318 | Other | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-319 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-320 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-321 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-324 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-326 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-328 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-329 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-330 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-331 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-332 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-333 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-335 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-337 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-338 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-340 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-341 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-342 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-343 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-347 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-348 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-351 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-352 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-353 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-354 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-355 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-356 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-357 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-360 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-361 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-362 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-363 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-364 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-365 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-366 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-367 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-368 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-369 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-370 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-372 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-373 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-374 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-375 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-376 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-379 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-381 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-382 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-383 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-384 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-385 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-386 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-387 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-388 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-389 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-390 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-392 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-393 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-394 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-396 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-397 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-398 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-399 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-401 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-403 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-404 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-405 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-406 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-407 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-408 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-409 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-411 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-413 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-414 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-415 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-416 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-417 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-418 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-419 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-420 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 444-29-421 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-423 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-425 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-426 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-428 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-429 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-430 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-432 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-433 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-434 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-435 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-436 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-437 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-438 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-440 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-441 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-442 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-443 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-445 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-446 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-447 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-448 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-450 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-451 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-452 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-453 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-454 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-455 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-456 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-458 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-459 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-460 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-462 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-463 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-465 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-466 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-467 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-468 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-469 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-470 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-471 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-472 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-473 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-474 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-475 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-476 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-477 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-478 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-479 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-480 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-481 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-482 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-484 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-485 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-487 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-488 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-492 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-493 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-494 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-495 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-496 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-497 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-498 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-499 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-500 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-501 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-502 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-503 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-504 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-505 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-506 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-507 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-508 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-509 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-510 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-511 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-513 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-514 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-515 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-516 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-517 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-518 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-520 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-521 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-522 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-523 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-524 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-525 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-526 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-527 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-528 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-529 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-531 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-532 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-536 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-537 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-538 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-539 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-541 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-542 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-543 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-544 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-545 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-548 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-550 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-552 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-553 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-554 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-555 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-558 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-559 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 444-29-560 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-563 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-565 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-566 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-567 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-568 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-569 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-570 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-571 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-572 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-575 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-576 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-578 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-579 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-580 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-581 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-582 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-584 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-585 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-586 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-587 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-589 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-590 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-591 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-592 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-593 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-594 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-598 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-599 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-600 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-601 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-602 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-604 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-606 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-607 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-608 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-610 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-611 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-612 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-614 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-617 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-618 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-619 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-620 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-622 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-623 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-625 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-629 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-630 | Other | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-634 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-635 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-636 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-638 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-639 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-641 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-643 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-644 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-647 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-648 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-650 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-652 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-654 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-656 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-658 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-659 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-661 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-662 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-664 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-665 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-667 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-668 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-669 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-670 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-671 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-672 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-673 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-674 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-676 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-678 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-679 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-681 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-682 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-683 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-684 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-685 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-686 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-689 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-690 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-691 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-692 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-693 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-695 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-696 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-700 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-701 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-702 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-704 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-706 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-707 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-708 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-709 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-710 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-712 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-713 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-714 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-715 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-716 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-717 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-718 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-719 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-720 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 444-29-721 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-722 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-723 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-724 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-725 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-726 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-727 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-728 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-729 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-731 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-732 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-733 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-734 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-735 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-737 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-738 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-741 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-742 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-743 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-744 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-745 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-746 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-747 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-748 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-749 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-750 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-751 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-752 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-753 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-755 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-756 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-757 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-758 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-759 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-760 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-761 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-762 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-763 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-764 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-771 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-773 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-774 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-775 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-776 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-777 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-778 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-779 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-780 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-785 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-787 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-789 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-790 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-792 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-793 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-794 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-795 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-796 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-797 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-798 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-799 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-800 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-801 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-802 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-803 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-804 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-805 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-806 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-808 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-809 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-812 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-814 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-815 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-817 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-818 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-819 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-821 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-822 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-823 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-824 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-825 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-826 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-827 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-828 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-829 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-830 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-831 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-832 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-834 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-838 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-840 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-841 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-842 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-843 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-844 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-846 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-847 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-848 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-849 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-850 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-851 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-852 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-855 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-856 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-858 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-859 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-860 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-861 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-862 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-863 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-865 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-866 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 444-29-867 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-868 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-869 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-870 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-871 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-878 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-880 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-881 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-882 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-885 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-886 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-888 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-889 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-890 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-891 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-892 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-893 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-895 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-896 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-898 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-901 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-903 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-904 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-905 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-906 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-907 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-908 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-909 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-910 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-911 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-912 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-913 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-914 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-915 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-916 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-917 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-918 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-920 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-921 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-922 | Other | Insulator | Yes | MATERIAL SPECIFICATION ETFE | 25038-71-5 | Ethene, 1,1,2,2-tetrafluoro-, polymer with ethene | Ethylene-tetrafluoroethylene Copolymer (ETFE) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-923 | Other | Insulator | Yes | MATERIAL SPECIFICATION ETFE | 25038-71-5 | Ethene, 1,1,2,2-tetrafluoro-, polymer with ethene | Ethylene-tetrafluoroethylene Copolymer (ETFE) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-924 | Other | Insulator | Yes | MATERIAL SPECIFICATION ETFE | 25038-71-5 | Ethene, 1,1,2,2-tetrafluoro-, polymer with ethene | Ethylene-tetrafluoroethylene Copolymer (ETFE) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-925 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-929 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-930 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-931 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-932 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-933 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-934 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-935 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-936 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-938 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-940 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-942 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-943 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-944 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-946 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-947 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-949 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-950 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-951 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-952 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-953 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-954 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-955 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-956 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-957 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-958 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-960 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-962 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-963 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-964 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-965 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-966 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-967 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-968 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-969 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-970 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-971 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-972 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-973 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-974 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-976 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-977 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-978 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-980 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-981 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-982 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-983 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-985 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-986 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-987 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-988 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-989 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-989/005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-991 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-992 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-993 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-994 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-995 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-996 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-997 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-998 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-29-999 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-003 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 444-40-008 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-009 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-011 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-012 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-013 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-014 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-017 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-018 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-020 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-021 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-022 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-023 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-024 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-025 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-026 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-027 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-030 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-032 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-033 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-034 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-035 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-037 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-038 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-039 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-040 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-041 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-042 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-043 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-044 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-045 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-046 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-047 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-048 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-049 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-050 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-051 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-052 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-053 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-054 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-055 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-056 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-057 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-058 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-059 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-060 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-061 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-063 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-064 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-065 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-066 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-067 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-068 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-069 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-071 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-072 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-073 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-074 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-075 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-076 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-077 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-078 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-080 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-081 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-082 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-083 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-085 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-087 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-088 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-089 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-090 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-092 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-093 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-096 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-097 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-099 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 444-40-102 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4501-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4501-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4501-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4501-0007 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4501-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4501-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4501-0008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4501-6004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4501-6004 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4501-6053 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4501-6053 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4501-6053 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4501-8009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4501-8010 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4501-8010 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4503-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4503-0001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4503-0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4503-0006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4503-0018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4503-0018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4503-0021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4504-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4504-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4504-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4504-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4504-0006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4504-6017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4504-6019 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4504-8017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4505-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4505-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4505-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 4505-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4505-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4505-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4505-0021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4505-0021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4505-0021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4505-0021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4505-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4505-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4505-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4505-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4511-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4511-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4511-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4511-60022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4511-60025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4511-60027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4511-60027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4511-60027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4511-60027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4511-60049 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4511-60082 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4511-80001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4512-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4512-60015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4512-60021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4512-60021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4512-60021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4521-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4521-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4521-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4521-0005 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4521-0005 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4521-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4521-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4521-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4521-60012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4521-60023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4521-60024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4521-60026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4521-60026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4521-60026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4521-60028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4521-60028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4521-60028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4521-60114 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4521-80004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4521-80005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4521-80005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4524-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4532-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4533-4002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4533-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4533-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4533-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4533-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4533-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4533-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4533-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4533-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4533-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4533-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4533-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4533-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4533-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4533-6031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4533-6032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4533-6033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4533-8013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4533-8014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4541-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4541-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4541-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4543-0001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4543-6031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4545-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4545-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4545-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4545-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4545-0013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4545-0013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4545-0013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4545-0013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4545-8007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4545-8007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4545-8007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4546-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4546-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4546-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4546-6012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4546-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4546-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4546-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4546-6013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4546-6020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4546-6020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4546-6020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4546-6021 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4546-6021 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4546-6026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4546-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4546-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4546-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4546-6031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4546-6031 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4550-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4550-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4575-6200 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4575-6200 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4575-6200 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4575-6203 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 4575-6203 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4575-6203 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4575-6206 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4575-6206 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4575-6206 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4575-6207 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4575-6207 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4578-0100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4578-0101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4580-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4580-6008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4580-6061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4589-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4589-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4589-0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4589-0006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4592-6005 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4592-6005 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4592-6005 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4592-6005 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4592-6005 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4592-6005 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4592-6026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4592-6026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4592-6026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4592-6026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4592-6026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4592-6026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4597-6002 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4609-0025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 4610-0006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4610-0025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4646-0013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4646-0013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4646-0013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4646-0013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4646-0013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4646-0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4646-0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4646-0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4646-0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4646-0015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0009 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0009 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0009 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0009 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0009 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0012 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0012 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0012 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0012 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0037 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0037 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0037 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0037 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0038 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0041 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0041 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0041 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0042 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0042 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0044 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0400 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0400 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4700-0400 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4710-0007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4710-0007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4710-0007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4710-0014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4710-0014 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4711-00009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4711-00021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4711-00021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4711-00022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4711-00022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4711-00027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4711-00027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4711-00027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4711-00027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4711-00029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4711-00029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4711-00029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4711-00029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4711-00029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4711-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4711-60017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4716-0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4716-0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4716-0015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 4716-0015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4716-0015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4716-0016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4716-0016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4716-0016 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 4716-0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4716-0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4716-0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4716-0019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4716-0019 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 4716-0019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4716-0019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4716-0019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4720-0000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4720-0000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4721-00009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4721-00009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4721-00009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4721-00009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4721-00010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4721-00010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4721-00011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4721-00011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4721-00011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4721-00012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4721-00012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4721-00015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4721-00015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4721-00017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4721-00017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4721-00022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4721-00022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4721-00025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4721-00025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4721-00025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4722-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4741-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4744-0003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4744-0003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4744-0003 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4744-0003 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4750-0010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4761-4001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4761-4001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4763-0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4768-0004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4768-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4780-0009 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4785-0005 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4785-0005 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4786-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4787-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4787-6001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4792-0003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4792-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0901 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0901 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0901 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0901 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0901 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0903 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0903 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0903 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0903 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0903 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0904 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0904 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0904 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0904 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0904 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4800-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0907 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0907 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0907 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0907 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0907 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0908 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0908 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0908 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0908 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0908 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0910 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0910 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 4801-0910 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0910 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0910 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0911 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0911 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0911 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0911 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0911 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0912 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0912 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0912 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0912 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0912 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0913 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0913 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0913 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0913 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0913 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0914 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0914 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0914 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0914 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4801-0914 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4805-0902 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4805-0902 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4805-0902 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4805-0902 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4805-0902 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4805-0903 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4805-0903 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4805-0903 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4805-0903 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4805-0903 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4805-0904 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4805-0904 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4805-0904 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4805-0904 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4805-0904 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4805-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4805-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4805-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4805-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4805-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4806-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4806-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4806-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4806-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4806-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4806-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4806-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4806-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4806-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4806-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4806-0907 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4806-0907 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4806-0907 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4806-0907 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4806-0907 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4806-0908 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4806-0908 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4806-0908 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4806-0908 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4806-0908 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4807-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4807-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4807-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4807-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4807-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4807-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4807-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4807-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4807-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4807-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4807-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4807-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4807-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4807-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4807-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0904 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0904 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0904 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0904 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0904 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0904 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0904 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0905 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0905 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0905 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0905 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0905 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0905 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4810-0905 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00915 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00915 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00915 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00915 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00915 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 4811-00916 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00916 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00916 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00919 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00919 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00919 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00919 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00920 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00920 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00926 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00926 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00930 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00930 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00930 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00932 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00932 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00932 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00933 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00933 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00934 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00934 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00935 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00935 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00935 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00935 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00937 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00937 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00937 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00939 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00939 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00939 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00945 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00945 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00945 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00948 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00948 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00948 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00950 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00950 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00950 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00952 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00952 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00952 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00952 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00954 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00954 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00956 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00956 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00956 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-00956 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0905 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0905 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0905 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0905 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0905 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0905 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0905 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0906 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0906 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0906 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0906 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0906 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0906 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0906 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0907 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0907 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0907 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0907 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0907 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0907 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0907 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0908 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0908 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0908 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0908 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0908 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0908 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0908 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0909 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-0909 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4811-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4812-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4812-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4812-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4812-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4812-00001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4812-00001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4812-00001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4812-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4812-00002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4812-00003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4812-00003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4812-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4812-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4812-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4812-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 4812-00004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4812-00004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4815-0901 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4815-0901 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4815-0901 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4815-0901 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4815-0901 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4815-0901 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4815-0901 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4815-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4815-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4815-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4815-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4815-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4815-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4815-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4815-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4815-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4815-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4815-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4815-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4815-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4815-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0907 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0907 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0907 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0907 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0907 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0907 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0907 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0908 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0908 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0908 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0908 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0908 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0908 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4816-0908 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0904 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0904 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0904 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0904 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0904 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0904 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4817-0904 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00014EDU | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00014EDU | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00014EDU | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 4821-00016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00038 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00039 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00048EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00048EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00048EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00049EDU | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00049EDU | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00049EDU | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00051 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00051 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00051 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00051EDU | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00051EDU | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00051EDU | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00057 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00063 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-00067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4821-60007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0901 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0901 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0901 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0901 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0901 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0902 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0902 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0902 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0902 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0902 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0903 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0903 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0903 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0903 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0903 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0904 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0904 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0904 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0904 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0904 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4840-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4841-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4841-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4841-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4841-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 4841-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4841-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4841-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4841-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4841-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4841-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4841-0907 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4841-0907 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4841-0907 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4841-0907 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4841-0907 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0901-DUMMY | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0904 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0904 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0904 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0904 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0904 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0906 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0906 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0906 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0906 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0906 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0907 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0907 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0907 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0907 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4842-0907 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4845-0901 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4845-0901 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4845-0901 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4845-0901 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4845-0901 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4845-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4845-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4845-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4845-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4845-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4845-0904 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4845-0904 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4845-0904 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4845-0904 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4845-0904 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4845-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4845-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4845-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4845-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4845-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0901 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0901 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0901 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0901 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0901 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0907 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0907 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0907 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0907 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4846-0907 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4848-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4848-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4848-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4848-0001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4848-0002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4848-0002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4848-0002 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4871-0001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 4911-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4911-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4911-60002 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 4911-60002EDU | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 4911-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4911-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4911-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4911-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4911-60023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4911-60023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4911-60029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 4911-60030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4911-60030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4911-60031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4911-80001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4921-40004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4921-40005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4921-40006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4922-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4922-40002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4922-40003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4922-40003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4941-40005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4941-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4941-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4951-60005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4951-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4951-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4951-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 4951-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0019 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0041 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0042 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0044 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0044 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0051 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0051 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0051 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0051 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0052 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0054 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0054 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0055 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0055 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0056 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0056 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0750 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0750 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0753 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0753 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5000-0753 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 500-09-000 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 500-09-000 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5001-0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5001-0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5001-0015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 500-12-001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 500-12-001C | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 500-12-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 500-12-010E | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 500-12-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5002-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5002-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 500-32-027 | OTHER | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 500-32-027A | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 500-32-042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 500-32-042F | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 500-32-053 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 500-38-015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5005-0002 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5005-0009 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5005-0009 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5005-0009 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5007-0009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5008-0010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5008-0010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5008-0010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 500-89-038 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 500-89-041 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5010-0010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5010-0010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5010-0010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5010-0010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5010-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5010-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5010-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5010-0011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5010-0012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5010-0012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5010-0012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5010-0750 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5011-00010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5011-00010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5011-00011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5011-00020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5011-00020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5011-00020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5011-00024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5011-00024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5011-00029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5011-00032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5011-00032 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5011-00038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5011-00038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5011-00038 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5011-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 5011-00050 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5011-00052 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5011-00053 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5011-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5011-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5011-60048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5011-60048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5011-60048 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5011-60050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5011-60050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5011-60050 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5011-60058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5011-60058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5011-60058 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5011-60059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5011-60059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5011-60059 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5011-60061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5011-60061 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5011-60061 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5011-60065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5011-60065 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5011-80001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5011-80003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5012-00005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5012-00608 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5012-60013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5012-60013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5012-60013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5020-0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5020-0006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5020-0007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5020-0007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5020-0007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5020-0007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5020-0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5020-0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5020-0016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5020-0016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5020-0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5020-0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5020-0020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5020-0020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5021-00006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5021-00007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5021-00010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5021-00010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5021-00019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5021-00019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5021-00019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5021-00019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5021-00021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5021-00028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5021-00036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5021-00036 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5021-00037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5021-00037 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5021-60038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5021-60056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5021-60056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5021-60057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5021-60057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5029-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5029-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5029-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5032-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5033-0002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5033-0007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5033-0007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5033-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5040-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5040-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5040-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5040-0007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5040-0007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5040-0007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0019 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0043 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0043 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0062 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0082 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0085 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0091 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0096 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0111 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0114 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0115 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0116 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0119 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0120 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0122 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0123 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0125 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0131 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0136 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0139 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0140 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0142 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0142 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0146 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5050-0303 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 5050-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5053-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5053-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5053-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5053-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5055-0018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5055-0018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5055-0019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5055-0019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5055-0031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5055-0031 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5055-0042 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5079-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5079-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5079-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5080-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5080-0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5080-0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5080-0016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5080-0306 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5080-0412 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5080-0413 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5080-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5081-0412 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5081-0412 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5081-0412 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5081-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5081-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5081-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5084-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5084-0005 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5084-0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5084-0008 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5084-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5084-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5084-0012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5084-0012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5088-0312 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5088-0312 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5088-0312 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5088-0325 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5088-0325 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5088-0325 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5088-0425 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5088-0425 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5088-0425 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5089-0312 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5089-0312 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5089-0325 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5089-0325 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5089-0350 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5089-0350 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5089-0413 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5089-0413 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5089-0425 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5089-0425 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5089-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5089-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5090-0004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5098-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5098-0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5098-0009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5098-0012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5121-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5121-00002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5175-6200 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5190-0001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5201-8001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5201-8001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5205-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5205-8001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5205-8001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5210-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5210-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5210-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5210-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5210-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5210-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5210-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5210-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5211-00008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5211-00008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5211-00009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5211-00009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5211-00011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5211-00011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5211-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5211-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5211-0007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5211-0007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5211-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5211-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5211-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5211-60026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5211-60026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5211-60026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5211-60026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5212-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5212-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5212-00001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5212-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5212-00002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5212-00003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5212-00003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5217-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5217-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5217-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5217-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5221-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5221-00005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5221-00006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 5221-00008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5221-00008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5221-00009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5221-00012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5221-00013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5221-00014 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5221-00017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5221-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5221-40002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5221-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5222-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5222-00001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5276-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5276-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5291-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5291-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5300-0016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5300-0016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5300-0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5300-0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5302-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5302-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5302-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5302-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5302-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5302-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5302-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5310-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5310-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5310-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5310-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5310-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5310-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5310-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5310-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5311-0000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5311-0000 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5311-0000 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5312-0000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5312-0000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5312-0000 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5312-0000 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5312-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5312-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5312-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5312-0002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5312-0002 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5312-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5312-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5312-0003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5312-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5312-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5312-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5312-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5312-60002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5352-0000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5400-0002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5400-0004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5410-0001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5410-0001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5411-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5411-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5411-00002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5411-00003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5411-00003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5411-00003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5411-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5411-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5411-00004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5411-00011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5411-00011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5411-00012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5411-00012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5412-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5421-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5421-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5421-00001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5421-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5421-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5421-00002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5421-00003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5421-00003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5421-00003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5421-00004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5421-00005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5421-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5422-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5442-0001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-001 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-002 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-006 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-007 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-008 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-010 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-011 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-013 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-014 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-015 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-016 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-018 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-019 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-020 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-021 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-022 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-023 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-024 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-025 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-027 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-028 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-029 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 544-29-032 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-033 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-034 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-036 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-037 | Other | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-038 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 544-29-039 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5470-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5470-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5470-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5470-0002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5503A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5503B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5503C | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5503D | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5503E | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5503F | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5503G | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5503H | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5503I | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5503J | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5503P | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5503Q | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5503V | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5503W | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5503X | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5503Y | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5503Z | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5627-80-2-7 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5627-80-3-3 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5649-1 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5649-2 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5649-3 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5649-4 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5649-5 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5649-6 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5649-7 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5649-8 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5801-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5801-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5801-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5801-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5801-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5801-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5801-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5801-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5801-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5803-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5803-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5803-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5803-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5803-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5803-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5803-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5803-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5803-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5811-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5811-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5811-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5811-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5811-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5811-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5811-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5811-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5811-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5811-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5811-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5811-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5811-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5811-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5811-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5811-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5811-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5811-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5813-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5813-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5813-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5813-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5813-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5813-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5813-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5813-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5813-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5813-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5813-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5813-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5813-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5813-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5813-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5813-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5813-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5813-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5841-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5841-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5841-0901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5841-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5841-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5841-0902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5841-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5841-0903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5841-0903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5841-0904 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5841-0904 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5841-0904 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5841-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5841-0905 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5841-0905 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5841-0906 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5841-0906 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5841-0906 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 5871-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 5871-0901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5871-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5871-0902 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5890-0901 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5890-0904 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 5897-0700 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6052-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6505-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6505-0001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6505-0006 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6505-0006 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6505-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6505-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6505-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6508-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6509-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6509-6001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6509-6001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6509-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6509-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6509-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6511-60016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6511-60016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6511-60016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6511-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6511-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6511-60017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6511-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6511-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6511-60019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6511-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6511-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6511-60020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6511-60020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6511-60020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6511-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6511-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6511-60022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6511-60022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6511-60022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6511-60023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6511-60023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6512-60013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6512-60013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6512-60013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6512-60013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6512-60013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6512-60013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6512-60013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6512-60013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6512-60014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6512-60014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6512-60014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6512-60014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6512-60014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6512-60014 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6512-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6512-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6512-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6512-60015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6521-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6521-00001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6521-0004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6521-0004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6521-0004 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6521-60036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6521-60036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6545-0021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6545-0021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6545-0021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6545-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6545-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6545-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6545-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 6545-6017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6545-6017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 6713-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0352 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0352 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0365 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0365 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0367 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0367 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0369 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0370 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0371 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0371 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0371 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0371 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0372 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0374 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0518 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0518 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0545 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0545 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0546 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0546 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0594 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0594 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0594 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0594 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0594 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0656 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7000-0657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0657 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0659 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0798 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0798 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0799 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0800 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0801 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0801 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0801 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0801 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0802 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0802 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0802 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0802 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0804 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0804 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0805 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0805 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0822 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0822 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0822 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0850 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0850 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0852 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0852 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0852 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0852 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0854 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0854 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0854 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0854 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0855 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0855 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0855 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0855 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0856 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0856 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0857 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0857 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0858 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0858 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0865 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0865 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0865 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0865 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0865 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0866 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0866 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0866 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0866 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0866 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0884 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0884 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0884 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0884 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0885 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0885 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0885 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0885 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0890 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0890 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0890 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0895 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0895 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0917 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0917 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0917 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0917 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0917 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0942 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0942 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0942 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0942 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0947 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0947 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0948 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0948 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0949 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0949 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0950 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-0950 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1297 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1297 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1298 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1298 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1386 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1387 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1388 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1389 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1391 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1391 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1396 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1397 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1397 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1398 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1398 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1398 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1398 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1398 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7000-1399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1399 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1399 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1404 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1404 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1404 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1404 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1405 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1405 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1405 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1405 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1417 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1418 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1419 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1421 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1422 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1424 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1427 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1428 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1429 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1430 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1441 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1441 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1456 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1456 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1462 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1462 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1462 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1465 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1475 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1476 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1479 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1484 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1485 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1487 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1510 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1511 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1511 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1512 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1512 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1513 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1514 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1515 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1515 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1516 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1516 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1517 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1517 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1518 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1518 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1520 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1523 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1524 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1525 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1526 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1527 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1528 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1529 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1533 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1534 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1534 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1535 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1536 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1536 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1536 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1537 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1537 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1538 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1538 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1538 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1539 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1540 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1542 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1542 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1547 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1547 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1547 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1547 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1547 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7000-1547 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1547 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1548 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1548 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1548 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1548 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1548 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1548 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1548 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1549 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1549 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1549 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1549 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1549 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1549 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1550 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1550 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1551 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1552 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1552 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1552 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1552 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1555 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1555 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1556 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1556 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1556 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1558 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1563 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1564 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1564 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1565 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1565 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1565 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1565 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1566 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1566 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1566 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1567 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1568 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1569 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1572 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1573 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1576 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1576 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1576 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1576 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1577 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1577 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1577 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1580 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1580 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1580 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1581 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1581 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1581 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1581 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1583 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1584 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1586 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1590 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1590 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1596 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1596 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1596 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1596 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1596 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1598 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1598 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1599 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1599 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1601 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1602 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1602 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1603 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1605 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1605 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1605 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1605 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1606 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1606 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1606 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1607 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1607 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1607 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7000-1613 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1623 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1623 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1624 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1625 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1626 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1627 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1628 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1628 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1629 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1629 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1630 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1630 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1631 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1631 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1632 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1633 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1633 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1636 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1637 | CABLE ASSEMBLY | Insulator | No | ETHYLENE PROPYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1638 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1639 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1642 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1643 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1646 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1647 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1647 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1648 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1648 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1649 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1649 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1656 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1656 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1656 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1656 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1657 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1658 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1664 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1664 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1664 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1665 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1665 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1665 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1665 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1666 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1666 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1675 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7000-1676 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1684 | OTHER | Insulator | No | ETHYLENE PROPYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1684 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1684 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1684 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1685 | OTHER | Insulator | No | ETHYLENE PROPYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1685 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1685 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1685 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1687 | CABLE ASSEMBLY | Insulator | No | ETHYLENE PROPYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1692 | CABLE ASSEMBLY | Insulator | No | ETHYLENE PROPYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1692 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1693 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1694 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1695 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1696 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1697 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1698 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1698 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1699 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1700 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1701 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1702 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7000-1703 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7004-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7004-0029 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7004-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7004-0030 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7004-0030 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7004-0031 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7004-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7004-0032 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7004-0032 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7004-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7004-0033 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7004-0051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7004-0051 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7004-0053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7004-0053 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7004-0079 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7004-0080 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7004-0081 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7004-0082 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7008-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7008-0006 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7008-0006 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0069 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0071 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0072 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0073 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0074 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0075 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0206 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0213 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0261 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0261 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0262 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0262 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0278 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0279 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0281 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0377 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0380 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0393 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0394 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0395 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0396 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0397 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0458 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0459 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0465 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0479 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0480 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0481 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7009-0482 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0482 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0483 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0483 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0492 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0492 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0493 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0493 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0494 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0495 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0495 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0496 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0496 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0496 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0496 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0497 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0497 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0503 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0503 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0504 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0504 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0505 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0506 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0506 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0506 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0507 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0508 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0510 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0511 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0512 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0513 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0514 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0515 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0515 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0516 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0517 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0517 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0518 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0518 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0519 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0519 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0520 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0521 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0521 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0521 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0522 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0522 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0522 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0523 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0523 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0524 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0524 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0525 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0525 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0526 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0526 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0527 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0527 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0527 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0528 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0528 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0528 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0529 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0529 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0529 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0530 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0530 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0530 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0531 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0531 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0532 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0532 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0533 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0534 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0535 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0536 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0537 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0537 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0538 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0538 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0539 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0540 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0541 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0543 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0543 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0544 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0544 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0545 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0545 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0551 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0552 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7009-0553 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0555 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0555 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0556 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0556 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0557 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0558 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0560 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0560 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0561 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0561 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0568 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0570 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0571 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0572 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0573 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0574 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0575 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0575 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0576 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0577 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0578 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0578 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0579 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0579 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0580 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0580 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0582 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0594 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0598 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0598 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0599 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0599 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0600 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0601 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0601 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0602 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0602 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0603 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0604 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0605 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0606 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0607 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0608 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0609 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0610 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0611 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0612 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0613 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0614 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0615 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0616 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0617 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0618 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0618 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0619 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0619 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0619 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0620 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0621 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0621 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0622 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0623 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0624 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0625 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0626 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0627 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0628 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0629 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0630 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0631 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0640 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0641 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0642 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0643 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0644 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0645 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0646 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0647 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0648 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0649 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0650 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0651 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7009-0652 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0653 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0654 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0655 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0656 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0657 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0658 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0659 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0660 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0661 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0662 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0663 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0664 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0665 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0666 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0690 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0691 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0698 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0699 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0700 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0701 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0702 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0703 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0704 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0705 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0706 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0707 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0708 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0708 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0708 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0709 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0710 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0710 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0710 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0711 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0711 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0711 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0712 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0712 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0713 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0713 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0714 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0714 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0715 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0716 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0716 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0716 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0717 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0717 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0717 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0718 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0718 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0718 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0719 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0720 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0720 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0720 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0721 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0721 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0721 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0722 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0722 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0722 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0723 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0724 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0724 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0724 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0725 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0726 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0727 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0728 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0728 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0729 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0729 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0730 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0735 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0735 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0735 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0736 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7009-0736 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0736 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0737 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0737 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0737 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0738 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0738 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0738 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0739 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0739 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0739 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0740 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0740 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0740 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0741 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0741 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0741 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0742 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0742 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0742 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0743 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0743 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0743 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0744 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0744 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0744 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0745 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0746 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0747 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0748 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0749 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0751 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0752 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0753 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0754 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0755 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0757 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0758 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0764 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0765 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0765 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0766 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0766 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0767 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0767 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0768 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0768 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0769 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0769 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0769 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0770 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0770 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0771 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0771 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0771 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0772 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0772 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0772 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0773 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0778 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0778 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0778 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0779 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0780 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0782 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0783 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0784 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0784 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0784 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0785 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0785 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0786 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0786 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0786 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0787 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0787 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0788 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0788 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0788 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0788 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0789 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0789 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0789 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0790 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0790 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0791 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0792 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0793 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0794 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0795 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0796 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0797 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0798 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0799 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0800 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0801 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0802 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0803 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0803 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0804 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0804 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0805 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7009-0805 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0806 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0806 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0806 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0806 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0807 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0808 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0809 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0810 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0810 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0813 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0813 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0814 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0815 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0815 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0816 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0816 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0817 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0817 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0817 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0818 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0818 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0818 | OTHER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0819 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0819 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0819 | OTHER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0820 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0820 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7009-0820 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0002 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0003 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0004 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0005 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0005 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0069 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0103 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0103 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0109 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0109 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0112 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0113 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0114 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0115 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0116 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0117 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0117 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0117 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0117 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0118 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0119 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0120 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0121 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0121 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0121 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0121 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0121 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0122 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0122 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0122 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0122 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0122 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0123 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0123 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0123 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0123 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0123 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0124 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0124 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0125 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0125 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0126 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0126 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-0127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0127 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0127 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0128 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0128 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0129 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0129 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0130 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0130 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0131 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0131 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0132 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0132 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0133 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0133 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0134 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0134 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0135 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0135 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0136 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0136 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0137 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0137 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0138 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0138 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0139 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0139 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0140 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0140 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0141 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0141 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0142 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0142 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0143 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0143 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0144 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0144 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0145 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0145 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0146 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0146 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0147 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0147 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0148 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0148 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0148 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0148 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0148 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-0149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0149 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0149 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0150 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0150 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0151 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0151 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0152 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0152 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0153 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0153 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0153 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0153 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0153 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0154 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0154 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0154 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0154 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0154 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0156 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0156 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0156 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0158 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0158 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0158 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0159 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0159 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0159 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0160 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0162 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0162 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0162 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0164 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0164 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0164 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0172 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0172 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0173 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0173 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0182 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0182 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0182 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0183 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0183 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0185 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0186 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0187 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0187 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0187 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0187 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0188 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0189 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0191 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0191 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0191 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0192 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0192 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0197 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0197 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0198 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0198 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0198 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0199 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0199 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0199 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0209 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0209 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-0213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0215 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0232 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0246 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0257 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0265 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0265 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0266 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0266 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0267 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0267 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0268 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0268 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0268 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0275 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0276 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0277 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0279 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0279 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0279 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0280 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0280 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0280 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0280 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0281 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0281 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0281 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0281 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0282 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0283 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0283 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0283 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0283 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0284 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0284 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0284 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0284 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0285 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0285 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0285 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0285 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0286 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0286 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0286 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0286 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0287 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0287 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0287 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0287 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0288 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0288 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0288 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0288 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0289 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0289 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0289 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0289 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0289 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0290 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0291 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0291 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0291 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0291 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0291 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0292 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0292 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0292 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0293 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0293 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0293 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0294 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0294 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0294 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0295 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0295 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0295 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0296 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0296 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0296 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0297 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0298 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0299 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0299 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0299 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0300 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0301 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0302 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0302 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0302 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0302 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0303 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0303 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0303 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0303 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0304 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0304 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0304 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0304 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0305 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0306 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0307 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0308 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0309 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0310 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0311 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0312 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0313 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0313 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0313 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0314 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0314 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0314 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0315 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0315 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0315 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0316 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0316 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0316 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0317 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0317 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0317 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0318 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0318 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0318 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0319 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0319 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0319 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0320 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0321 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0322 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0323 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0323 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0323 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0323 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0323 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0324 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0324 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0324 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0324 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0324 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0325 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0325 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0326 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0326 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0327 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0327 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0328 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0328 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-0329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0330 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0330 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0330 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0331 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0331 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0331 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0332 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0333 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0334 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0334 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0334 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0335 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0336 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0336 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0336 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0337 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0337 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0337 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0338 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0339 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0339 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0340 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0340 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0340 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0340 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0340 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0348 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0348 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0351 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0351 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0353 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0353 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0354 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0354 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0354 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0355 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0355 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0355 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0357 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0358 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0359 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0360 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0389 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0391 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0391 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0391 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0391 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0391 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0402 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0402 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0403 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0403 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0404 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0404 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0405 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0405 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0406 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0406 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0407 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0407 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-0410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0410 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0410 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0412 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0412 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0412 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0415 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0415 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0415 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0416 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0417 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0418 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0419 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0420 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0421 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0422 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0423 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0423 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0424 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0424 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0425 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0426 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0427 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0433 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0436 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0437 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0438 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0445 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0445 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0445 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0452 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0452 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0452 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0456 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0461 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0462 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0462 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0462 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0462 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0463 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0463 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0463 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0463 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0463 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0464 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0464 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0464 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0464 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0464 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0465 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0466 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0466 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0466 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-0466 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0466 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0467 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0467 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0467 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0467 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0468 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0469 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0470 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0470 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0470 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0470 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0470 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0471 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0472 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0473 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0474 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0475 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0476 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0476 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0476 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0476 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0476 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0477 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0477 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0478 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0478 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0479 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0479 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0480 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0480 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0481 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0481 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0482 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0482 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0483 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0484 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0485 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0485 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0485 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0486 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0486 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0486 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0487 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0488 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0488 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0488 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0489 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0490 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0490 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-0490 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0491 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0491 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0491 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0492 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0492 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0492 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0493 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0493 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0493 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0494 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0495 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0495 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0495 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0496 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0496 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0496 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0497 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0497 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0497 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0498 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0498 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0498 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0499 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0499 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0500 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0501 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0503 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0504 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0505 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0506 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0506 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0506 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0506 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0506 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0509 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0509 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0509 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0518 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0518 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0518 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0518 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0519 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0519 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0519 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0519 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0520 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0521 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0521 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0521 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0535 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0535 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0535 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0536 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0536 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0536 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0537 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0537 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0537 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0538 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0538 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0538 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0543 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0543 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0543 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0543 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-0543-C | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0543-C | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0543-C | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0543-C | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0543-M | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0543-M | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0543-M | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0543-M | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0544 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0544 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0544 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0544 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0545 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0545 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0545 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0545 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0546 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0547 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0548 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0549 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0549 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0549 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0565 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0573 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0576 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0577 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0579 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0585 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0586 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0586 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0586 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0587 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0587 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0587 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0587 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0587 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0588 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0588 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0588 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0591 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0591 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0592 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0592 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0593 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0593 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0594 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0594 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0595 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0596 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0596 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0597 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0597 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0598 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0598 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0599 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0599 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0600 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0601 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0601 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0602 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0602 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0603 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0604 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0604 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0605 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0606 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0606 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0607 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0607 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0619 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0621 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0622 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0623 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0627 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0628 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0629 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-0630 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0631 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0632 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0633 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0637 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0641 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0642 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0643 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0644 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0663 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0664 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0677 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0677 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0680 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0680 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0680 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0683 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0683 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0683 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0695 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0697 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0706 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0707 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0708 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0709 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0717 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0717 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0717 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0717 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0718 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0718 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0718 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0719 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0726 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0727 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0743 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0743 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0743 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0743 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0744 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0744 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0744 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0744 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0745 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0745 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0745 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0745 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0746 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0746 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0746 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0747 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0747 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0747 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0748 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0748 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0748 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0749 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0749 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0749 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0749 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0749 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0750 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0751 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0751 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0751 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0752 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0752 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0752 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0753 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0753 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-0753 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0754 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0754 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0754 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0755 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0755 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0755 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0756 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0757 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0757 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0757 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0758 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0758 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0759 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0759 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0759 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0760 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0760 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0761 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0761 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0762 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0762 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0763 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0763 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0764 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0764 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0765 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0765 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0766 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0767 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0767 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0768 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0768 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0776 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0776 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0776 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0777 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0778 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0778 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0778 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0778 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0779 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0780 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0780 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0781 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0781 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0781 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0781 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0782 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0782 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0782 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0782 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0783 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0783 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0783 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0783 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0784 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0784 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0785 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0788 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0788 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0789 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0789 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0789 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0789 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0790 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0790 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0790 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0796 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0797 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0798 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0799 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0801 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0802 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0802 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0802 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0803 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0803 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0803 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0804 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0804 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0804 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0805 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0805 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0806 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0806 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0806 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0806 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0807 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0807 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0807 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0807 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0810 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0810 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0810 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0812 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0812 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0812 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0812 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-0813 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0813 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0813 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0813 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0814 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0814 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0814 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0814 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0815 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0815 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0815 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0815 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0816 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0816 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0816 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0816 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0817 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0817 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0817 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0818 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0818 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0818 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0835 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0841 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0841 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0841 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0842 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0842 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0842 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0843 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0843 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0843 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0843 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0843 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0844 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0844 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0844 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0844 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0844 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0845 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0845 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0845 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0845 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0845 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0845 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0846 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0846 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0846 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0846 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0846 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0846 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0847 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0847 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0848 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0849 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0849 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0850 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0852 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0852 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0852 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0852 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0855 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0855 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0855 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0856 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0856 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0856 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0857 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0857 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0858 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0858 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0859 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0859 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0859 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0859 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0860 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0860 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0861 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0861 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0863 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0864 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0865 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0866 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0866 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0866 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0867 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0868 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0868 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0869 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0869 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0870 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0870 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0871 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0871 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0872 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0872 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0873 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0873 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0874 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0874 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0876 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0876 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0877 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0877 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0878 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0878 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0879 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0879 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0880 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-0880 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0881 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0881 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0882 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0882 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0883 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0883 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0884 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0884 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0885 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0885 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0885 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0885 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0886 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0886 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0887 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0887 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0888 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0888 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0888 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0888 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0888 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0889 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0889 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0889 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0889 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0889 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0890 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0890 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0890 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0892 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0893 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0893 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0893 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0894 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0894 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0894 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0894 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0894 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0894 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0895 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0895 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0895 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0895 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0895 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0895 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0896 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0896 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0896 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0896 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0896 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0896 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0897 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0897 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0897 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0897 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0897 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0897 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0898 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0898 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0898 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0898 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0898 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0898 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0899 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0899 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0899 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0899 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0899 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0899 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0901 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0902 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0903 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0904 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0905 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0906 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0907 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0908 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0909 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0910 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0911 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0912 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0913 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0913 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0913 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0914 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0914 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0914 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0915 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0915 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0915 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0916 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0916 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0916 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0917 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0917 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0917 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0918 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0918 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0918 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0919 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0919A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0920 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0920A | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0921 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0921 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0921 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0927 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0928 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0929 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-0937 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0937 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0937 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0938 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0939 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0940 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0941 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0942 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0944 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0948 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0948 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0949 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0949 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0950 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0951 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0951 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0951 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0952 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0953 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0954 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0955 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0956 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0957 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0958 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0959 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0960 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0960 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0961 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0961 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0962 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0962 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0963 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0963 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0964 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0964 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0965 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0965 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0966 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0966 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0967 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0967 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0968 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0968 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0969 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0969 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0970 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0970 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0971 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0971 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0972 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0972 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0972 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0973 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0973 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0973 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0974 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0976 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0976 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0977 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0977 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0978 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0978 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0978 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0979 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0979 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0979 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0990 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0990A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0991 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-0991A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1003 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1003 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1004 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1005 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1008 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1009 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1009 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1022 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-1024-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-110 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-110 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-110 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-120 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-120 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-120 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-130 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-130 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-130 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-160 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-160 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1024-160 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1026-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1026-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1026-040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1026-050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1026-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1026-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1026-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1026-090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1026-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1039-020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1039-020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1040-020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1040-020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1040-020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1040-032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1040-032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1040-032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1040-047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1040-047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1040-047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1040-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1040-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1040-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1040-068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1040-068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1040-068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1040-082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1040-082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1040-082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1040-101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1040-101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1040-101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1041 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1049 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1050 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1052 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1053 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1054 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1054 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1054 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1055 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1058 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-1061 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1061 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1061 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1062 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1063 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1066 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1067 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1068-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-020 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-030 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-040 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-050 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-070 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-080 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-090 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-100 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-110 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-130 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-160 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-170 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-170 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-170 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1069-170 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-1070-050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-120 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-120 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-170 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-170 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-180 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1070-180 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1077 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1077-C | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1077-C | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1077-C | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1077-C | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1077-M | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1077-M | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1077-M | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1077-M | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1078 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1079 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1080 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1084 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1085 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1086 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1086 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1087 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1087 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1088 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1089 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1090 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1091 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1144 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1145 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-020 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-030 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-040 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-050 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-060 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-070 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-080 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-1146-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-090 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1146-100 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1208 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1209 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1210 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1211 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1216 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1217 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1218 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1219 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1220 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1221 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1221 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1221 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1221 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1222 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1223 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1224 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1225 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1226 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1227 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1229 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1230 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1231 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1231 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1231 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1232 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1236 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1237 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1239 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1239-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1239-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1239-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1239-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1239-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1239-1 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1239-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1239-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1239-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1239-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1239-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1239-2 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1240 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1240-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-1240-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1240-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1240-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1240-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1240-1 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1240-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1240-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1240-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1240-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1240-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1240-2 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1242 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1242 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1243 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1247 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1248 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1249 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1250 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1251 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1252 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1252 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1252 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1253 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1254 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1255 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1256 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1257 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1260 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1260 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1261 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1261 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1262 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1262 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1263 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1263 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1264 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1264 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1265 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1265 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1265 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1266 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1266 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1266 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1267 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1267 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1267 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1278 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1278 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1280 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1280 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1280 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1282 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1282 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1283 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1283 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1284 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1284 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1285 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1285 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1286 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1287 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1287 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1288 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1288 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1289 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1289 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1291 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1292 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1293 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1294 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-1294 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1295 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1295 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1296 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1296 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1299 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1299 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1300 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1301 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1302 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1302 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1302 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1303 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1303 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1303 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1306 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1307 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1308 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1309 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1311 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1320 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1321 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1322 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1323 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1323 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1323 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1324 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1324 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1324 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1325 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1326 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1327 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1328 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1329 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1330 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1330 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1330 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1330 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1330 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1331 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1331 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1331 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1331 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1331 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1332 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1333 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1334 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1334 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1334 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1335 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1335 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1342 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1342 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1342 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1343 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1343 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1343 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1344 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1349 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1352 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-1356 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1357 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1357 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1358 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1358 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1359 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1359 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1362 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1362 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1363 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1363 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1363 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1364 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1364 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1364 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1365 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1365 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1366 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1366 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1367 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1367 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1368 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1368 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1375 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1376 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1380 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1381 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1382 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1383 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1384 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1384 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1385 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1385 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1385 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1385 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1386 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1386 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1386 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1387 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1387 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1387 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1388 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1388 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1388 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1389 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1389 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1389 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1391 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1391 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1391 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1397 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1398 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1405 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1432 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1433 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-1433 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1433 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1433 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1434 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1439 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1439 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1439 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1450 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1451 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1453 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1453 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1453 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1453 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1454 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1456 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1456 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1463 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1463 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1463 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1463 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1464 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1466 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1466 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1467 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1467 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1472 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1472 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1473 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1473 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1474 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1474 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1475 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1475 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1476 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1476 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1476 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1476 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1476 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1477 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1477 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1478 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1478 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1479 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1479 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1480 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1480 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1481 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1481 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1482 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1482 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1483 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1483 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1484 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1484 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1485 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1485 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1485 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1485 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-1485 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1486 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1486 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1486 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1486 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1486 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1487 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1487 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1488 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1488 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1488 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1488 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1488 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1489 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1489 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1490 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1490 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1490 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1490 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1490 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1491 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1491 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1491 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1491 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1491 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1492 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1492 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1492 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1492 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1492 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1493 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1493 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1493 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1493 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1493 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1494 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1494 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1495 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1495 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1495 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1495 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1495 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1496 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1496 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1496 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1496 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1496 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1497 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1497 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1497 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1497 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1497 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1498 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1498 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1498 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1498 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1498 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1499 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1499 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1499 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1499 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1499 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1500 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1500 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1501 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1501 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1561 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1561 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1561 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1561 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1562 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1564 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1564 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1564 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1564 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1565 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1565 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1565 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1565 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1566 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-1566 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1566 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1566 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1572 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1579 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1579 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1582 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1582 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1585 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1586 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1586 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1586 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1587-130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1587-130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1587-130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1587-130 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1587-130 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1587-240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1587-240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1587-240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1587-240 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1587-240 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-0180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-0180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-0180 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-0180 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-0190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-0190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-0190 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-0190 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-0240 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-0240 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-0270 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-0270 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-0270 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-0270 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-1080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-1080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-1080 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-1080 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-120 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-120 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-120 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-120 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-130 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-130 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-130 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-130 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-180 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-180 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-240 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-240 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-270 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-270 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-270 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-270 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-400 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1588-400 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1591 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1591 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1595 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1596 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1596 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1596 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1597 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1597 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1597 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1598 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1598 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1598 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1599 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1599 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1601 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-1601 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1601 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1601 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1602 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1602 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1603 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1604 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1604 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1604 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1604 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1605 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1606 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1606 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1606 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1607 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1607 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1607 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1608 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1609 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1609 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1609 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1609 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1610 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1611 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1612 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1613 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1614 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1614 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1616 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1616 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1616 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1616 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1617 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1617 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1617 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1618 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1618 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1618 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1619 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1619 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1619 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1619 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1619 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1619 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1619 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1619 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1621 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1621 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1621 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1622 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1622 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1624 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1624 | CABLE ASSEMBLY | Insulator | No | TECAPEEK | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1625 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-1646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1655 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1655 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1665 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1665 | CABLE ASSEMBLY | Insulator | No | TECAPEEK | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1675 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1678 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1678 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1678 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1678 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1678 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1679 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1680 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1680 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1680 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1680 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1680 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1681 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1682 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1690 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1700 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1700 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-1708 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1708 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1708 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1708 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1710 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1710 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1711 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1711 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1712 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1712 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1713 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1713 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1714 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1714 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1716 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1716 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1716 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1717 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1717 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1717 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1719 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1724 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1724 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1727 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1728 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1728 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1729 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1729 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1731 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1731 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1732 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1732 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1733 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1733 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1733 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1733 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1733 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1734 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1738 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1738 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1739 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1739 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1744 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1744 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1744 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1745 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1745 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1745 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1748-065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1748-075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1748-090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1748-135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1748-XXX | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1749-140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1749-XXX | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1750-145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1750-145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1750-145 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1751 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1751 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1751 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1751 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1752 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1752 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1752 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1752 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1756 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1766 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1766 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1767 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1767 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1768 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1768 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1769 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1770 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1770 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1770 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1770 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1772 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1772 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1772 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1772 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1773 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1773 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1773 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1773 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1775 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1776 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-1777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1778 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1779 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1781 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1781 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1781 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1781 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1782 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1783 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1784 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1785 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1786 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1786 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1786 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1787 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1787 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1787 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1788 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1788 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1788 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1789 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1789 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1789 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1790 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1790 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1790 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1790 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1790 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1793 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1793 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1794 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1794 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1794 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1794 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1794 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1798 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1798 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1799 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1799 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1799 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1799 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1802 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1802 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1802 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1803 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1803 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1803 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1809 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1809 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1809 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1809 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1810 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1810 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1810 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1813 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1813 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1814 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1814 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1815 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1815 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1816 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1817 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1817 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1821 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1822 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1823 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1823 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1823 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1824 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1824 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1824 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1826 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1826 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1826 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1827 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1827 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1827 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1828 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1828 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1828 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1829 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1829 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1829 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1830 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1830 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1830 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1831 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1831 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1831 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1832 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1832 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1832 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1832 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1832 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1832 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1833 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1833 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1833 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1833 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1833 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1833 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-1834 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1834 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1834 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1834 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1834 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1834 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1836 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1836 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1836 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1838 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1838 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1838 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1841 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1841 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1842 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1842 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1843 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1843 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1843 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1844 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1844 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1844 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1872 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1872 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1872 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1875 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1875 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1881 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1881 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1881 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1882 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1882 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1882 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1883 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1883 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1883 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1883 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1885 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1885 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1885 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1885 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1885 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1892 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1892 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1895 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1896 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1897 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1900 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1901 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1901 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1901 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1902 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1902 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1902 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1905 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1907 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1907 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1908 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1908 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1909 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1909 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1910 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1910 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1911 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1911 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1912 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1912 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1913 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1913 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1926 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1927 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1927 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1928 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1928 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1928 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1928 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1928 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1929 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1929 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1929 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1930 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1930 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1930 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1931 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1931 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1931 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1932 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1932 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1932 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1934 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1934 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1937 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1937 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1937 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1938 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1938 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1938 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1939 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1939 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1939 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1939 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1940 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1940 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1941 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1941 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1942 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-1942 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1943 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1943 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1951 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1952 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1952 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1953 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1953 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1954 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1954 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1955 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1955 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1956 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1956 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1957 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1957 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1958 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1958 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1959 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1959 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1960 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1960 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1961 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1961 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1962 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1962 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1963 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1963 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1964 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1964 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1965 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1965 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1966 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1966 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1967 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1967 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1968 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1968 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1969 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1969 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1970 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1970 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1971 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1971 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1972 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1972 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1973 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1973 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1974 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1974 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1975 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1975 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1977 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1978 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1979 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1979 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1979 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1980 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1980 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1980 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1981 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1982 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1983 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1983 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1983 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1983 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1985 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1985 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1985 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1985 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1986 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1986 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1986 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1986 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1987 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1988 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1988 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1989 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1989 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1990 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1991 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1992 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1996 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1996 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1998 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-1998 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2006 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2007 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-2016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2016 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2019 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2020 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2024 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2025 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2029 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2032 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2033 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2034 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2035 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2036 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2037 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2038 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2039 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2040 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2041 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2042 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2043 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2044 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2045 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2046 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2052 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2052 | CABLE ASSEMBLY | Insulator | No | TECAPEEK | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2054 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2054 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2069 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-2074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2078 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2082 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2087 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2088 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2093 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2097 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2098 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2099 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2100 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2103 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2109 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2133 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2135 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2135 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2136 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2136 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2137 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2138 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2139 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2140 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2146 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2147 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2148 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2148 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2148 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2149 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2150 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-2154 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2154 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2155 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2155 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2155 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2157 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2157 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2158 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2158 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2158 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2159 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2159 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2159 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2160 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2161 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2161 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2161 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2162 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2162 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2162 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2163 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2163 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2163 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2168 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2168 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2169 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2169 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2170 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2170 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2171 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2171 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2172 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2172 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2173 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2173 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2182 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2182 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2183 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2183 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2185 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2186 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2186 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2191 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2192 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2197 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2198 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2199 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2203 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2206 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2409 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2409 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2417 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2418 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2419 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-2432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2432 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2441 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2441 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2444 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2444 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2447 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2449 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2454 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2455 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2460 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2460 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2461 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2461 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2461 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2463 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2463 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2464 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2464 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-1 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-2 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-3 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-4 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-4 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-4 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-4 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-4 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2465-4 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-1 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-2 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-3 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-4 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-4 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-4 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-4 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-4 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2466-4 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2470 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2470 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2478 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2478 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2479 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2479 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-2480 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2480 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2481 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2481 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2482 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2482 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2484 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2488 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-2488 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4666 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4667 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4668 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4670 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4671 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4672 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4674 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4675 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4678 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4678 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4683 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4684 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4685 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4685 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4685 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4685 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4685 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4686 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4686 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4686 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4686 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4686 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4687 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4687 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4688 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4688 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4689 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4690 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4691 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4692 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4693 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4694 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4695 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-4696 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4697 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4698 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4699 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4700 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4701 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4702 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4703 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4704 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4705 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4707 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4708 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4708 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4708 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4708 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4708 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4709 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4716 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4716 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4717 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4717 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4718 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4718 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4722 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4722 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4722 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4724-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4724-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4724-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4725 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4726 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4727 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4727 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4728 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4728 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4728 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4728 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4728 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4732 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4732 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4732 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4734 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4734 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4734 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4741 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4741 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4741 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4741 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4744 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4744 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4744 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4744 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4744 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4747 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4747 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4747 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4753 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4753 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4753 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4754 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4754 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4754 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4755 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4755 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4755 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4755 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4755 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7012-4756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4756 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4757 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4757 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4757 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4757 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4757 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4758 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4758 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4758 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4758 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4758 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4759 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4759 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4759 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4759 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4759 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4760 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4760 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4760 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4760 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4760 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4761 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4761 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4761 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4761 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4762 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4762 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4762 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4765 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4765 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4766 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4766 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4780 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4781 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4781 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4781 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4782 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4782 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4782 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4782 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4794 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4794 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4794 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4794 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4795 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4795 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4795 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4796 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4796 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4796 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4797 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4797 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4797 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4798 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4798 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4798 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4799 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4799 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4799 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4799 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4800 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4801 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4801 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4801 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4801 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4802 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4802 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4802 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4802 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4803 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4803 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4803 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7012-4803 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0066 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0081 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0106 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0178 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0179 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0192 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0192 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0205 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0261 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0261 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0262 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0262 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0263 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0263 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0265 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0265 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0348 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0348 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0360 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7013-0360 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0375 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0376 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0376 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0376 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0378 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0378 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0378 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0379 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0379 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0379 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0381 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0382 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0382 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0383 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0383 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0384 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0384 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0385 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0385 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0386 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0386 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0387 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0387 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0388 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0388 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0389 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0389 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0390 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0390 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0391 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0391 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0392 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0392 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0393 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0393 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0394 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0394 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0395 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0395 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0396 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0396 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0397 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0397 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0398 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0398 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0399 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0399 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0400 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0400 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0400 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0401 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0401 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0402 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0402 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0402 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0407 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0407 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0407 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0408 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0409 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0410 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0411 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0412 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0500 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0500 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0501 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0502 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0503 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0504 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0505 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0506 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0506 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0507 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0507 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0508 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0508 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0509 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0509 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0511 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0512 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0512 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0513 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0513 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0514 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0514 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0516 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0516 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0517 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0517 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0522 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0522 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0522 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0523 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0523 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0525 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0525 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0526 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0526 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0527 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0527 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0528 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0528 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0529 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0529 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0530 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0530 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7013-0530 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0530 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0531 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0531 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0531 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0532 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0532 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0532 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0532 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0533 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0533 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0533 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0534 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0534 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0535 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0535 | OTHER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0536 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0536 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0537 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0537 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0537 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0537 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0538 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0540 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0540 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0540 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0540 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0541 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0541 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0541 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0541 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0542 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0542 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0543 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0543 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0543 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0543 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0544 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0544 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0545 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0545 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0546 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0546 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0547 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0547 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0547 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0548 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0548 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0548 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0550 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0550 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0556 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0556 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0556 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0561 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0561 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0562 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0562 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0563 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0563 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0564 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0564 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0565 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0565 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0566 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0566 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0573 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0573 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0575 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0575 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0576 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0576 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0577 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0577 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0578 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0578 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0579 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0579 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0580 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0580 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0580 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0581 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0581 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0582 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0582 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0583 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0583 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0584 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7013-0584 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0585 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0585 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0587 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0587 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0587 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0587 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0587 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0588 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0588 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0588 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0589 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0589 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0589 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0590 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0590 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0590 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0591 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0591 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0591 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0592 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0592 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0593 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0593 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0594 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0594 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0595 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0596 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0596 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0598 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0598 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0599 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0599 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0608 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0610 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0615 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0615 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0616 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0616 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0617 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0617 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0618 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0618 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0619 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0620 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0621 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0621 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0621 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0621 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0621 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0622 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0622 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0622 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0622 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0622 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0623 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0623 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0623 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0623 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0623 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0624 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0625 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0626 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0627 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0628 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0629 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0630 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0631 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7013-0632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0632 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0633 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0634 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0635 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0639 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0640 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0641 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0642 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0643 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0644 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0645 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0646 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0647 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0648 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0649 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0650 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0657 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0658 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0659 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0660 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0661 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0662 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0663 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0664 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0665 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0666 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0667 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0668 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0669 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0669 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0670 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0671 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0672 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0673 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0674 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0677 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0678 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0680 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0683 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0684 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0685 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0685 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0685 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0686 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0686 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0686 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0687 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0688 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0689 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7013-0690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0690 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0691 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0692 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0693 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0694 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0695 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0696 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0697 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0698 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0699 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0700 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0701 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0702 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0703 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0704 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0705 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0706 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0707 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0708 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0708 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0708 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0709 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0710 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0710 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0710 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0711 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0711 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0711 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0712 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0712 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0712 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0713 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0713 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0713 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0714 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0714 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0714 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0715 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0716 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0716 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0716 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0717 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0717 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0717 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0718 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0718 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0718 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0719 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0720 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0720 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0720 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0721 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0721 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0721 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0722 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0722 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0722 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0724 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0724 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0728 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0728 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0729 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7013-0729 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0729 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0730 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0732 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0732 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0733 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0733 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0735 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0735 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0736 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0736 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0737 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0737 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0738 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0738 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0739 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0739 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0740 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0740 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0741 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0741 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0741 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0742 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0742 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0742 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0743 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0743 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0743 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0744 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0744 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0744 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0749 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0749 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0750 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0751 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0751 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0752 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0752 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0753 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0753 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0754 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0754 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0755 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0755 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0756 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0757 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0757 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0758 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0758 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0759 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0759 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0760 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0762 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0762 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0763 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0763 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0764 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0764 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0765 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0765 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0766 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0766 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0769 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0769 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0769 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0770 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0770 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0770 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0771 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0771 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0771 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0772 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0772 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0772 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0773 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0773 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0773 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0774 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0774 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0774 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0775 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0775 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0775 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0776 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0776 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0776 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0777 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0782 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0782 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0782 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0783 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0783 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0787 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0787 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0787 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0787 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0787 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0788 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0788 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0788 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0788 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0788 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0789 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0790 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0790 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0791 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7013-0792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0793 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0794 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0795 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0795 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0795 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0795 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0795 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0796 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0796 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0796 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0796 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0796 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0796 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0797 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0797 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0797 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0797 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0797 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0797 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0804 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0804 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0805 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0805 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0806 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0806 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0807 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0807 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0809 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0809 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0810 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0810 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0811 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0811 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0812 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0812 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0813 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0813 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0814 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0814 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0815 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0815 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0817 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0817 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0818 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0818 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0819 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0819 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0820 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0820 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0821 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0821 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0822 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0822 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0823 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0823 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0824 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0824 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0826 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0826 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0827 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0828 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0829 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0829 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0830 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0830 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0834 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0834 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0837 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0837 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0837 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0837 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0837 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0837 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0838 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0838 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0839 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0839 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0864 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0864 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0868 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0870 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0881EDU | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-0881EDU | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7013-6016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7014-0028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0054 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0103 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0109 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0117 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0121 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0122 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0123 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7014-0139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0148 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0153 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0154 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0155 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0156 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0157 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0158 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0159 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0161 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0162 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0163 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0164 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0165 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0166 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0167 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0168 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0169 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0170 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0171 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0172 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0173 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0181 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0182 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0182 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0182 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0183 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0183 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0186 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0186 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0188 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0189A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0189A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0189A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0190A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0190A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0190A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0195 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0195 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0195 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0196 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0196 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0196 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0197 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0197 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0197 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0198 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0198 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0198 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0199 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0199 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0199 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0200 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0201 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0202 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0203 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0203 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0203 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0204 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0205 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7014-0206 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0207 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0208 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0209 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0210 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0211 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0221 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0223 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0224 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0225 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0226 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0227 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0228 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0229 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0230 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0233 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0236 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0237 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0238 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0239 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0240 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0241 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0242 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0242 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0242 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0243 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0245 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0246 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0247 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0248 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0249 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0250 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0251 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0252 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0252 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0252 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7014-0255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0007 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0008 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7015-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0009 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0009 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0010 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0011 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0011 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0014 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0014 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0015 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0015 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0016 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0016 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0017 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0017 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0018 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0018 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0020 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0020 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0021 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0021 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0023 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0024 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0025 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0025 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0026 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0026 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0027 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0027 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0028 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0028 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0031 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0032 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0032 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0032U | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0039 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0041 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0042 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0049 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0049 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0072 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0128 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-02168 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0559 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0560 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0561 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0561 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0562 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0562 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0619 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0648 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0649 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0714 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0714 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0716 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0722 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0722 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0722 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0723 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0723 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0724 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0724A | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0768 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0768 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0769 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0776 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0776 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0801 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0803 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0819 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0819 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0819 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0820 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0820 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0820 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0821 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0825 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0827 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0829 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0830 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0832 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0833 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0881 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0881 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0886 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0911 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0911 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0911 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0911 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7015-0918 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0918 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0919 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0919 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0930 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0940 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0944 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0945 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0952 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0960 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0961 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0969 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0973 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0990 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0991 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0992 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0992 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0992 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0993 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0993 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0993 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0994 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0994 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0995 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0995 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0996 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0996 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0997 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0997 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0998 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0998 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0999 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-0999 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1000 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1001 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1016 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1021 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1026 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1026 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1027 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1050 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1050 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1051 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1064 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1065 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1065 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1071 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1072 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1073 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1074 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1074 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1075 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1077 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1078 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1078 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1080 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1095-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1095-0480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1095-0910 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1095-LLLL | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1098 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1099 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1099 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1101 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1102 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1104 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1106-1200 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1106-3000 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1107 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1108 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1143 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1439 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1984 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1989 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1992 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1993 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1994 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1995 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1995 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1996 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-1997 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2002 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2055 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2119 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2120 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7015-2134 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2134 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2137 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2137 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2141 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2142 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2143 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2143 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2144 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2144 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2167 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2167 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2167 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2169 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2169 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2170 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2170 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2171 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2171 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2175 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2176 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2179 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2207 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2223 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2224 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2225 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2226 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2227 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2301 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2303 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2303 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2303 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2303 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2304 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2304 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2304 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2305 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2305 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2306 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2307 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2308 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2309 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2310 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2311 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2312 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2313 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2313 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2313 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2314 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2314 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2319-0310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2320 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2321 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2322 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2323 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7015-2323 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2323 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2324 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2324 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2324 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2324 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2325 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2326 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2327 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2329 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2330 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2330 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2331 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2332 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2332 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2333 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2334 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2334 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2335 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2336 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2340 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2340 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2341 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2341 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2343 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2343 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2343 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2343 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2344 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2344 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2344 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2344 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2345 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2345 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2345 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2345 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2346 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2346 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2346 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2347 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2421 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2421 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2423 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2423 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2800 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2801 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2801 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2802 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2818 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2819 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2821 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2821 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2821 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2822 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2822 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2823 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2823 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2824 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7015-2824 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0004 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0008 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0009 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0010 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0011 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0012 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0013 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0015 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0018 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0019 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0020 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0021 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0022 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0023 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0025 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7016-0026 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0027 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0029 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0047 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0052 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0053 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0054 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0056 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0057 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0058 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0059 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0061 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0062 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0063 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0064 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0065 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0066 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0067 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0068 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0069 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0070 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0071 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0072 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0073 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0074 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0075 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0080 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0091 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0092 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0093 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0094 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0107 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0108 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0109 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0109 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0113 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0114 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0121 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0124 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0125 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0126 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0127 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0128 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0129 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0130 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0131 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0133 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0137 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0138 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0145 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0146 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0147 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0148 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0149 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0150 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0151 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0152 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0153 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0153 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0157 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0159 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0161 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0162 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0162 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0162 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0163 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0164 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0164 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7016-0166 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0008 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0009 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7017-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0010 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0011 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0012 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0013 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0014 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0015 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0016 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0017 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0025 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0029 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0030 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0032 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0033 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0033 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0034 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0034 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0041 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0042 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0045 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0052 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0053 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0054 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0054 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0055 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0056 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0057 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0058 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0058 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0059 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0059 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0060 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0061 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0061 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0062 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0062 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0063 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0063 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0064 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0064 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0065 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0065 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0066 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7017-0067 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0068 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0068 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0068 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0068 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0069 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0069 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0083 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0084 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0084 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0091 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0095 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0108-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0108-1320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0109-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0109-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0109-1200 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0109-1440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0109-1440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0109-1440 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0110-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0115 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7017-0115 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7018-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7018-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7021-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7021-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7021-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7022-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7022-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7022-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7022-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7022-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7022-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7022-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7022-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7022-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7022-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7022-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7022-0027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7022-0028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7022-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7022-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7022-0031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7023-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0015 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7026-0016-042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0016-070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0016-072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0016-090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0016-110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0016-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0016-137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0016-185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0017 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0017-170 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0017-170 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0017-170 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0017-192 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0017-192 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0017-192 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0017-230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0017-230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0017-230 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0017-250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0017-250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0017-250 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0017-300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0017-300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0017-300 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0021 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0054 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0054 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0054 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7026-0056 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0003 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0004 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0005 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0010A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0010A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0010A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0010A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0011A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0011A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0011A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0011A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0012 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0014A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0015A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0016 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0017 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7027-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0018 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0020 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0021A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0021A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0021A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0021A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0021B | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0021B | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0021B | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0021B | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0022A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0022A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0022A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0022A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0022B | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0022B | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0022B | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0022B | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0023 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0026 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0027 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0028 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0033 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0033 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0034 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0035 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0036 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0036 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0038 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0039 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0039 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0040 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0041 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0042 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0043 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0044 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0045 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0046 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0047 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0048 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0049 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0050 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0051 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0052 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0053 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0054 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0055 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0056 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0057 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0057 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0058 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0059 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0061 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0061 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0062 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0063 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0063 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0069 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0071 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0072 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7027-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0006 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0018 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0019 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0020 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0021 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0022 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0023 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0024 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0025 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0026 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0027 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0028 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0029 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0030 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0031 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0032 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0033 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0034 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0035 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0036 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0037 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0038 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0043 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0044 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0045 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0047 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0050 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0051 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0052 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0053 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0055 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0055 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0056 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0057 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0063 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0069 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0070 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0076 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0077 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0078 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0080 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0081 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0082 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0083 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0084 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0084 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0084 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0085 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0085 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0085 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0086 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0086 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0086 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0087 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0087 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0087 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0088 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0088 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0088 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0089 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0089 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0089 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0090 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0090 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0090 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0091 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0091 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0091 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0092 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0092 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0092 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0093 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0093 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0093 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0094 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0094 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0094 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0095 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0095 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0095 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0096 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0096 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0096 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0097 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0097 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0097 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0098 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0098 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0098 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0099 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0099 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0099 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0101 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0101 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0101 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0102 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0103 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0103 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0104 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0104 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0105 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0105 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0106 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0107 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0108 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0109 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-0109 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0110 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0111 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0112 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0113 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0204 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0205 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0206 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0207 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0208 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0209 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0210 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0211 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0212 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0212 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0213 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0213 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0214 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0214 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0215 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0215 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0216 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0216 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0217 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0217 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0218 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0218 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0219 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0219 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0220 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0221 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0221 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0221 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0222 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0223 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0224 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0225 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0226 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0227 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0228 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0229 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0230 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0231 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0231 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0232 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0233 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0234 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0234 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0235 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0235 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0236 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0237 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0238 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0239 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0240 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0241 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0242 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0242 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-0243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0243 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0243 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0244 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0244 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0245 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0245 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0246 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0246 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0247 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0247 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0248 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0248 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0249 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0249 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0250 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0250 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0252 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0253 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0254 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0255 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0256 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0257 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0258 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0259 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0263 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0263 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0264 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0264 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0265 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0265 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0266 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0266 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0268 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0268 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0286 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0286 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0287 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0287 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0288 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0288 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0289 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0289 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0290 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0291 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0291 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0293 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0293 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0294 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0294 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0295 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0295 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0296 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0296 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0297 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0298 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0299 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0299 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0301 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0303 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0303 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0308 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0309 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0310 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0311 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0312 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0313 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0313 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0314 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0314 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0315 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0315 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0316 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0316 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0317 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0317 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0318 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0318 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0319 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0319 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0320 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-0320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0321 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0322 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0323 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0323 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0324 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0324 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0325 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0326 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0330 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0330 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0332 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0337 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0337 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0338 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0339 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0340 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0340 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0341 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0341 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0347 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0348 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0348 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0351 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0351 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0352 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0353 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0353 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0353 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0354 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0355 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0356 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0357 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0357 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0358 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0358 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0359 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0359 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0360 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0360 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0361 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0361 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0362 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0362 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0363 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0363 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0368 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0368 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0369 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0370 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0371 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0371 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0371 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0371 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0372 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0372 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0373 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0374 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0375 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0376 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0377 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0378 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0378 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0379 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0379 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0379 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0379 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0380 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0380 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0381 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0381 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0382 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0382 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0383 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0383 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0384 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0384 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0385 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0385 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0386 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-0386 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0387 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0387 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0388 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0388 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0389 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0389 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0390 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0391 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0391 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0392 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0393 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0394 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0395 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0396 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0397 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0397 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0398 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0398 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0399 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0400 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0401 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0402 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0403 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0404 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0405 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0406 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0407 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0426 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0427 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-04278 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-04278 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-04279 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-04279 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0428 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-04280 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-04280 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-04281 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-04281 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-04281 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-04282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-04282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-04282 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-04283 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-04283 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-04283 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-04284 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-04284 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-04285 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-04285 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0429 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0430 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0431 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0432 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0432 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0433 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0433 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0434 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0435 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0436 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0437 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0438 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0439 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0439 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0440 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0441 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0441 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0443 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0444 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0446 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-0449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0449 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0450 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0451 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0455 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0456 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0456 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0457 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0457 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0458 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0459 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0460 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0460 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0461 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0461 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0462 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0462 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0463 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0463 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0464 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0464 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0465 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0466 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0466 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0467 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0467 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0468 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0469 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0470 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0470 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0471 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0472 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0473 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0474 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0475 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0476 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0477 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0478 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0479 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0480 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0481 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0482 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0483 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0484 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0485 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0485 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0486 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0486 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0487 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0488 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0488 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0489 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0490 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0490 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0491 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0491 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0492 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0492 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0493 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0493 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0494 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0495 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0495 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0496 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0496 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0497 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0497 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0498 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0498 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0502 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0503 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0504 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0505 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0507 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0507 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0508 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-0510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0510 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0511 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0511 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0511 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0512 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0515 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0516 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0517 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0518 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0518 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0519 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0519 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0520 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0521 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0521 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0522 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0522 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0526 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0526 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0532 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0533 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0533 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0533 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0533 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0533 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0534 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0534 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0534 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0534 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0534 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0534 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0542 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0543 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0543 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0543 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0543 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0544 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0544 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0549 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0551 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0553 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0554 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0556 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0556 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0557 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0558 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0559 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0560 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0561 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0561 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0561 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0561 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0562 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0562 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0562 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0562 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0562 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0563 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0564 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0564 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0565 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0565 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0565 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0566 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0566 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0566 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0567 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0568 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0569 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0570 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0571 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0572 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0573 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0573 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0573 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-0574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0574 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0575 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0575 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0576 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0576 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0577 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0577 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0578 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0578 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0578 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0580 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0580 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0581 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0581 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0582 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0582 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0583 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0584 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0585 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0585 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0586 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0586 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0587 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0587 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0588 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0588 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0591 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0591 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0592 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0592 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0592 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0592 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0592 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0593 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0593 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0595 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0596 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0596 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0597 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0597 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0599 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0599 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0599 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0599 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0600 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0601 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0601 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0602 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0602 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0603 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0605 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0606 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0606 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0607 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0607 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0608 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0608 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0609 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0609 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0610 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0611 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0611 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0612 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0612 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0613 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0613 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0613 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0614 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0632 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0657 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0657 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0659 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0660 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0661 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0662 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0663 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0666 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0667 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-0672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0672 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0673 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0674 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0675 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0676 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0685 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0686 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0687 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0689 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0712 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0712 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0713 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0713 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0713 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0713 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0714 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0714 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0716 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0716 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0717 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0717 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0718 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0718 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0718 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0718 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0719 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0719 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0722 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0722 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0723 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0730 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0731 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0731 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0738 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0738 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0739 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0739 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0740 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0740 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0741 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0741 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0742 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0742 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0743 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0743 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0744 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0744 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0745 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0745 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0746 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0746 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0747 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0747 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0748 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0748 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0748 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0749 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0749 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0749 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0750 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0751 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0754 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0755 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0757 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0771 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0771 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0771 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0820 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0820 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0820 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0820 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0826 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0827 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0831 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0836 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0836 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0836 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0837 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0837 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0837 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0838 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0838 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0838 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0839 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0839 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0840 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0840 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0841 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0841 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0842 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0842 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0843 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0843 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0844 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-0844 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0845 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0845 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0846 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0846 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0846 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0846 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0846 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0847 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0847 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0848 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0848 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0848 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0849 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0849 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0849 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0851 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0851 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0854 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0854 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0855 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0855 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0855 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0856 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0856 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0856 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0857 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0857 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0857 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0858 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0858 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0858 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0858 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0858 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0858 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0859 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0859 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0859 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0859 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0859 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0859 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0859 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0860 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0860 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0860 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0860 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0860 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0860 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0860 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0861 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0861 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0862 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0862 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0863 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0863 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0864 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0864 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0866 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0866 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0866 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0866 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0867 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0867 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0874 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0875 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0877 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0877 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0877 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0877 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0878 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0878 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0878 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0896 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0896 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0897 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0897 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0911 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0911 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0911 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0912 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0912 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0912 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0913 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0913 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0913 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0914 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0914 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0914 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0915 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0915 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0915 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0916 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0916 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0916 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0916 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0917 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0917 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0917 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0917 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0918 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0918 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0918 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0918 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0919 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0919 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0919 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0919 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0921 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0921 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0932 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-0932 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0933 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0933 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0934 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0934 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0935 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0935 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0936 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0936 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0939 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0939 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0939 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0942 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0943 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0944 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0948 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0948 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0948 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0949 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0949 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0949 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0950 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0950 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0951 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0951 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0951 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0952 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0952 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0952 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0953 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0953 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0953 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0954 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0954 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0954 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0958 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0958 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0958 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0959 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0959 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0959 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0960 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0960 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0960 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0961 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0961 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0961 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0962 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0962 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0962 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0963 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0963 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0963 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0964 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0964 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0964 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0965 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0965 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0965 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0966 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0966 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0966 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0967 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0967 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0967 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0968 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0968 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0968 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0969 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0969 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0969 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0970 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0970 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0970 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0993 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0993 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0994 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0994 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0995 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0995 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0995 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0995 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0996 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0996 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0996 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0996 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0997 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0997 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0997 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0997 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0998 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0998 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0998 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0999 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0999 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-0999 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1000 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1000 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1001 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1002 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1050 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1050 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1051 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1051 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-1064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1067 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1068 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1069 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1071 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1071 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1071 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1081 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1081 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1081 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1086 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1086 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1086 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1092 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1092 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1093 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1093 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1094 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1101 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1118 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1119 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1121 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1121 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1121 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1124 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1126 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1126 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1128 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1128 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1139 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1140 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1141 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1142 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1143 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1144 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1147 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1149 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1150 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1153 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1154 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1156 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1159 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1160 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1161 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1169 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1170 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1210 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1211 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1212 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1213 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1214 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1216 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1222 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1222 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1230 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1232 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1233 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1234 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1234 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1235 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1235 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1236 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1237 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1238 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1239 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1240 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1241 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1242 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1242 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1243 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1244 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1245 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1246 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-1247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1247 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1248 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1249 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1250 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1251 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1252 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1252 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1253 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1254 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1255 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1256 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1256 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1257 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1257 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1258 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1258 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1259 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1259 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1260 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1260 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1261 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1261 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1275 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1275 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1275 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1276 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1276 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1276 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1297 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1298 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1299 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1299 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1300 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1300 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1301 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1301 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1302 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1302 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1302 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1302 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1303 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1303 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1303 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1303 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1304 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1304 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1305 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1306 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1307 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1308 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1309 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1310 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1390 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1391 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1391 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1392 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1393 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1394 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1395 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1397 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1397 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1397 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1397 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1398 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1398 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1399 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1400 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1401 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1402 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1403 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-1404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1404 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1405 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1407 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1407 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1423 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1423 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1423 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1423 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1424 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1424 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1424 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1424 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1424 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1425 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1426 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1427 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1428 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1429 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1430 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1431 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1432 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1433 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1433 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1433 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1433 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1433 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1433 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1434 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1439 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1439 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1440 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1441 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1441 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1442 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1442 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1443 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1444 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1445 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1445 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1446 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1447 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1448 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1449 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1450 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1451 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-1452 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1452 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1453 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1453 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1454 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1455 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1456 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1456 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1457 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1457 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1487 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1487 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1488 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1488 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1488 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1488 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1489 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1489 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1539 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1540 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1543 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1543 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1543 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1543 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1544 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1545 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1546 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1546 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1550 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1550 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1551 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1551 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1552 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1552 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1553 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1553 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1554 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1554 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1555 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1555 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1555 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1556 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1556 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1556 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1557 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1557 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1558 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1558 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1559 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1559 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1565 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1565 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1566 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1566 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1567 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1568 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1568 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1571 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1572 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1577 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1577 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1578 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1578 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1579 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1579 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1581 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1582 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1582 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1582 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1582 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1583 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-1584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1584 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1585 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1585 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1585 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1585 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1586 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1587 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1587 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1587 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1587 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1588 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1589 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1590 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1594 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1594 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1595 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1596 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1596 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1596 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1596 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1597 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1597 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1597 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1598 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1598 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1598 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1599 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1599 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1599 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1601 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1601 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1604 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1604 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1606 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1607 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1607 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1608 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1608 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1609 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1609 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1614 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1614 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1623 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1623 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1623 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1624 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1625 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1625 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1628 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1629 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1630 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1631 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1632 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1633 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1635 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1636 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1637 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1638 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1639 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1640 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1641 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1642 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1643 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1655 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-1655 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1657 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1658 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1659 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1660 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1661 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1672 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1674 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1674 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1675 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1676 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1676 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1677 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1677 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1679 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1680 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1680 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1681 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1682 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1683 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1683 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1684 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1684 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1685 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1685 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1686 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1686 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1687 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1688 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1689 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1690 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1691 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1692 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1693 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1694 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1695 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1696 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1697 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1698 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1699 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1700 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1701 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1702 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1703 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1704 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1705 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1706 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1707 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1708 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1708 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1709 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1710 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-1710 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1710 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1710 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1711 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1711 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1711 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1711 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1712 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1712 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1712 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1712 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1713 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1713 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1713 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1713 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1714 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1714 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1714 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1714 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1715 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1716 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1716 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1716 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1716 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1717 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1717 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1717 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1717 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1721 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1727 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1728 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1728 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1729 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1729 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1730 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1731 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1731 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1732 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1732 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1733 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1733 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1734 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1734 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1735 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1735 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1736 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1736 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1742 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1742 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1745 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1745 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1746 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1746 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1747 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1747 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1748 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1748 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1749 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1749 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1751 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1751 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1752 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1752 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1754 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1754 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1755 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1755 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1756 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1757 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1757 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1758 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1758 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1759 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1759 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1762 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1762 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1763 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1765 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1765 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1766 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1766 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1767 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1767 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1768 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1768 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1769 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1769 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1770 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1770 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1770 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1771 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1771 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1771 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1772 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1772 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1772 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1773 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1773 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1773 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1774 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1775 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-1776 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1776 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1776 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1776 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1777 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1778 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1778 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1778 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1779 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1779 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1780 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1780 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1781 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1781 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1781 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1781 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1781 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1781 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1783 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1783 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1784 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1784 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1784 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1785 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1786 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1786 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1788 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1789 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1789 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1801 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1801 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1801 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1803 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1804 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1807 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1807 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1807 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1814 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1814 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1815 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1815 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1816 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1816 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1817 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1817 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1817 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1818 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1818 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1818 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1819 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1819 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1819 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1828 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1828 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1829 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1838 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1838 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1838 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1838 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1840 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1840 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1851 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1851 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1852 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1852 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1866 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1866 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1867 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1867 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1868 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1868 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1869 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1869 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1870 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1870 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1872 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1873 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1879 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1879 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1880 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1880 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1881 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1881 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1883 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1883 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1884 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1884 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1885 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1885 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1886 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1886 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1887 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1887 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1888 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1888 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1889 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1889 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1892 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1892 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1892 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1892 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1892 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1893 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1893 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1893 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-1893 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1894 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1894 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1894 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1894 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1895 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1895 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1895 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1895 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1896 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1896 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1896 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1896 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1897 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1897 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1897 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1897 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1898 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1898 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1898 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1898 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1899 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1899 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1899 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1899 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1900 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1900 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1901 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1901 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1901 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1901 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1902 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1902 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1902 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1902 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1903 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1903 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1903 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1903 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1904 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1904 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1904 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1904 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1905 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1905 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1905 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1905 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1906 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1906 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1906 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1906 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1907 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1907 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1907 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1907 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1908 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1908 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1909 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1909 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1934 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1934 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1934 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1934 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1934 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1935 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1935 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1936 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1936 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1937 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1937 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1938 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1938 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1939 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1939 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1940 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1940 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1942 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1942 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1943 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1943 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1944 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1944 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1944 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1946 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1946 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1946 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1947 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1947 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1947 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1948 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1948 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1948 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1949 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1949 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1949 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1960 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1960 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1961 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1961 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1962 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1962 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1964 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1964 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1967 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1967 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1968 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1968 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1969 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1969 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-1970 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1970 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1970 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1971 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1971 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1972 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1972 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1972 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1973 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1973 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1973 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1974 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1974 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1974 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1974 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1986 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1986 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1987 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1987 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1988 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1988 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1989 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1989 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1989 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1989 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1989 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1990 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1990 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1990 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1990 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1990 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1991 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1991 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1991 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1991 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1991 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1992 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1992 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1993 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1993 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1994 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1994 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1995 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1995 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1996 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1996 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1997 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1997 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1998 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1998 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1999 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-1999 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2000 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2001 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2002 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2011-101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2011-101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2011-101 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2013 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2014 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2015 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2016 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2017 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2018 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2019 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2020 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2021 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2022 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2024 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2025 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2026 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2027 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2031 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2032 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2033 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-2034-030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2034-030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2034-030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2034-030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2034-030 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2035 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2042 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2043 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2044 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2045 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2046 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2047 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2048 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2050 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2054 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2054 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2054 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2056 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2061 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2066 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2067 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2068 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2072 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2074 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2075 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2076 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2077 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2078 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2086 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2087 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2088 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2089 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2090 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2103 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2103 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2103 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2103 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2109 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2117 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2121 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2122 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2123 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-2126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2170 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2171 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2171 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2172 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2173 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2186 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2187 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2191 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2192 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2193 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2194 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2195 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2196 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2196 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2197 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2197 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2197 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2198 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2198 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2198 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2199 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2199 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2199 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2200 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2201 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2202 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2204 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2218 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2219 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2240 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2256 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2257 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2258 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2259 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2262 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2262 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2262 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2268 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2268 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2272 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-2272 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2272 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2273 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2273 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2273 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2273 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2274 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2274 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2274 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2274 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2276 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2276 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2277 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2277 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2278 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2278 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2279 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2279 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2280 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2280 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2281 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2281 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2283 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2283 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2284 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2284 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2285 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2285 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2286 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2286 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2287 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2287 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2288 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2288 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2289 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2289 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2291 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2291 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2292 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2292 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2292 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2293 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2293 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2293 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2294 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2294 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2294 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2295 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2295 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2295 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2296 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2296 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2296 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2297 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2298 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2299 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2299 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2299 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2300 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2301 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2302 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2302 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2302 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2303 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2303 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2303 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2304 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2304 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2304 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2305 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2306 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2307 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2308 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2309 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2310 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2311 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2312 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2313 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2313 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2313 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2314 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2314 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2314 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-2315 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2315 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2315 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2316 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2316 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2316 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2317 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2317 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2317 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2318 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2318 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2318 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2319 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2319 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2319 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2320 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2321 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2322 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2323 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2323 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2323 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2324 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2324 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2324 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2325 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2326 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2327 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2328 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2329 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2330 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2330 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2330 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2331 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2331 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2331 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2332 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2333 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2334 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2334 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2334 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2335 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2336 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2336 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2336 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2337 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2337 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2337 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2338 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2339 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2375 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2376 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2377 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2378 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2378 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2379 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2379 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2380 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2381 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2382 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2383 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2383 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2384 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2384 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2385 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2385 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2386 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2386 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2387 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2387 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2388 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2388 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2389 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2389 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2390 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2391 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2391 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2392 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-2393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2393 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2394 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2395 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2396 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2397 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2397 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2398 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2398 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2399 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2400 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2401 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2402 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2403 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2404 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2405 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2406 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2407 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2408 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2409 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2409 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2410 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2411 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2412 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2412 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2413 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2414 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2415 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2415 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2416 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2417 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2418 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2419 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2420 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2421 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2422 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2423 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2423 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2424 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2424 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2425 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2426 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2427 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2428 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2429 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2430 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2431 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2432 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2433 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2433 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2433 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2434 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2435 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2436 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2437 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2438 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2439 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2439 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2440 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2448 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2450 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-2460 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2460 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2463 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2463 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2465 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2477 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2499 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2499 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2503 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2505 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2507 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2509 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2509 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2536 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2536 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2536 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2540 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2542 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2552 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2553 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2554 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2555 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2555 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2556 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2556 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2557 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2561 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2561 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2562 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2562 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2567 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2567 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2568 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2569 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2570 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2571 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2572 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2573 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2573 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2573 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2592 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2592 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2595 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2596 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2596 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2622 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2622 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2622 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2622 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2622 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2637 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2661 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2662 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2663 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2663 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2664 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2664 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2666 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2668 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2668 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2700 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2701 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-2702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2702 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2705 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2718 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2718 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2718 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2719 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2720 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2720 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2720 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2721 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2721 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2721 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2723 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2724 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2724 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2725 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2726 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2727 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2728 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2728 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2732 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2732 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2733 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2733 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2733 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2733 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2734 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2734 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2735 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2735 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2735 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2735 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2736 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2736 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2737 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2737 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2738 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2738 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2739 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2739 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2739 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2739 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2740 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2740 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2740 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2740 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2741 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2741 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2741 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2741 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2742 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2742 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2742 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2742 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2743 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2743 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2743 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2743 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2744 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2744 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2744 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2744 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2746 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2746 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2746 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2746 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2746 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2747 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2747 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2747 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2747 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2753 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2753 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2753 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2753 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2754 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2754 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2755 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2755 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2756 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2757 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2757 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2758 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2758 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2759 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2759 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2760 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2760 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2761 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2761 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2761 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2761 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2761 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2761 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2762 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2762 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-2762 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2762 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2762 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2765 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2765 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2766 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2766 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2767 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2767 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2767 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2767 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2767 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2767 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2768 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2768 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2768 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2768 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2770 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2770 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2770 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2770 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2771 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2771 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2772 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2772 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2784 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2784 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2785 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2785 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2785 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2785 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2786 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2786 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2835 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2835 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2835 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2835 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2838 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2838 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2854 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2854 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2854 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2854 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2855 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2855 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2856 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2857 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2857 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2857 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2858 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2858 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2858 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2859 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2859 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2859 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2860 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2860 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2860 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2861 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2861 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2861 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2862 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2862 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2862 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2863 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2863 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2863 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2865 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2865 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2867 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2867 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2878 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2878 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2879 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2879 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2879 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2880 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2880 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2880 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2882 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2882 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2884 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2884 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2885 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2885 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2886 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2886 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2887 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2887 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2888 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2888 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2889 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2889 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2895 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2895 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2896 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2896 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2897 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2897 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2898 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2898 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2899 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2899 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2900 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2901 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2901 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2901 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2902 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2902 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-2902 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2903 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2903 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2903 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2904 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2904 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2904 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2904 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2905 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2905 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2905 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2905 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2906 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2906 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2906 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2906 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2907 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2907 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2907 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2907 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2908 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2908 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2908 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2908 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2909 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2909 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2909 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2909 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2910 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2910 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2910 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2910 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2911 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2911 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2911 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2911 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2912 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2912 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2912 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2912 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2913 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2913 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2913 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2913 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2914 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2914 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2914 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2914 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2915 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2915 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2915 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2915 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2917 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2917 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2918 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2918 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2918 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2973 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2973 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2973 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2973 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2974 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2974 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2975 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2975 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2976 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2976 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2977 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2977 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2978 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2978 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2979 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2979 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2980 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2980 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2981 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2981 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2982 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2982 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2983 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2983 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2984 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2984 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2985 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2985 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2986 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2986 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2986 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2991 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2991 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2991 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2992 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2992 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2992 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2993 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2994 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2994 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2995-080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2995-080 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2995-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2995-120 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2995-130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2995-130 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2995-240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2995-240 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2995-270 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2995-270 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2995-280 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2995-280 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2995-300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2995-300 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-2995-350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-2995-350 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3001 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3002 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3003 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3004 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3008 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3235 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3235 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3235 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3236 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3236 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3241 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3241 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3242 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3242 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3242 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3242 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3244 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3245 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3246 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3247 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3248 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3248 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3251 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3252 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3253 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3254 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3255 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3256 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3257 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3268 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3268 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3268 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3269 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3269 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3269 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3269 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3270 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3270 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3270 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3270 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3271 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3271 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3272 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3272 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3278 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3278 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3279 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3279 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3280 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3280 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3281 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3281 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3282 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3283 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3283 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3284 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3284 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3285 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3285 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3286 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3286 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3287 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3287 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3288 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3288 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3289 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3289 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3290 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3291 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3291 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3298 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3299 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3299 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-3302 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3303 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3306 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3312 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3313 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3315 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3315 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3316 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3316 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3317 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3317 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3318 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3320 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3323 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3323 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3324 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3324 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3324 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3325 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3326 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3327 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3331 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3331 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3331 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3342 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3342 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3342 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3343 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3343 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3343 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3344 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3344 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3344 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3345 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3345 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3345 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3346 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3346 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3346 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3346 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3346 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3347 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3348 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3348 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3348 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3348 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3348 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3349 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3350 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3351 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3351 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3351 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3351 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3351 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3352 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3353 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3353 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3353 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3353 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3353 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3354 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3355 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3356 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3357 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3357 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3357 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3357 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-3357 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3363 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3363 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3366 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3366 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3368 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3368 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3368 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3369 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3370 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3371 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3371 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3371 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3371 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3371 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3371 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3372 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3372 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3373 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3373 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3374 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3374 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3379 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3379 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3379 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3380 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3381 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3382 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3385 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3385 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3386 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3386 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3386 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3386 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3387 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3387 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3387 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3387 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-73 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-73 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-73 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-74 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-74 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-74 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-75 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-75 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-75 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-76 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-76 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-76 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-77 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-77 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-77 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-78 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-78 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-78 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-79 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-79 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-79 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-80 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-80 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-80 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-81 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-81 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-81 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-82 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-82 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-82 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-83 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-83 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-83 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-84 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-84 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-84 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-89 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-89 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3392-89 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3393 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-3393-85 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3393-85 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3393-85 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3393-85 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3393-86 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3393-86 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3393-86 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3393-86 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3393-90 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3393-90 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3393-90 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3393-90 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3394 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3395 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3396 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3396 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3397 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3398 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3398 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3398 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3401 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3402 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3403 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3403 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3403-117 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3403-117 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3403-117 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3403-117 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3403-117 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3403-127 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3403-127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3403-127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3403-127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3403-127 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3403-137 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3403-137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3403-137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3403-137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3403-137 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3404 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3406 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3407 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3408 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3408 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3409 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3409 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3409 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3409 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3410 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3410 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3411 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3411 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3412 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3412 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3413 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3414 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3415 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3415 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3416 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3417 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3417 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3418 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3418 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3419 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-3420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3420 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3421 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3422 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3423 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3423 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3424 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3424 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3424 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3425 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3425 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3426 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3426 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3436 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3437 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3441 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3441 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3442 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3442 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3443 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3448 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3449 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3449-87 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3449-87 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3449-87 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3449-87 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3449-87 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3450 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3450 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3451 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3451 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3452 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3452 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3452 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3452 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3453 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3453 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3453 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3453 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3454 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3454 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3455 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3455 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3456 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3456 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3456 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3456 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3457 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3457 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3457 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3457 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3460-070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3460-070 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3461-075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3461-075 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3461-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3461-120 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3461-205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3461-205 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3469 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3470 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3470 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3471 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3479 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3480 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3481 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3482 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3485 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3485 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3485 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-3486 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3486 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3486 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3489 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3490 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3490 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3491-0825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3491-0825 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3491-1325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3491-1325 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3508 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3509 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3509 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3510 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3511 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3511 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3512 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3512 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3513 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3514 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3515 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3515 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3522 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3522 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3523 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3523 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3523 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3523 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3524 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3524 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3524 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3524 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3525 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3525 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3525 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3525 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3526 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3526 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3526 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3526 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3527 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3527 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3527 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3530 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3530 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3530 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3530 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3530 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3530 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3531 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3531 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3531 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3531 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3531 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3540 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3540 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3541 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3541 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3542 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3542 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3543 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3543 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3544 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3544 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3545 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3545 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3545 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3546 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3546 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3546 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3547 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3547 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3548 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3548 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3549 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3549 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3549 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3550 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3551 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3552 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3553 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3554 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3555 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3555 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3555 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3556 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3556 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-3557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3557 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3558 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3559 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3560 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3561 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3561 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3562 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3562 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3563 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3564 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3564 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3564 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3565 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3565 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3565 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3566 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3566 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3566 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3567 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3568 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3573 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3573 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3573 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3573 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3573 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3574 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3574 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3574 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3579 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3579 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3579 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3579 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3580 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3580 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3580 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3580 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3581 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3582 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3582 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3582 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3582 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3582 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3583 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3584 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3585 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3585 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3585 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3585 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3586 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3586 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3586 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3586 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3587 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3587 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3587 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3587 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3588 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3588 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3588 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3588 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3589 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3589 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3589 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3589 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3590 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3590 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3590 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3590 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3591 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3591 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3591 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3591 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3592 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3592 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3592 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3592 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3593 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3593 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3593 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3593 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3594 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3594 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3594 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3594 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-3603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3603 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3604 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3604 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3604 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3635 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3636 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3637 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3638 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3639 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3640 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3643 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3643 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3644 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3650 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3651 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3653 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3657 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3657 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3659 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3661 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3661 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3662 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3662 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3663 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3663 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3664 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3665 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3666 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3666 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3667 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3668 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3670 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3671 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3673 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3673 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3674 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3674 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-3675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3675 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3675 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3676 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3676 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3677 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3677 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3677 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3677 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3678 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3678 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3678 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3678 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3679 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3679 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3681 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3681 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3687 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3688 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3689 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3690 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3691 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3693 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3693 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3694 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3694 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3695 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3696 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3697 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3698 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3706 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3707 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3708 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3708 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3709 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3721 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3721 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3721 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3721 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3722 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3722 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3722 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3722 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3723 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3724 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3724 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3724 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3724 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3725 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3726 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3726 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3727 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3727 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3740 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3740 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3740 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3740 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3746 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3746 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3747 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3747 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3748 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3748 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3749 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3749 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3755-0750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3755-0750 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3755-LLLL | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-3755-LLLL | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3760 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3761 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3762 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3762 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3763 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3763 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3763 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3764 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3765 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3766 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3767 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3767 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3767 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3768 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3768 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3768 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3768 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3768 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3769 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3769 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3769 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3771 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3771 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3771 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3772 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3772 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3772 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3773 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3773 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3776 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3776 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3776 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3779 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3781 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3781 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3782 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3782 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3783 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3783 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3787 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3787 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3787 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3787 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3788 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3788 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3788 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3788 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3789 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3789 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3789 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3789 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3790 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3790 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3790 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3790 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3791 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3791 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3792 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3792 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3793 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3793 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3793 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3793 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3793 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3794 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3794 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3794 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3795 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3795 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3795 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3797 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3797 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3797 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3798 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3798 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3798 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3799 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3799 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3799 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3804 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3804 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3804 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3805 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3805 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3806 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3806 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3806 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3806 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3806 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3816 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3816 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3816 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3816 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3817 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3817 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3817 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3818 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-3818 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3819 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3819 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3820 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3820 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3820 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3821 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3821 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3823 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3823 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3823 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3824 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3824 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3824 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3825 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3826 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3826 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3826 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3827 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3827 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3827 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3827 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3828 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3828 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3828 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3857 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3857 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3857 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3858 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3858 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3858 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3860 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3860 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3860 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3862 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3862 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3862 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3862 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3862 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3862 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3863 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3863 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3863 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3863 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3863 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3863 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3864 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3864 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3864 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3864 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3864 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3864 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3865 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3865 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3865 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3865 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3871 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3871 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3871 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3872 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3872 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3872 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3873 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3873 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3873 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3874 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3874 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3874 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3876 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3876 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3877 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3878 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3878 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3879 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3879 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3879 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3880 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3887 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3887 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3887 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3890 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3891 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3892 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3893 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3893 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3894 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3894 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3895 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3895 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3897 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3897 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3898 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3900 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3900 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3901 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3901 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3902 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3902 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3903 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3903 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3904 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3904 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3905 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3905 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3906 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3906 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-3907 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3907 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3908 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3908 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3909 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3909 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3910 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3910 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3911 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3911 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3912 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3912 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3913 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3913 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3914 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3914 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3916 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3916 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3916 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3917 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3917 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3917 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3918 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3918 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3918 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3919 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3919 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3919 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3920 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3920 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3920 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3921 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3921 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3921 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3922 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3922 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3922 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3923 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3923 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3923 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3924 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3924 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3924 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3925 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3925 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3925 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3927 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3927 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3927 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3928 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3928 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3928 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3929 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3929 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3930 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3930 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3931 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3932 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3933 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3936 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3936 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3936 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3936 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3938 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3938 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3939 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3939 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3939 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3940 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3940 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3942 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3945 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3945 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3945 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3945 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3945 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3946 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3946 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3946 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3946 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3946 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3947 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3947 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3947 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3947 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3968 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3968 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3971 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3971 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3971 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3971 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3972 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3972 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3972 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3972 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3973 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3973 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3973 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3973 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3974 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3974 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3974 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3974 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3975 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3975 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3975 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3975 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3976 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3976 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3976 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3976 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-3977 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3977 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3977 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3977 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3978 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3978 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3978 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3978 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3979 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3979 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3979 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3979 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3980 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3980 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3980 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3980 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3981 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3981 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3981 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3982 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3982 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3982 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3982 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3982 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3983 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3983 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3983 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3983 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3983 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3983 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3984 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3984 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3984 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3985 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3985 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3985 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3986 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3986 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3986 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3988 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3988 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3988 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3988 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3989 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3989 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3989 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3989 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3990 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-3990 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4003 | CABLE ASSEMBLY | Insulator | Yes | MATERIAL SPECIFICATION ETFE | 25038-71-5 | Ethene, 1,1,2,2-tetrafluoro-, polymer with ethene | Ethylene-tetrafluoroethylene Copolymer (ETFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4015 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4016 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4017 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4020 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4020 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4021 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4026 | CABLE ASSEMBLY | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4027 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4028 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4029 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4030 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4031 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4032 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4033 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4034 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4035 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4036 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4037 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4047 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4048 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4049 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4050 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-4051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4051 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4052 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4065 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4085 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4087 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4088 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4089 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4090 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4090 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4091 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4091 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4092 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4093 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4094 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4095 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4096 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4097 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4097 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4098 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4098 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4099 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4101 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4101 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4102 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4103 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4103 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4106 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4109 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4112 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-4113-0600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4113-0600 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4113-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4113-0700 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4113-0900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4113-0900 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4113-1700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4113-1700 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4113-1900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4113-1900 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4113-2400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4113-2400 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4113-2600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4113-2600 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4114 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4115 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4116 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4117 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4117 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4118 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4119 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4120 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4121 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4121 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4122 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4122 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4123 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4123 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4124 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4125 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4126 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4127 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4128 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4129 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4130 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4131 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4132 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4133 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4134 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4135 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4136 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4137 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4138 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4139 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4140 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4141 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4142 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4143 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4144 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4145 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4146 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4147 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4148 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4148 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4149 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4150 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4151 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4152 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4153 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4153 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4153 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4154 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4154 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4154 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4155 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4155 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4155 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4156 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4156 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4156 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-4156 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4158 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4158 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4158 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4160 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4161 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4161 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4161 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4161 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4163 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4163 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4164 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4164 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4165 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4165 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4166 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4166 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4167 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4167 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4168 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4168 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4175 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4176 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4177 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4178 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4179 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4180 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4181 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4182 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4182 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4182 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4182 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4183 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4183 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4183 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4183 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4184 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4185 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4186 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4186 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4186 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4186 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4187 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4187 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4187 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4187 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4188 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4189 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4190 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4191 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4191 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4191 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4191 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4192 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4192 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4192 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4192 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4193 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4193 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4193 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4193 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4194 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4194 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4194 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4194 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4195 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4195 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4195 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4195 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4196 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4196 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4196 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4196 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4197 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-4197 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4197 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4197 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4198 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4198 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4198 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4198 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4199 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4199 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4199 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4199 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4203 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4203 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4203 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4207 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4208 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4209 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4210 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4210 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4211 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4212 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4213 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4214 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4215 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4216 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4217 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4218 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4219 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4220 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4222 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4226 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4231 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4231 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4231 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4238 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4239 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4242 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4250 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4250 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4252 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4252 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4252 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4252 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-4257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4260 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4260 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4260 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4260 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4261 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4261 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4261 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4261 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4262 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4262 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4262 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4262 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4263 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4263 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4263 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4264 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4264 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4264 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4264 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4265 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4265 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4266 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4266 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4267 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4267 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4270 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4270 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4270 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4272 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4272 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4272 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4272 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4286 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4286 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4286 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4287 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4287 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4287 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4288 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4288 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4288 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4289 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4289 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4289 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4290 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4291 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4291 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4291 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4292 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4292 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4292 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4293 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4293 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4293 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4294 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4294 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4294 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4294 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4295 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4295 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4295 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4295 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4296 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4296 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4296 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4296 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4297 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4297 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4298 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4298 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4299 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4299 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4299 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4299 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4300 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4300 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4301 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4301 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4310 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-4311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4311 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4312 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4313 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4313 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4313 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4331 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4331 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4331 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4331 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4332 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4333 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4334 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4334 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4334 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4334 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4335 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4336 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4336 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4336 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4336 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4342 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4342 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4342 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4360 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4360 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4361 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4361 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4362 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4362 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4363 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4363 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4380 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4381 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4382 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4383 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4383 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4384 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4384 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4385 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4385 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4386 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4386 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4388 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4388 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4388 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4389 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4389 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4389 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4389 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4390 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4391 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4391 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4391 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4392 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4393 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4394 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4396 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4397 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4397 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4397 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4398 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4398 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4398 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4399 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4400 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4401 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4402 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4414 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4415 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-4415 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4416 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4418 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4418 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4423 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4423 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4423 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4424 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4424 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4424 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4425 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4426 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4427 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4432 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4433 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4433 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4434 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4435 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4437 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4437 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4438 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4440 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4441 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4441 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4441 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4442 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4442 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4442 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4442 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4443 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4445 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4445 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4446 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4446 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4447 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4449 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4450 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4451 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4452 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4452 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4452 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4452 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4455 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4456 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4456 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4457 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4457 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4458 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4458 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4459 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4466-0290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4466-0290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4466-1040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4466-1040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4467-0290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4467-1300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4471 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4474 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4475 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-4478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4480 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4480 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4480 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-2100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-2100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-2100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-2100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-2300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-2300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-2300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-2300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-3100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-3100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-3100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-3100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-3300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-3300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-3300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-3300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-3500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-3500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-3500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-3500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-3600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-3600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-3600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-3600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-4100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-4100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-4100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-4100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-4300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-4300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-4300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-4300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-5100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-5100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-5100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-5100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-5300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-5300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-5300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-5300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-5500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-5500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-5500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-5500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-5600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-5600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-5600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4481-5600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0042 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0080 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0084 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0090 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0130 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0150 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0260 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0260 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0260 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0260 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0290 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0380 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0390 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0410 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0510 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0530 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0530 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-4482-0530 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0530 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0580 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0580 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0580 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0580 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0620 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0640 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0660 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0690 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0740 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0740 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0740 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0740 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0900 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0930 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0930 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0930 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0930 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0990 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0990 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0990 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-0990 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-1030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-1030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-1030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-1030 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-1200 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-1230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-1230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-1230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-1230 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-1300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-1300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-1300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4482-1300 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4483-0190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4483-0190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4483-0190 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4511 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4511 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4513 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4513 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4514 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4514 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4515 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4515 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4515 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4515 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4515 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4515 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4524 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4524 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4525 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4525 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4531 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4531 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4531 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4531 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4536 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4536 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4536 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4536 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4537 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4537 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4537 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4538 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4538 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4548 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4548 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4550 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4553 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4554 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4557 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-4559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4559 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4561 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4562 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4562 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4563 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4569 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4570 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4571 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4572 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4574 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4581 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4582 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4585 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4585 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4586 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4586 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4587 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4588 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4589 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4590 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4591 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4592 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4593 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4593 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4594 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4596 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4597 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4600 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4600 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4601 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4601 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4601 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4601 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4602 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4602 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4603 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4604 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4604 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4604 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4604 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4604 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4605 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4605 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4605 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4605 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4605 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4606 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4606 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4606 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4607 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4607 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4607 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4608 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4608 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4608 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4609 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4609 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4609 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4610 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4611 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4611 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4611 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4612 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4612 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4613 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4613 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4614 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4614 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4615 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4615 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4615 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4616 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4616 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4616 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4621 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4621 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1050 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1050 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-4622-1100 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1150 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1150 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1200 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1200 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1300 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1300 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1350 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4622-1350 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4627 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4637 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4637 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4639 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4640 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4641 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4642 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4646 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4647 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4647 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4648 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4648 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4649 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4650 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4651-1300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4651-1300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4651-1300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4651-1300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4651-1300 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4653 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4654 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4655-1180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4655-1180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4655-1180 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4655-1320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4655-1320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4655-1320 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4656 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4657 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4658 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4659 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4660 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4661 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4663 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4664 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-4665 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4666 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4667 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4668 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4669 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4669 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4672 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4674 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4674 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4674 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4675 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4675 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4675 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4682 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4684 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4684 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4684 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4684 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4687 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4688 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4689 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4690 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4691 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4699 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4700 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4705 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4706 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4707 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4719 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4720 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4720 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4720 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4721 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4721 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4721 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4722 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4722 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4722 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4723 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4724 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4724 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4724 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4725 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4726 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4727 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4728 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4728 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4728 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4729 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4729 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4729 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4730 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4731 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4731 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4731 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4732 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4732 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4733 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4733 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4734 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4734 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-4735 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4735 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4736 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4736 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4737 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4737 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4738 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4738 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4739 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4739 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4743 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4743 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4744 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4744 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4745 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4745 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4746 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4746 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4747 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4747 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4748 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4748 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4749 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4749 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4750 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4751 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4751 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4752 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4752 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4753 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4753 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4754 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4754 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4755 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4755 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4756 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4757 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4757 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4758 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4758 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4759 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4759 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4774 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4775 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4776 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4776 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4776 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4776 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4777 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4780 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4780 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4780 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4785 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4785 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4786 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4786 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4787 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4787 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4788 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4788 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4789 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4789 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4790 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4790 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4793-1800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4793-1800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4793-1800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4793-1800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4793-1800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4793-1800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4793-1800 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4794-1800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4794-1800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4794-1800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4794-1800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4794-1800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4794-1800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4878 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4878 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4879 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4879 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4880 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4880 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4881 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4881 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4881 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4881 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4882 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4882 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4883 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4883 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4883 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-4883 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7841 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7841 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7841 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7842 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7842 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7842 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7843 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7843 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7029-7843 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7846 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7846 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7846 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7846 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7847 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7847 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7847 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7847 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7849 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7849 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7849 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7860 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7860 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7873 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7873 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7874 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7874 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7874 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7942 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7942 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7943 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7943 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7943 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7943 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7947 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7947 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7948 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7948 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7948 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7948 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7950 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7951 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7951 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7952 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7952 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7952 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7953 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7953 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7953 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7953 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7953 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7954 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7954 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7956 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7956 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7956 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7965 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7965 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7978 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7978 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7978 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7978 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7978 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-7983 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8021 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8022 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8046 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8047 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8102 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8103 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8104 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8105 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8106 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8107 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7029-8108 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7030-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7030-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7030-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7030-0002 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7030-0002 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7031-7513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7031-7513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7031-7513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10007 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-10008 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10037 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10038 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10059 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10061 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10062 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-10063 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10064 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10161 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10161 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10161 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10161 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10162 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10162 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10162 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10163 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10163 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10163 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10164 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10164 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10164 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10165 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10165 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10165 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10166 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10166 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10166 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10167 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10167 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10167 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10168 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10168 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10168 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10169 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10169 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10169 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10170 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10170 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10170 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10171 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10171 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10171 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10173 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10173 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10173 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10173 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10173-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-10173-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10173-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10173-0240 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10177 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10180-0800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10180-0800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10180-0800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10180-0800 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10186 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10186 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10186 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10186 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10187 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10187 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10187 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10187 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10191 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10191 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10192 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10192 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10193 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10193 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10193 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10193 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10194 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10194 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10194 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10194 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10195 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10195 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10195 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10195 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10196 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10196 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10196 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10196 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10197 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10197 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10197 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10197 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10198 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10198 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10198 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10199 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10199 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10206 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-10220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10221-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10221-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10221-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10221-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10221-0325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10221-0325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10221-0325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10221-0325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10222-0200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10222-0200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10222-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10222-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10222-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10222-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10222-0550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10222-0550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10222-0625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10222-0625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10222-0675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10222-0675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10223 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10233 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10234 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10234 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10234 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10234 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10235 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10235 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10235 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10235 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10252 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10260 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10260 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10261 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10261 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-10261 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10263 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10263 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10263 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10265 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10265 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10265 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10266 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10266 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10266 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10273 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10273 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10273 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10277 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10277 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10277 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10277 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10277 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10278 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10278 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10278 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10278 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10278 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10279 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10279 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10279 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10279 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10294 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10299 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10299 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10299 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0070 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0075 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0080 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0085 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0095 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-0800 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-XXXX | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-XXXX | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10303-XXXX | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10304-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10304-0045 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10304-0050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10304-0050 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10304-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10304-0085 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10304-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10304-0100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10304-0130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10304-0130 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10304-0140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10304-0140 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10304-XXXX | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10304-XXXX | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10305 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10306 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10307 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10309 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10310 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10311 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-10312 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10313 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10313 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10313 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10314 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10314 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10314 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10315 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10315 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10315 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10316 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10316 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10316 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10317 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10317 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10317 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10318 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10318 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10318 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10319 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10319 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10319 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10320 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10321 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10322 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10323 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10323 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10323 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10324 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10324 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10324 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10325 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10326 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10330 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10330 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10330 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10331 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10331 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10331 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10334 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10334 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10334 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10336 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10336 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10336 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10337 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10337 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10337 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10340 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10340 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10340 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10341 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10341 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10341 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10345 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10345 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10348 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10351 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10353 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10354 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10354 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10363 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10363 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10363 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10363 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10363 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10364 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10364 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10364 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10365 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10366 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10366 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10366 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10366 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-10367 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10367 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10367 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10367 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10368 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10368 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10368 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10368 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10375 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10376 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10378 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10378 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10378 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10383 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10383 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10384 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10384 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10385 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10385 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10385 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10385 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10385 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10397 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10397 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10397 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10397 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10398 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10398 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10409 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10409 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10409 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10412 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10412 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10412 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10415 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10415 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10415 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10419 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10420 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10421 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-10422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10422 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10437-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10437-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10437-0035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10437-0035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10437-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10437-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10437-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10437-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10439 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10439 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10441 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10441 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10442 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10442 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10445 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10445 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10452-0220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10452-0220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10452-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10452-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10453 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10454-0875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10454-0875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10457 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10457 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10457 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10457 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10458 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10458 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10458 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10458 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10458 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10459 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10460 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10460 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10460 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10460 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10460 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10461 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10461 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10461 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10461 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10461 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10462 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10476 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10476 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10476 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-10481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10485 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10486 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10488 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10488 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10488 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10488 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10498 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10498 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10498 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10499 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10499 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10499 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10506 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10506 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10506 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10508 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10509 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10510 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10511 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10512 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10516 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10516 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10517 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10517 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10518 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10518 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10519 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10519 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10521 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10521 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10522 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10522 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10522 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10524 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10524 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10524 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10546 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10547 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10547 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10547 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10548 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10548 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10549 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10549 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10578 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10578 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10578 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10578 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10578 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10580-031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10580-031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10580-031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10580-031 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10580-036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10580-036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10580-036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10580-036 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10580-046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10580-046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10580-046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10580-046 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10581 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10581 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10581 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10581 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10581 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10583-090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10583-090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-10583-090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10583-090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10583-090 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10583-210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10583-210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10583-210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10583-210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10583-210 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10583-240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10583-240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10583-240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10583-240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10583-240 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10584-310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10584-310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10584-310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10584-310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10584-310 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10597-0600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10597-0600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10597-0600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10597-0600 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10598 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10598 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10614 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10614 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10615 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10615 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10620-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10620-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10620-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10620-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10620-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10620-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10622 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10622 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10622 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10623 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10623 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10623 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-10648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10654-0800-WHT | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10654-0800-WHT | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10654-0800-WHT | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10654-0800-WHT | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10667 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10668 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10669 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10669 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10669 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10669 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10669 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10672 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10673 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10674 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10677 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10677 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10677 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10678 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10678 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10678 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10679 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10685 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10685 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10685 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10685 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10686 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10686 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10686 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10686 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10691 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10692 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10693 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-10694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10694 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10695 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10696 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10718 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10718 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10721 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10722 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10726 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10728 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10728 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10728 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10729 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10729 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10729 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10731 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10731 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10731 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10732 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10732 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10732 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10734 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10734 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10734 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10764 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10764 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10765 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10765 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10766 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10766 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10766 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10767 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10767 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10768 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10768 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10772 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10772 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10772 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10773 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10773 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10773 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10776 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10776 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10776 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10778 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10778 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10778 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10781 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10781 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10781 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10781 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10782 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10782 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10782 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10782 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10783 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10783 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10783 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10783 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10784 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10784 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10785 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10785 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10786 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10786 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10787 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10787 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10788 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10788 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10789 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10789 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10790 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10790 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-10791 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10791 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10792 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10793 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10793 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10793 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10793 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10794 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10794 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10795 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10795 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10796 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10796 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10797 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10797 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10806 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10806 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10806 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10819 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10819 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10819 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10819 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10820 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10820 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10820 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10820 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10821 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10821 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10821 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10821 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10822 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10822 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10822 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10822 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10823 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10823 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10823 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10823 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10824 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10824 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10824 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10824 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10826 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10826 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10826 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10826 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10836 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10836 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10837 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10837 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10838 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10838 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10839 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10839 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10845 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10845 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10846 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10846 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10847 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10847 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10848 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10848 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10849 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10849 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10850 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10850 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10852 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10852 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10852 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10853 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10853 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10853 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10853 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10853 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10854 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10854 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10854 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10854 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10854 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10856 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10856 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10856 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10857 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10857 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10857 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10858 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10858 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10864 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10864 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10864 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10864 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10866 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10866 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10874 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10874 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10874 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10874 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10874 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10875 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10875 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10876 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-10876 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10876 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10876 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10876 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10876 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10877 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10877 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10877 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10877 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10877 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10877 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10878 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10878 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10878 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10878 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10878 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10879 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10879 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10879 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10879 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10879 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10880 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10880 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10880 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10880 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10880 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10881 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10881 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10881 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10881 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10881 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10882 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10882 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10882 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10882 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10882 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10882 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10883 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10883 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10883 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10883 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10883 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10883 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10883 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10884 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10884 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10884 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10884 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10885 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10885 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10885 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10885 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10886 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10886 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10886 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10886 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10887 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10887 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10887 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10887 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10888 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10888 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10888 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10888 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10889 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10889 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10889 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10889 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10890 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10890 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10890 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10890 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10891 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10891 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10891 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10891 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10892 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10892 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10892 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10892 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10912 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10912 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10913 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10913 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10914 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10914 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10915 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10915 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10916 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10916 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10917 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10917 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10918 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10918 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10919 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10919 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10920 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10920 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10924 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10925 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10935 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10936 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10936 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10936 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10937 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10937 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10937 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10941 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10943 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10943 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10944 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-10944 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10944 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10944 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10945 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10945 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10945 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10945 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10945 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10946 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10946 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10946 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10946 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10946 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10947 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10947 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10947 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10947 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10948 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10948 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10948 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10948 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10953 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10953 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10953 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10953 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-10956 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6005 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6005A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6005A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6005A | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6008A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6009 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6009A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6009A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6009A | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6010A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6010A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6011 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6012 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6017 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6017 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6018 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6018 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6019 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6019 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6020 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6021 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6025 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6026 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6027 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6028 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6029 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6030 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6031 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6032 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6033 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6034 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-6035 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6036 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6038 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6039 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6040 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6041 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6043 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6044 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6045 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6046 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6047 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6048 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6049 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6050 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6051 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6052 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6053 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6054 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6054 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6068 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-01340 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-01340 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-01510 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-01510 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-01515 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-01515 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-01600 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-01600 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-01700 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-01700 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-01865 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-01865 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-01925 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-01925 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-02000 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-02000 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-02100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-02100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-02300 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-02300 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-02400 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-02400 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-02600 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-6072-02600 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-02800 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6072-02800 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6073 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6079 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6099 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6105 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6114 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6115 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6117 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6122 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6122 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6123 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6123 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6126 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6129 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6136 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-6137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6137 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6139 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6146 | CABLE ASSEMBLY | Insulator | Yes | AFLAS RUBBER | 25190-89-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene and tetrafluoroethene | THV Fluoropolymer | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6147 | CABLE ASSEMBLY | Insulator | Yes | AFLAS RUBBER | 25190-89-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene and tetrafluoroethene | THV Fluoropolymer | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6148 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6148 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6148 | CABLE ASSEMBLY | Insulator | Yes | AFLAS RUBBER | 25190-89-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene and tetrafluoroethene | THV Fluoropolymer | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6150 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6151 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6153 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6154 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6154 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6155 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6156 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6156 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6157 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6157 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6158 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6158 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6159 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6159 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6161 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6161 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6162 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6162 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6163 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6163 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6164 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6165 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6166 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6167 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6168 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6181 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6182 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6182 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6182 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6182 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6183 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6183 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6186 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6186 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6187 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6191 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6192 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6193 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6194 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6204 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-6211 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6212 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6213 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6214 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6215 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6216 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6217 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6218 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6219 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6220 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6221 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6221 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6221 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6222 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6223 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6224 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6225 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6226 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6227 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6228 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6229 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6230 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6231 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6231 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6231 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6232 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6233 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6234 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6234 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6235 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6235 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6243 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6244 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6248-033A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6248-033B | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6249-210 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6249-210 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6249-210 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6249-230 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6249-230 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6249-230 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6249-270 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6249-270 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6249-270 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6249-280 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6249-280 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6249-280 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6249-285 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6249-285 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6249-285 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6249-305 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6249-305 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6249-305 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6249-335 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6249-335 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6249-335 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6253 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6257 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-6258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6258 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6260 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6260 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6260 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6262 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6263 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6265 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6265 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6265 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6266 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6268 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6269 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6270 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6271 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6273 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6273 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6273 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6274 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6274 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6274 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6275 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6275 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6281 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6281 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6282 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6283 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6283 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6283 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6284 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6285 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6285 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6285 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6286 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6286 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6286 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6287 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6287 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6287 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6288 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6289 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6289 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6291 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6292 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6293 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6294 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6295 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6296 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6296 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6296 | CABLE ASSEMBLY | Insulator | Yes | AFLAS RUBBER | 25190-89-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene and tetrafluoroethene | THV Fluoropolymer | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6297 | CABLE ASSEMBLY | Insulator | Yes | AFLAS RUBBER | 25190-89-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene and tetrafluoroethene | THV Fluoropolymer | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6298 | CABLE ASSEMBLY | Insulator | Yes | AFLAS RUBBER | 25190-89-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene and tetrafluoroethene | THV Fluoropolymer | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6299 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6299 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6333 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6334 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6336 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6336 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6337 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6337 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6340 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6340 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6341 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6341 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6342 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6342 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6344 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6344 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6344 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6345 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6346 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6348 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6348 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6351 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6353 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6357 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6357 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6357 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6358 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-6358 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6363 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6363 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6363 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6363 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6364 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6364 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6364 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6364 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6364 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6365 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6365 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6365 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6366 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6366 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6366 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6367 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6367 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6367 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6368 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6368 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6368 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6371 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6371 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6371 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6375 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6376 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6377 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6378 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6378 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6378 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6378 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6379 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6379 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6379 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6379 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6380 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6381 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6382 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6383 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6383 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6384 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6384 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6385 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6385 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6386 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6386 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6387 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6387 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6388 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6388 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6389 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6389 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6391 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6391 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6397 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6397 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6397 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-6403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6403 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6404 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6405 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6410 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6411 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6412 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6412 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6412 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6413 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6414 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6415 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6415 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6415 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6416 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6417 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6423 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6423 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6424 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6424 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6433 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6433 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6439 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6439 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6441 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6441 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6442 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6442 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6445 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6445 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6452 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6452 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6453 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6453 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6456 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-6456 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6457 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6457 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6458 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6458 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6460 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6460 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6461 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6461 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6462 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6462 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6463 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6463 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6464 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6464 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6466 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6466 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6467 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6467 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6470 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6470 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6476 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6506 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6506 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6506 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6507 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6508 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6509 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6509 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6509 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6509 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6509 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6509 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6510 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6511 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6511 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6511 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6511 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6511 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6511 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6512 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6512 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6512 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6512 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6512 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6512 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6514 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6515 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6515 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6515 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6516 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6516 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6516 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6517 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-6518 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6518 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6520 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6521 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6521 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6521 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6521 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6522 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6522 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6523 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6523 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6524 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6524 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6525 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6525 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6526 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6526 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6527 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6527 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6527 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6528 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6529 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6529 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6529 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6530 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6530 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6530 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6545 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6545 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6546 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6546 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6548 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6549 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6549 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6549 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6555 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6556 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6558 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6561 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6561 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6561 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6564 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6565 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6566 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6566 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6566 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6567 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6570 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6572 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6573 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6573 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6573 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6575 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6575 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6576 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6577 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6577 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6577 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6578 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6578 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6578 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6579 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6579 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6579 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6579 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-6589 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6589 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6591 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6592 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6592 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6596 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6597 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6598 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6599 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6601 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6601 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6601 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6602 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6604 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6604 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6605 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6606 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6606 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6607 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6607 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6608 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6608 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6612 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6614 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6614 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6615 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6615 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6628 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6631 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6632 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6634 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6635 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6636 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6637 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6638 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6639 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6642 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6643 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6644 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6645 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6648 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6680 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6682 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6683 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6683 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6683 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-6684 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6684 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6684 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6685 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6685 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6685 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6686 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6686 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6686 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6691 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-020 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-030 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-040 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-050 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-060 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-070 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-080 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-090 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-100 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-110 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-110 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-110 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-110 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-110 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-120 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-120 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-120 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-120 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-120 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-130 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-130 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-130 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-130 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-130 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-140 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-150 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-160 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-160 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-160 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-160 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-160 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-170 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-170 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-170 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-170 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-6711-170 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-180 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-180 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-180 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-180 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-180 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-190 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-190 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-190 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-190 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-190 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-200 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-200 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-200 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-200 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-200 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-210 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-210 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-210 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-210 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-210 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-220 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-220 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-220 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-220 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-220 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-230 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-230 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-230 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-230 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-230 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-240 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-240 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-240 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-240 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-240 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-250 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-250 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-250 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-250 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-250 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-260 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-260 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-260 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-260 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-260 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-270 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-270 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-270 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-270 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-270 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-280 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-280 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-280 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-280 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-280 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-290 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-290 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-290 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-290 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-290 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-300 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-300 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-300 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-300 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6711-300 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-110 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-110 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-120 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-120 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-130 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-130 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-170 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-170 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-180 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-180 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-190 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-190 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-200 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-200 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-210 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-210 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-220 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-220 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-230 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-230 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-240 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-6712-240 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-250 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-250 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-260 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-260 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-270 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-270 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-280 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-280 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-290 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-290 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-300 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-300 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-310 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-310 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-320 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-320 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-330 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-330 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-340 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-340 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-350 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-350 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-360 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6712-360 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6716 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6716 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6718 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6718 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6718 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6718 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6719-032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6719-032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6719-032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6719-045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6719-045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6719-045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6719-056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6719-056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6719-056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6719-068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6719-068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6719-068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6719-081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6719-081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6719-081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6719-090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6719-090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6719-090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6720-080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6720-080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6721-042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6721-042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6721-042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6721-042 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6724 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6724 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6724 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6728-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6728-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6728-060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6728-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6728-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6728-120 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6729-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6729-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6729-060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6729-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6729-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6729-120 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6729-250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6729-250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6729-250 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6730 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6738 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6756 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6757 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6758 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6759 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6759 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6760 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6760 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-020 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-030 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-040 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-050 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-6768-060 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-070 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-080 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-090 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-100 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-110 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-110 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-110 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-110 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-120 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-120 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-120 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-120 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-130 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-130 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-130 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-130 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-140 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-150 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-160 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-160 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-160 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-160 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-170 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-170 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-170 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-170 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-180 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-180 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-180 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6768-180 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6769-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6769-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6769-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6769-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6769-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6769-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6769-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6769-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6769-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6769-110 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6769-120 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6769-130 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6769-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6769-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6769-160 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6769-170 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6769-180 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6770 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6770 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6770 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6771 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6771 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6771 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6772 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6773 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-020 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-030 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-040 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-050 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-060 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-070 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-080 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-6777-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-090 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-100 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-110 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-110 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-110 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-110 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-110 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-120 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-120 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-120 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-120 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-120 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-130 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-130 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-130 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-130 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-130 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-140 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-150 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-160 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-160 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-160 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-160 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-160 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-170 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-170 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-170 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-170 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-170 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-180 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-180 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-180 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-180 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6777-180 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-020 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-030 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-040 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-050 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-060 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-070 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-080 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-090 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-100 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-110 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-110 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-120 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-120 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-130 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-130 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-140 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-150 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-160 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-160 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-170 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-170 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-180 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6781-180 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6803 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6807 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6808 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6808 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6810 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6810 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6811 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6811 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6812 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6812 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6813 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6813 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6814 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6814 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6815 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6815 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6816 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6816 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6818 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6818 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6818 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6819 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6820 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6821 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6822 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6822 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6823 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-6823 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6824 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6824 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6824 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6826 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6827 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6827 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6827 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6828 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6828 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6829 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6829 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6830 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6830 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6830 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6830 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6831 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6831 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6831 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6832 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6832 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6832 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6833 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6833 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6833 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6852 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6852 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6852 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6853 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6853 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6853 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6854 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6854 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6854 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6855 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6855 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6855 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6856 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6856 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6856 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6857 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6857 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6857 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6859 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6862 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6862 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6862 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6863 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6863 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6863 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6864 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6864 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6864 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6864 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6865 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6865 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6866 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6866 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6866 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6868 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6868 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6868 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6868 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6869 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6869 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6869 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6870 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6870 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6870 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6871 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6871 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6872 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6872 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6872 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6873 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6873 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6874 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6874 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6879 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6879 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6879 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6880 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6880 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6881 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6881 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6882 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6882 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6884 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6884 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6884 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6884 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6885 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6885 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6885 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6885 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6886 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6886 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6887 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6887 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6888 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6888 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6889 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6889 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6890 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6890 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6891 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6891 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6892 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-6892 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6893 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6893 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6894 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6894 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6895 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6895 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6896 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6896 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6897 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6897 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6898 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6898 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6899 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6899 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6901 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6901 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6902 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6902 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6903 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6903 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6904 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6904 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6905 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6905 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6906 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6906 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6907 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6907 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6908 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6908 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6909 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6909 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6910 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6910 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6911 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6911 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6912 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6912 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6913 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6913 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6914 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6914 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6915 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6915 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6916 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6916 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6917 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6917 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6918 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6918 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6919 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6919 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6920 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6920 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6921 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6921 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6922 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6922 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6923 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6923 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6924 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6924 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6925 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6925 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6926 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6926 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6927 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6927 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6928 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6928 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6929 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6929 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6930 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6930 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6931 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6931 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6932 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6932 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6933 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6933 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6934 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6934 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6935 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6935 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6936 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6936 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6937 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6937 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6938 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6938 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6939 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6939 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6940 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6940 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6941 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6941 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6942 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6942 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6943 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6943 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6944 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6944 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6945 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6945 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6946 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6946 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6947 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6947 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-6948 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6948 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6949 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6949 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6951 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6951 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6952 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6952 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6953 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6953 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6954 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6954 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6955 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6955 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6956 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6956 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6957 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6957 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6958 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6958 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6959 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6959 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6960 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6960 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6961 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6961 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6962 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6962 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6963 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6963 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6964 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6964 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6965 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6965 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6966 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6966 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6967 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6967 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6968 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6968 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6969 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6969 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6970 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6970 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6971 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6971 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6972 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6972 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6973 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6973 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6974 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6974 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6975 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6975 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6976 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6976 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6977 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6977 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6978 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6978 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6979 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6979 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6980 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6980 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6981 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6981 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6982 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6982 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6983 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6983 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6984 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6984 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6985 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6985 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6986 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6986 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6987 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6987 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6988 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6988 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6989 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6989 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6990 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6990 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6991 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6991 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6992 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6992 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6993 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6993 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6994 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6994 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6995 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6995 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6996 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6996 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6997 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6997 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6998 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6998 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6999 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-6999 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-7003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7054 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7054 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7062A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7062A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-7063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7063A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7063A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7064A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7064A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7079 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7083 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7104 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7105 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7113-EDU | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7113-EDU | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7114-EDU | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7114-EDU | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7115-EDU | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7115-EDU | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7116-EDU | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7116-EDU | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7123 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7127 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7128 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-7130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7153 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7154 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7155 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7156 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7157 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7158 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7159 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7161 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7162 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7162 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7163 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7163 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7164 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7164 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7165 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7165 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7165 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7166 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7166 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7166 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7197 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7197 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7197 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7197 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7198 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7203 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7203 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7203 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-7208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7221 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7221 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7221 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7231 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7231 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7231 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7236 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7237 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7238 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7239 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7240 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7241 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7242 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7242 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7242 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7244A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7244A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-7246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7249 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7252 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7266 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7266 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7266 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7266 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7267 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7267 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7269 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7269 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7269 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7269 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7269 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7271 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7271 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7271 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7271 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7271 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7273 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7274 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7277 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7277 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7278 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7278 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7279 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7280 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7282 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7284 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7284 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7284 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7285 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7285 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7285 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7286 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7286 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7286 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7287 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7287 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7287 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7288 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7288 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7288 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7289 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7289 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7289 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7291 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7291 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7291 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7294 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7295 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7295 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7296 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7296 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7297 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7303 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7303 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7309 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7314 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7314 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7314 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7314 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7315 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7315 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7315 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7315 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7317 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7317 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7317 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7318 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7318 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7326 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-7327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7328 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7335 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7336 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7336 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7336 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7337 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7337 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7337 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7338 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7339 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7340 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7340 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7340 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7347 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7348 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7348 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7348 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7349 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7350 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7351 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7351 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7351 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7352 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7355 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7356 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7357 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7357 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7362 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7362 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7362 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7364 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7364 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7365 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7365 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7368 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7368 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7370EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7371 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7371EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7372EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7373EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7374EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7375 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7376 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7377 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7378 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7378 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7378 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7379 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7382 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7383 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7383 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7383 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7391 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7397 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7397 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7397 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7398 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7398 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7398 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-7402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7409 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7409 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7409 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7418 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7419 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7420 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7421 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7430 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7432 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7434-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7434-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7434-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7434-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7434-120 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7434-140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7434-140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7434-140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7434-140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7434-140 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7434-180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7434-180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7434-180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7434-180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7434-180 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7435-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7435-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7435-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7435-120 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7435-180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7435-180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7435-180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7435-180 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7439 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7440 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7441 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7441 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7441 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7442 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7442 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7444 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7445 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7447 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7448 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7452 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7453 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7453 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7453 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-7454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7455 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7456 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7456 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7456 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7456 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7458 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7458 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7460 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7460 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7460 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7462 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7462 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7463 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7463 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7464 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7466 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7466 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7467 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7467 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7467 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7468 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7469 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7470 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7470 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7470 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7471 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7479 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7479-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7479-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7479-120 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7479-200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7479-200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7479-200 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7480 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7481 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7482 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7483 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7484 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7485 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7486 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7488 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7495 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7496 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7496 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7496 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7498 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7498 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7499 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7499 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7501 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7514 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7522 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7522 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7522 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7523 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7523 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7524 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7524 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7524 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7525 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7525 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7525 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7526 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7526 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7526 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-7527 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7527 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7527 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7528 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7528 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7528 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7531 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7536 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7536 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7537 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7537 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7538 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7538 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7538 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7541 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7543 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7543 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7547 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7547 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7547 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7548 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7548 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7548 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7549 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7549 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7549 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7558-370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7558-370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7558-370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7558-370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7558-400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7558-400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7558-400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7558-400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7558-420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7558-420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7558-420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7558-420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7558-450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7558-450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7558-450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7558-450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7560-280 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7560-280 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7560-280 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7560-310 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7560-310 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7560-310 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7561 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7561 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7561 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7562 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7562 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7562 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7564 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7564 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7564 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7564 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7564 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7565 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7565 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7566 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7566 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7566 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7572 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7576 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7576 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7576 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7576 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7577 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7577 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7577 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7577 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7582 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7582 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7583 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7584 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7585 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7585 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7585 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7586 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7586 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7586 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7588 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7588 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7589 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7589 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7590 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7590 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-7590 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7591 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7591 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7591 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7592 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7592 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7593 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7593 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7594 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7594 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7598 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7598 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7598 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7601 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7601 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7601 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7602 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7602 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7604 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7609 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7610 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7613 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7613 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7616 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7616 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7616 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7617 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7617 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7617 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7619 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7619 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7620 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7621 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7621 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7622 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7623 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7626 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7638 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7654 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7668 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7669 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7669 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7676 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7677 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-7677 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7677 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7678 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7680 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7680 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7683 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7683 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7684 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7684 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7685 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7685 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7686 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7686 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7703 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7704 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7705 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7706 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7708 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7708 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7710 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7710 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7711 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7711 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7712 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7712 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7713 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7713 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7714 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7714 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7716 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7716 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7717 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7717 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7718 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7718 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7720 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7720 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7724 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7729 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7731 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7731 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7732 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7732 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7732 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7732 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7745 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7746 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7748 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7748 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7748 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7748 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7749 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7749 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7749 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7751 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7752 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7754 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7758 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7759 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7760 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7761 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7762 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7763 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7764 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7765 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7765 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7768 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7768 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7768 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7768 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7769 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7769 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7769 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-7769 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7770 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7770 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7773 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7773 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7773 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7776 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7776 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7776 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7777 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7784 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7784 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7785 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7785 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7788 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7788 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7788 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7789 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7789 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7789 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7790 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7790 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7790 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7793 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7793 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7793 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7793 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7794 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7794 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7794 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7795 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7795 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7796 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7799 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7799 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7799 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7801 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7801 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7801 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7801 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7802 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7802 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7802 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7802 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7802 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7803 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7803 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7803 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7803 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7806 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7807 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7807 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7807 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7808 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7808 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7808 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7809 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7809 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7809 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7810 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7810 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7810 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7811 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7811 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7811 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7812 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7812 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7812 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7813 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7813 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7813 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7814 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7814 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7814 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7815 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7815 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7815 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7816 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7816 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7816 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7817 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7817 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7817 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7818 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7818 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7818 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7819 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7819 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7820 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7820 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7821 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7821 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7821 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7821 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-7821 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7840 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7840 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7840 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7841 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7841 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7841 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7842 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7842 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7843 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7845 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7845 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7846 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7846 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7847 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7847 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7848 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7848 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7848 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7848 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7851 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7851 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7851 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7851 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7851 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7852 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7852 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7856 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7856 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7856 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7857 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7857 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7857 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7858 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7858 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7858 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7859 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7859 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7859 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7860 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7860 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7860 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7861 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7861 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7861 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7864 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7864 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7864 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7865 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7865 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7865 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7866 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7866 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7866 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7867 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7867 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7867 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7868 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7868 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7868 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7869 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7869 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7870 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7870 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7870 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7871 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7871 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7871 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7872 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7872 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7872 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7873 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7873 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7873 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7874 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7874 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7874 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7876 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7876 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7876 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7878 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7878 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7878 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7898 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7898 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7898 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7898 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7899 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7899 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7899 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7899 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7899 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7900 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7901 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7901 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7901 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7912 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7912 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7912 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7913 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7913 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7914 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7914 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-7914 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7914 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7915 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7915 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7916 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7916 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7916 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7917-065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7917-065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7917-065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7917-080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7917-080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7917-080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7917-100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7917-100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7917-100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7918-040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7918-040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7918-055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7918-055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7919-070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7919-070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7919-070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7920 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7920 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7920 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7932 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7932 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7932 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7941 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7942 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7942 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7943-0275 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7943-0275 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7943-0275 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7943-0625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7943-0625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7943-0625 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7943-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7943-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7943-1200 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7943-1875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7943-1875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7943-1875 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7944-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7944-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7944-0700 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7944-1225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7944-1225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7944-1225 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7944-1575 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7944-1575 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7944-1575 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7945 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7945 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7947 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7947 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7951 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7952 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7953 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7954 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7955 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7956 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7957 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7958 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7959 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7960 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7967 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7967 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7969 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7969 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7970 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7970 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7971 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7971 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7971 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7972 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7972 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7972 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7973 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7973 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7973 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7974 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7974 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7974 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7975 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7977-0500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7977-0500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7977-0500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7977-0600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7977-0600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7977-0600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7977-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7977-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7977-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7979 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7980 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7980 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7980 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-7980 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-8011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8026 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8027 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8046 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8055 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8056 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8068 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8075 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-8076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8090 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8119 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8424 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8424 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8427 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8428 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8439-1650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8439-1650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8439-1650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8439-1650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8439-1650 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8439-1900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8439-1900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8439-1900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8439-1900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8439-1900 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8440-0750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8440-0750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8440-0750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8440-1150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8440-1150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8440-1150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8440-1300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8440-1300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8440-1300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8440-1600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8440-1600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8440-1600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8441-0950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8441-0950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8441-0950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8441-0950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8441-1000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8441-1000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8441-1000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8441-1000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-8441-1000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8441-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8441-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8441-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8441-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8441-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8441-XXXX | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8441-XXXX | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8441-XXXX | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8441-XXXX | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8441-XXXX | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8442-0425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8442-0425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8442-0425 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8442-0850 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8442-0850 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8442-0850 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8442-0950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8442-0950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8442-0950 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8443-0325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8443-0325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8443-0425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8443-0425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8443-0500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8443-0500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8443-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8443-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8443-0750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8443-0750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8443-0850 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8443-0850 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8445 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8445 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8445 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8451 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8454 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8456 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8458-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8458-0650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8458-0850 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8460 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8460 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8461 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8461 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8462 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8462 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8462 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8463 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8463 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8464 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8464 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8466 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8466 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8467 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8467 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8468 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8469 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8470 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8482 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8483 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8492 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8492 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8492 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8493 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8493 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8493 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8495 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8495 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8495 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8496 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8496 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-8496 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8497 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8498 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8499 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8499 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8499 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8500-LLLL | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8500-LLLL | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8500-LLLL | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8515 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8515 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8515 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8522 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8523 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8524 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0340 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0340 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0340 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0470 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0470 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0470 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0490 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0490 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0490 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0850 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0850 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8525-0850 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8530 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8530 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8530 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8531 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8531 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8531 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8532 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8532 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8537 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8537 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8537 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8538 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8538 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8538 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8544 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8544 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8544 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8545 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8545 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8545 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8546 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8546 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8546 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8547 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8547 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8547 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8548 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8548 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8548 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8549 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8549 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8549 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-8550 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8551 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8552 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8553 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8554 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8566 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8566 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8566 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8567 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8574 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8576 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8580 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8580 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8581 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8581 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8582 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8582 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8584-0910 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8584-0910 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8584-0980 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8584-0980 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8584-1320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8584-1320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0050 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0075 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0090 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0110 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0125 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0150 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0170 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0170 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0200 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0210 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0240 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0420 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0480 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0620 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-0700 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-LLLL | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8586-LLLL | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8590 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8593 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8593 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8593 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8594 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8594 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8594 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8596 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8596 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8597 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8599 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8599 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8599 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8600A | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8602 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8602 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8602 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8604 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8604 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8608 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8609 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-8609 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8609 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8611 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8611 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8612 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8612 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8613 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8613 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8614 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8614 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8615 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8615 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8616 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8616 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8617 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8617 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8617 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8629 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8634-1151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8634-1151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8634-1151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8634-1151 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8634-5951 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8634-5951 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8634-5951 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8634-5951 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8635-1400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8635-1400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8635-1400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8635-1400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8635-1600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8635-1600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8635-1600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8635-1600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8635-1700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8635-1700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8635-1700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8635-1700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8636-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8636-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8636-1200 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8636-2500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8636-2500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8636-2500 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8636-2900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8636-2900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8636-2900 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8646 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8647 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8648 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-8649 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9278 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9278 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9278 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9400 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9400 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9400 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9419 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9422 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9423 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9423 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9423 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9423 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9424 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9424 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9424 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-9427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9433 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9433 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9433 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9433 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9435 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9436 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9437 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9441 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9441 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9441 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9452 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9452 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9453 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9453 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9457 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9457 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9458 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9458 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9466 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9466 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9466 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9468 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9468 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9469 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9469 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9471 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9472 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9473 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9474 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9476 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9476 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9476 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9476 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9478 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-9484 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9485 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9485 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9486 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9486 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9488 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9488 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9490 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9491 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9491 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9491 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9491 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9492 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9492 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9492 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9492 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9495 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9495 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9496 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9496 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9498 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9498 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9499 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9499 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9506 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9506 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9506 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9509 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9509 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9509 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9511 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9511 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9511 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9512 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9512 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9512 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9515 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9515 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9515 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9516 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9516 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9516 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9517 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9517 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9517 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9518 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9518 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9518 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9519 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9519 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9519 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9521 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9521 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9521 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9522 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9522 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9522 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9523 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9523 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9525 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9525 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9525 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9526 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9527 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9528 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9529 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9530 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9532 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9533 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-9534 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9535 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9539 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9543 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9543 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9543 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9544 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9544 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9544 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9545 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9545 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9545 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9546 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9546 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9546 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9547 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9547 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9547 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9548 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9548 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9548 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9555 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9555 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9556 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9556 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9561 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9564 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9565 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9566 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9568 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9568 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9585 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9590 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9590 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9590 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9598 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9598 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9598 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9598 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9598 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9598 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9599 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9599 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9601 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9602 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9602 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9602 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9604 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9656-1025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9656-1025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9656-1025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9656-1025 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-9662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9671 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9672 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9673 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9674 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9675 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9676 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9682 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9685 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9685 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9685 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9686 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9686 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9686 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9687 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9695 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9697 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9708 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9708 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9710 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9710 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9711 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9711 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9712 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9712 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-9713 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9713 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9713 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9714 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9714 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9714 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9715 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9716 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9716 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9716 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9717 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9717 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9717 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9718 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9718 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9718 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9720 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9720 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9721 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9721 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9724 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9724 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9726 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9728 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9728 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9728 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9728 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9729 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9729 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9729 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9731 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9731 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9731 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9732 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9732 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9732 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9732 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9733 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9733 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9733 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9733 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9734 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9734 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9734 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9735 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9735 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9736 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9736 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9737 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9737 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9738 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9738 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9742 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9743 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9744 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9744 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9745 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9745 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9746 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9747 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9748 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9749 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9778 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9778 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9783 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9783 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9784 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9784 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9785 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9785 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9786 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9786 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9787 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9787 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9791 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9791 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9792 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9793 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9793 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9794 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9794 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9795 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9795 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9796 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9796 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9796 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9796 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9797 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9797 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9798 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9798 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9803 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9803 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9803 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-9804 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9804 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9805 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9806 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9806 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9807 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9807 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9807 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9808 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9808 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9808 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9809 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9809 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9809 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9810 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9810 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9813 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9813 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9814 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9814 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9814 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9814 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9815 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9817 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9817 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9817 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9817 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9818 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9818 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9818 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9818 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9819 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9819 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9819 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9820 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9820 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9821 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9821 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9822 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9822 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9822 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9823 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9823 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9824 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9826 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9826 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9827 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9827 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9827 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9828 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9828 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9828 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9829 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9829 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9829 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9830 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9830 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9830 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9831 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9831 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9831 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9832 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9832 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9832 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9835 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9835 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9836 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9836 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9837 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9837 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9838 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9838 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9839 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9839 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9840 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9840 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9841 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9841 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9867 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9867 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9868 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9868 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9869 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9869 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9870 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9870 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9871 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9871 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9872 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9872 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9873 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9873 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9874 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9874 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9876 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9876 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9877 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9877 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9878 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9878 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9879 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9879 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9880 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9880 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9881 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9881 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9882 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9882 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-9883 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9883 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9883 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9884 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9884 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9884 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9885 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9885 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9885 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9886 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9886 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9886 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9887 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9887 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9887 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9893 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9893 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9893 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9894 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9894 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9894 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9894 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9894 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9895 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9895 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9895 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9896 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9896 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9896 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9896 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9896 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9903 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9903 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9903 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9903 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9904 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9904 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9904 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9904 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9904 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9906 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9907 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9908 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9908 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9908 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9911 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9911 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9915 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9915 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9915 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9916 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9916 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9916 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9917 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9917 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9917 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9918 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9918 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9918 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9919 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9921 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9921 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9921 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9921 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9922 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9922 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9922 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9922 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9923 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9923 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9923 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9924 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9924 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9925 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9925 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9929 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9929 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9929 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9930 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9937 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9937 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9938 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9938 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9940 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9940 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9944 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9947 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9948 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9949 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9949 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9949 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9951 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9951 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9951 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9962 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9962 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9962 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9963 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9963 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9963 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9964 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9964 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9964 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9965 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9965 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9965 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9966 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9966 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7032-9966 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9967 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9967 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9967 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9968 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9968 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9968 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9980 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9980 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9981 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9981 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9983 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9983 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9983 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9983 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9984 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9984 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9984 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9984 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9985 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9985 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9985 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9985 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9986 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9986 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9986 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9986 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9987 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9987 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9988 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9988 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9992-2700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9992-2700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9993 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9993 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9994 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9994 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9995 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9995 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9996 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9996 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9997 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9997 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9998 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9998 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9999 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7032-9999 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0009 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0013 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0015 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0016 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0016 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0024 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0025 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0026 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0027 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0033 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0035 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0036 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0037 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0038 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0039 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0040 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0041 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0042 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0043 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7033-0062 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0001 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0010 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0023 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0024 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0025 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7038-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0030 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0033 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0034 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0040 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0043 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0045 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0046 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0047 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0050 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0051 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0055 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0059 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0064 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0065 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0066 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0067 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0068 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0069 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0070 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0071 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0072 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0073 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0075 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0084 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0085 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0086 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0087 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0090 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7038-0094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0104 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0105 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0106 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0107 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0108RL | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0109 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0109 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0109 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0111 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0112 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0113 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0115 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0116 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0117 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0119 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0120 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0121 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0122 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0122 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0123 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0127 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0129 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0130 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0132 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0134 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0139 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0140 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0141 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0142 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0143 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7038-0147 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0148 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0148 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0150 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0151 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0152 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0153 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0153 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0154 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0154 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0154 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0155 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0155 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0156 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0160 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0161 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0165 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0165 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0166 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0181 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0182 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0182 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0186 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0186 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0189 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0190 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0192 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0192 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0192 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0193 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0193 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0193 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0193 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0194 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0195 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0199 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0199 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0199 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0204 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0205 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0206 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0216 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0219 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0226 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0232 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0234 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7038-0241 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0242 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0243 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0247 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0248 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0252 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0252 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0252 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0257 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0260 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0260 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0261 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0261 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0264 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0265 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0265 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0266 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0266 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0270 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0271 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0271 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0271 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0271 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0273 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0276 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0278 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0278 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0278 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0280 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0281 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0283 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0286 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0286 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0293 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0293 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0294 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0294 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0294 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0295 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0295 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0296 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0296 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0297 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0298 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0299 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0299 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0299 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0302 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0302 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0304 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0304 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0314 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0314A | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0316 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0316 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0316 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0317 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0317 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0317 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0318 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0318 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0318 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0319 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0319 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0319 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7038-0321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0324 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0324 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0325 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0327 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0329 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0331 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0331 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0334 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0334 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0336 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0336 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0336 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0337 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0337 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0337 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0337 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0338 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0339 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0340 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0340 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0341 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0341 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0341 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0341 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0342 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0342 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0342 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0343 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0343 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0344 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0344 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0344 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0345 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0345 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0345 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0346 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0346 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0346 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0348 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0348 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0351 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0353 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0353 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0353 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0357 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0357 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0358 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0358A | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0358B | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0359 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0359 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0360 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0360 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0360 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7038-0361 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0361 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0361 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0367 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0367 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0368 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0368A | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0368B | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0370 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0371 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0371 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0371 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0371 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0373 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0374 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0375 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0376 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0377-045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0377-045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0377-045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0377-050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0377-050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0377-050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0377-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0377-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0377-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0377-XXX | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0377-XXX | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0377-XXX | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0378-050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0378-050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0378-050 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0378-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0378-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0378-060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0378-090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0378-090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0378-090 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0378-100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0378-100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0378-100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0378-113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0378-113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0378-113 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0378-134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0378-134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0378-134 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0378-XXX | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0378-XXX | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0378-XXX | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-050 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-070 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-080 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-113 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-120 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-126 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7038-0379-130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-130 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-134 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-XXX | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-XXX | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-XXX | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0379-XXX | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0381 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0386 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0386 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0386 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0386 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0386 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0386 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0387 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0387 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0387 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0387 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0387 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0387 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0388 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0388 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0388 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0388 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0388 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0388 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0389 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0389 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0389 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0389 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0389 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0389 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0390 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0391 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0400 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0401 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0404 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0405 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0406 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0408 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0409 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0409 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0409 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0409 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0409 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0410 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0411 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0412 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0412 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7038-0412 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0413 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0415 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0415 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0415 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0415 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0418 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0420 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0423 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0423 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0424 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0424 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0431 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0434 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0436 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0436 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-0425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-0425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-0425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-0425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-0510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-0510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-0510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-0510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-0570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-0570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-0570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-0570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-1000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-1000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-1000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-1000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-1100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-1100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-1100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0438-1100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0442 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0442 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0442 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0443 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0448 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0449 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7038-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0450 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0452 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0453 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0453 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0454 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0455 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0456 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0457 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0457 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0457 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0457 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0458 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0458 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0460 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0460 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0460 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0461 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0461 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0466 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0466 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0466 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0472 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0485 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0485 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0485 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0485 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0486 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0486 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0486 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0486 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0488 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0490 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0490 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0502 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0503 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0504 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0505 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0506 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0506 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0506 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0506 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0506 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7038-0507 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0508 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0509 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0509 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0509 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0510 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0511 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0511A | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0511B | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0512 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0512A | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0512B | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0515 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0516 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0518 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0519 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0519 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0519 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0520 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0521 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0521 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0521 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0523 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0523 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0524 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0531 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0533 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0535 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0535 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0536 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0536 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0536 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0547 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0550 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0551 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0552 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0553 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0554 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0555 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0555 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0555 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0555 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0555 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0555 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0556 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0556 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0556 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0556 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0556 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0556 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0558 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0560A | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0560B | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0561 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7038-0561A | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0561B | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0562 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0562 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0565 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0565 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0571 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0572 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0573 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0573 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0573 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0573 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0573 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0574 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0575 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0575 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0575 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0575 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0575 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0576 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0576 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0576 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0576 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0576 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0577 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0577 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0578 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0578 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0579 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0579 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0597 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0597 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0597 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0601 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0606 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0606 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0612 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0612 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0612 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0612 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0613-3600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0613-3600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0613-3600 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0614 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0614 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0616 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0616 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0616 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0616 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0619 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0619 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0622 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0623 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7038-0637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0655 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0655 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0655 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0655 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7038-0660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0669 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0669 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0669 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0669 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0669 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0677 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0677 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0677 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0677 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0677 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0678 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0678 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0678 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0678 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0678 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0680 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0680 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0680 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0680 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0680 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7038-0682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0684 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0689 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0690 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0691 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0692 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0701 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0705 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0708 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0708 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0711 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0712 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0712 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0712 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0713 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0713 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0713 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0715 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0715-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0715-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0715-0240 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0722 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0722 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0723 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0727 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0737 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0737 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0737 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0737 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0738 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0738 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0738 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0738 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0739 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0739 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0739 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0739 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0740 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0740 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0740 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0740 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0741 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0741 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0741 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0758-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0758-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0760 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0769 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0769 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0769 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0770 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0770 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0771 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0771 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0771 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0772 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0772 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-0775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7038-7584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7585 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7585 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7585 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7585 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7586 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7586 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7586 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7586 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7587 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7587 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7587 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7587 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7588 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7588 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7588 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7588 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7589 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7589 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7589 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7590 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7590 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7590 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7590 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0340 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0340 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0340 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7592-0410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7593 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7593 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7595-1050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7595-1050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7595-1050 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7596-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7596-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7596-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7596-0780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7596-0780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7596-0780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7597-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7597-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7597-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7597-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7597-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7597-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7597-LLLL | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7597-LLLL | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7597-LLLL | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7599 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7599 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7611 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7611 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7611 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7611 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7612 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7612 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7612 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7613 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7613 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7613 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7614 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7614 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7614 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7615 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7615 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7615 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7618 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7618 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7618 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7618 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7623 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7623 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7623 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7626 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7038-7627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7627 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7632-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7632-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7632-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7632-1180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7632-1180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7632-1180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7644 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7645 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7655 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7655 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7655 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7655 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7662 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7038-7671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7677 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7677 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7678 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7678 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7679 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7680 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7680 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7681 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7710 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7710 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7712 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7712 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7713 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7713 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7714 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7714 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7756 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7757 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7757 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7757 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7759 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7759 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7759 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7770 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7770 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7771 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7771 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7776 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7776 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7776 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7776 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7777 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7778 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7778 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7778 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7778 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7779 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7780 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7781 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7781 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7781 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7781 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7783 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7783 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7784 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7784 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7784 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7784 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7785 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7785 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7785 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7786 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7786 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7786 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7787 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7787 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7787 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7788 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7788 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7788 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7788 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7788 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7038-7788 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7789 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7789 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7789 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7789 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7789 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7789 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7790 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7790 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7790 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7790 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7797 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7797 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7806 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7806 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7806 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7806 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7808 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7808 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7038-7808 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0002 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0002 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0004 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0005 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0006 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0007 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0010 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0013 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0018 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0019 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0020 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0021 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0022 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0023 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0023 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0027 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0027 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0027 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0062 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0063 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0063 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0063 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0064 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0065 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0067 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0067 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0068 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0068 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0069 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0069 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0070 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0070 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0071 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0124 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7040-0125 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0126 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0129 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0130 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0133 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0134 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0137 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0138 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0173 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0173 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0173 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0173 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0173 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0174EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0175EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0176EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0177EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0178EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0179EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0180EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0181EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0182 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0182EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0183 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0183EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0185 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0185 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0187 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0187 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0187 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0188 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0200 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0201 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0203 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0203 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0203 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0207 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0221 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0221 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0221 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0221 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0245 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0252 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0255 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0259 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0270 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0270 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0271 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0271 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0272 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0272 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0273 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0273 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0274 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0274 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0275 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0275 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0284 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0284 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0284 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0285 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0285 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0285 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0286 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0286 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0286 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0305 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0306 | CABLE ASSEMBLY | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7040-0307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0309 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0310 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0311 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0312 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0313 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0313 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0313 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0314 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0314 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0315 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0315 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0317 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0317 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0317 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0317 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0323 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0323 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0324 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0324 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0324 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0324 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0324 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0326 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0329 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0329 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0330 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0330 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0333 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0334 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0334 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0334 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0335 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0335 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0335 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0337 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0337 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0337 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0337 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0341 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0341 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0342 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0342 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0343 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0343 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0344 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0344 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0345 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0345 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0346 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0346 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0355 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0355 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0356 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0356 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0367 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0367 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0368 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0379 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0382 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0387 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7040-0390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0390 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0392 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0392 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0393 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0393 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0394 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0394 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0394 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0395 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0395 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0395 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0397 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0397 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0398 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0398 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0413 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0414 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0415 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0443 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0445 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0445 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0446 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0448 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0449 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0450 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0457 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0457 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0457 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0457 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0458 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0458 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0459 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0466 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0467 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0467 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0467 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0467 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0468 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0474 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0476 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0481 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0513 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7040-0514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0516 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0517 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0517 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0517 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0517 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0518 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0518 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0518 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0518 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0519 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0519 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0519 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0519 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0520 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0521 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0524 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0525 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0532 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0532 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0532 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0532 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0533 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0533 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0533 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0533 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0534 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0534 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0534 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0534 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0535 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0535 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0536 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0536 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0537 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0537 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0538 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0538 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0540 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0541 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0542 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0544 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0544 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0545 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0546 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0551 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0551 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0556 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0556 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0556 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0557 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0557 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0557 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0560 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0562 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0571 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0572 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0573 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0573 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0573 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0574 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0575 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0575 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0575 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0576 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0576 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0576 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0577 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0577 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0577 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0577 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0577 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0578 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0578 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0578 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0578 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0578 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0579 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0579 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0579 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0579 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0579 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0580 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0580 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0580 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0580 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0580 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0581 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0581 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0581 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0581 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0581 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0582 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7040-0582 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0582 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0582 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0587 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0587 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0587 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0587 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0588 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0588 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0588 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0588 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0590 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0591 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0592 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0592 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0594 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0594 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0596 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0597 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0598 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0604 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0604 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0604 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0604 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0606 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0607 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0608 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0609 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0618 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0618 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0621 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0621 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0621 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0621 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0622 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0622 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0622 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0623 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0636 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0636 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0641 | CABLE ASSEMBLY | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0643 | CABLE ASSEMBLY | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0645 | CABLE ASSEMBLY | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0653 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0653 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0655 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0662 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0662 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0662 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0663 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0663 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0663 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0682 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0683 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0684 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0685 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0686 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0686 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0687 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0688 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0689 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0690 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7040-0692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0695 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0696 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0707 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0707 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0707 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0709 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0712 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0715 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0715 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0715 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0715 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0718 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0718 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0719 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0720 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0721 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0722 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0723 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0724 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0724 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0726 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7040-0727 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0000 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0000 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0001 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0001 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0003 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0003 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0006 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0007 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0008 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0009 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0010 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0011 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0011 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0012 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0012 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0013 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0014 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0015 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0032 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0033 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7045-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0034 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0037 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0037 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0037 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0038 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0038 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0038 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0039 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0039 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0039 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0040 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0040 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0040 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0042 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0109 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0109 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0109 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0109 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0109 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0112 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0112 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0113 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0113 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0116 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0128 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0172 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0172 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0172 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0173 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0173 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0175 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0177 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0178 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0179 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0179 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7045-0184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0001 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0038 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0068 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0068 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0070 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0071 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0071 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0072 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0072 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0080 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0081 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0082 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0083 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0084 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0085 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0086 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0087 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0094 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0094 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0095 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7047-0095 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0096 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0096 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0097 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0097 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0203 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0203 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0212 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0212 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7047-0212 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0001 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0001 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0002 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0002 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0003 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0003 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0004 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0004 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0005 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0005 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0006 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0006 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0007 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0007 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0008 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0008 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0017 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0018 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0019 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0020 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0028 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0028 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0029 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0029 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0034 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7048-0034 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7049-0002 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0015 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0016 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0017 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0018 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0083 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0088 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0089 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0099 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7049-0101 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0003 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0004 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0011 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0040 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0041 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0045 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7050-0045 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0045 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0048 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0048 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0053 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0054 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0054 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0055 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0056 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0057 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0058 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0059 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0062 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0069 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0070 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0074 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0075 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0076 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0077 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0078 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0084 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0085 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0085 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0086 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0091 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0092 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0092 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0099 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0099 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0101 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0102 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0107 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0107 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0108 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0109 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0109 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0109 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0110 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0111 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0111 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0112 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7050-0117 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0120 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0123 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0123 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0124 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0133 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0134 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0134 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0136 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0137 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0137 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0157 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0157 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0165 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0165 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0166 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0193 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0193 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0193 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0193 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0194 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0194 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0194 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0194 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0226 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0227 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0228 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0229 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0230 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0265 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0267 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0284 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0284 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0285 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0285 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0286 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0286 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0287 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0287 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0296 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0296 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0297 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0304 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0304 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0304 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0304 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0305 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0305 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0309 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0311 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0311 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0336 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0336 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0336 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0336 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0337 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0337 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0337 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0337 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0338 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0344 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0344 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0344 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0344 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0345 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0345 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0345 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0345 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0346 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0346 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0346 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0346 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0348 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0348 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7050-0348 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0348 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0348 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0349 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0349 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0350 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0350 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0351 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0355 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0356 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0357 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0357 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0357 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0358 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0358 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0358 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0359 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0359 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0359 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0360 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0360 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0360 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0361 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0361 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0361 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0362 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0362 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0362 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0363 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0363 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0363 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0364 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0364 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0364 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0365 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0365 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0365 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0366 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0366 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0366 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0367 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0367 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0367 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0368 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0368 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0368 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0369 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0370 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0382 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7050-0382 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7051-0000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7051-0000 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0001 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0001 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0002 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0002 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0004 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0005 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0005 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0005 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0005 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0006 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0110 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0112 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0113 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0114 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0117 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0117 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0118 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0119 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0120 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0121 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0121 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0122 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0122 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0123 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0123 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7052-0124 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0125 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0126 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0127 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0128 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0129 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0130 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0130 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0131 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0132 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0133 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0134 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0135 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0136 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0137 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0138 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0139 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0140 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0141 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0142 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0143 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0144 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0145 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0146 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0147 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0148 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0148 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0149 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0150 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0151 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0152 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0153 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0153 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0154 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0154 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0155 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0155 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0156 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0156 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0157 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0157 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0158 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0158 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0159 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0159 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0160 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0161 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0161 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0162 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0162 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0163 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0163 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0164 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0164 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0165 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0165 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0166 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0166 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0167 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0167 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0168 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0168 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0169 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0169 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0170 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0170 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0171 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0171 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0172 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0172 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0173 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0173 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0174 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0175 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0176 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0177 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0178 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0179 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7052-0180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0180 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0181 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0182 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0182 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0183 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0183 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0184 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0185 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0186 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0186 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0187 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0187 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0188 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0189 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0190 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0191 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0191 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0192 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0192 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0193 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0193 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0194 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0194 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0195 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0195 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0196 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0196 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0197 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0197 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0198 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0198 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0199 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0199 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0200 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0201 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0202 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0203 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0203 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0204 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0205 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0206 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0207 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0208 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0209 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0210 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0211 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0212 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0213 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0214 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0215 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0216 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0218 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0219 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0222 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0223 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0224 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0226 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0227 | CABLE ASSEMBLY | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0231 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0231 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0234 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0236 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0240 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0241 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7052-0246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0253 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0253 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0254 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0254 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0255 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0255 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0262 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0262 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0262 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0263 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0263 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0263 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0264 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0264 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7052-0264 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0006 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0007 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0011 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0011 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0012 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0013 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0013 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0013 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0014 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0014 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0014 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0015 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0015 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0015 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0038 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0039 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0040 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0044 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0044 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0044 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0044 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0045 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0045 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0045 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0045 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0046 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0046 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0046 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0046 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0047 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0047 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0052 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0052 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7065-0053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0053 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0053 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0054 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0054 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0054 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0054 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0055 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0055 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0056 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0056 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0057 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0057 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0058 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0058 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0059 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0059 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0061 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0061 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0062 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0062 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0063 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0063 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0064 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0065 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0066 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0067 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0068 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0069 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0070 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0071 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0072 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0073 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0074 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0075 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0076 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0077 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0078 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0079 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0080 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0081 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0082 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0083 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0084 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0085 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7065-0086 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0087 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0088 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0089 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0090 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0091 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0092 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0093 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0094 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0095 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0096 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0097 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0098 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0099 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0101 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0102 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0103 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0103 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0103 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0104 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0105 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0106 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0107 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0108 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0108 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0110 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0111 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0112 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0112 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0113 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0113 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0113 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0113 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0113 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0115 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0115 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0115 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0115 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0115 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0116 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0116 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0116 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7065-0116 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0116 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0118 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0119 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0119 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0120 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7065-0121 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0014 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0029 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0041 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0041 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0042 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0043 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0047 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0061 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0062 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0063 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0064 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0065 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0066 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0070 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0071 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0072 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0073 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7077-0076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0077 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0078 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0079 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0081 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0081 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0082 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0082 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0083 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0083 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0084 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0084 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0085 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0085 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0086 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0086 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0087 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0088 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0089 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0090 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0159 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0165 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0165 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0175 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0176 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0177 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0178 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0179 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0180 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0182 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0182 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0183 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0183 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0195 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0202 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0203 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7077-0208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0220 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0221 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0221 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0221 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0224 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0225 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0238 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0241 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0242 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0242 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0242 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0256 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0260 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0260 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0260 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0261 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0261 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0261 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0262 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0262 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0262 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0269 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0269 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0270 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0270 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0271 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0271 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0272 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0272 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0273 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0273 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0274 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0274 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0274 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7077-0275 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0275 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0275 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0276 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0276 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0276 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0277 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0277 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0277 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0279 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0279 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0280 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0280 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0281 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0287 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0287 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0287 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0288 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0288 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0288 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0293 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0293 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0293 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0293 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0294 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0294 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0294 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0294 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0295 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0295 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0296 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0296 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0304 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0304 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0304 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0304 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0304 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0304 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0305 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0305 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0305 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0316 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0316 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0316 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0317 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0317 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0317 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0318 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0318 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0318 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0318 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0318 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0319 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0319 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0322 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0322 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0323 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0323 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0323 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0323 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0324 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0324 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0325 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0328 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0329 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0334 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0334 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0334 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0335 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0339 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0346 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0346 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0346 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0346 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0346 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0346 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0346 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0346 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7077-0347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0347 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0347 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0348 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0348 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0348 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0349 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0360 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0360 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0362 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0362 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0362 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0363 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0363 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0363 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0364 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0364 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0365 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0365 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0367 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0367 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0367 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0367 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0367 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0372 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0373 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0377 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0378 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0378 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0378 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0378 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0379 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0379 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0379 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0379 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0381 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0391 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0391 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0391 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0395 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0395 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0396 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0396 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0396 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0404 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0404 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0415 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0415 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0416 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7077-0417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0417 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0418 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0435 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0436 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0437 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0438 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0442 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0442 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0443 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0444 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0445 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0445 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0445 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0445 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0446 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0447 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0448 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0449 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0450 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0451 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0451 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0464 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0464 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0469 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0470 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0470 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0470 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0470 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0471 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0472 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0473 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0474 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0475 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0478 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0480 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0486 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7077-0487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0490 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0490 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0490 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0490 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0493 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0493 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0493 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0493 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0494 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0497 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0497 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0497 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0497 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0497 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0497 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0497 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0498 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0498 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0498 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0498 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0498 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0498 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0498 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0499 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0499 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0499 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0499 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0499 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0499 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0499 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0499 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0500 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0502 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0503 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0504 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0504 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0505 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0505 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0520 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0521 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0521 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0521 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0522 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0522 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0522 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0524 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0525 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0526 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0527 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0528 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0529 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0530 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0531 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0532 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0533 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0534 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0534 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0534 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0534 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0535 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0535 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0535 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0535 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0536 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0537 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0537 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0537 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0538 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0538 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7077-0539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0539 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0541 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7077-0542 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7080-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0051 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0051 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0056 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0057 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0068 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0069 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0073 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0073 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0074 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0074 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0085 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0086 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0106 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0107 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0133 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0134 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0143 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0144 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0148 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0153 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0153 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0153 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0154 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0155 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0155 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0155 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0157 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0157 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0157 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0158 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7080-0158 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0158 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0163 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0163 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0371 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0474 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0475 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0533 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0533 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0533 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0534 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0534 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0534 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0534 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0534 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0535 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0535 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0535 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0535 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0535 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0535 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0536 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0536 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0536 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0540 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0540 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0541 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0541 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0542 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0542 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0544 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0545 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0546 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0547 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0548 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0549 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0551 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0552 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0553 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0554 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0555 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0558 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0559 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0561 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0561 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0562 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0562 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0562 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0563 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0564 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0565 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0566 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0567 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0568 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0569 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0570 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0571 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0572 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0573 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0574 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0575 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0576 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0577 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0578 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0579 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0580 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0581 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0582 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0583 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0584 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0585 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0586 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0587 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0588 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0589 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0590 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0591 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0592 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0593 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0594 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0595 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0596 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0597 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0597 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0597 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0598 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0598 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0598 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0599 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0599 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0599 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0600 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0601 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0601 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0601 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0602 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0602 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0602 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7080-0603 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0603 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0604 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0604 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0604 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0605 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0605 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0606 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0606 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0606 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0606 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0606 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0607 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0607 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0608 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0608 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0609 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0609 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0609 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0611 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0611 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0612 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0612 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0615 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0615 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0616 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0616 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0618 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0618 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0618 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0619 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0619 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0619 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0621 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0621 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0621 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0622 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0623 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0633 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0634 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0635 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0636 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0637 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0647 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0649 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0650 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0654 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0659 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0660 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0661 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7080-0663 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0664 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0665 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0666 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0666 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0667 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0668 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0668 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0669 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0669 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0670 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0670 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0671 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0671 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0672 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0672 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0673 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0673 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0674 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0691 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0691 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0692 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0692 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0693 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0693 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0694 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0694 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0695 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0695 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0696 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0696 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0697 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0697 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0698 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0698 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0699 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0699 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0700 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0701 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0701 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0702 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0702 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0703 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0703 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0704 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0704 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0705 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0705 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0706 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0706 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7080-0709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0709 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0709 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0710 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0710 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0710 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0710 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0710 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0710 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0710 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0743 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0743 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0743 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0743 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0743 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0743 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0744 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0744 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0744 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0745 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0745 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0745 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0746 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0746 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0746 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0746 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0746 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0746 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0747 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0747 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0747 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0747 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0747 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0748 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0749 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0754 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0754 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0754 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0754 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0755 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0755 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0755 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0755 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0756 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0756 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0757 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0757 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0757 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0757 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0757 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0758 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0758 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0758 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0758 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0759 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0759 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0759 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0759 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0760 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0760 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0760 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0760 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0761 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0761 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0761 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0761 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0762 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0762 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0762 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0762 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0763 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0763 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0763 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0763 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0764 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0764 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0764 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0764 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0765 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0765 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0765 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0765 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0766 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0766 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0766 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0766 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0767 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0767 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0767 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0767 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0772 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0774 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0804 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0804 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0807 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0808 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0809 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0810 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0810 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0811 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7080-0811 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0812 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0812 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0813 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0813 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0815 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0815 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0820 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0820 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0820 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0820 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0820 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0822 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0822 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0823 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0823 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0824 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0826 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0829 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0829 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0829 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0829 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0829 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0830 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0830 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0830 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0830 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0830 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0831 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0831 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0831 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0831 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0831 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0831 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0831 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0832 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0832 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0832 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0832 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0833 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0833 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0833 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0833 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0836 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0836 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0837 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0837 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0838 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0838 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0839 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0839 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0842 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0843 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0844 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0844 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0845 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0845 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0846 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0846 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0847 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0847 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0848 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0848 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0849 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0849 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0850 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0850 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0851 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0851 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0852 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0852 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0853 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0853 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0855 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0855 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0856 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0856 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0857 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0861 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0861 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0862 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0862 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0863 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0863 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0864 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0865 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0866 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0867 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0868 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0869 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0870 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0876 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0876 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0877 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0877 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0878 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0878 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0879 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0879 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0880 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0880 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0881 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0881 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0882 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0882 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0882 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0883 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7080-0883 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0883 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0893 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0907 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0907 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0908 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0908 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0909 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0909 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0927 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0927 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0931 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0931 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0932 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0932 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0933 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0933 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0934 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0934 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0935 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0935 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0936 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0936 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0937 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0937 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0937 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0937 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0938 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0938 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0938 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0938 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0939 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0939 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0939 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0940 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0940 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0940 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0941 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0941 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0941 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0942 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0942 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0942 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0943 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0943 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0943 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0944 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0944 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0944 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0945 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0945 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0945 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0946 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0946 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0946 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0947 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0947 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0947 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0948 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0948 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0948 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0949 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0949 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0949 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0951 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0951 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0951 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0952 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0952 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-0952 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1628 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1630 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1631 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1632 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1635 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1636 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1637 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1638 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1639 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1640 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1641 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1642 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7080-1643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1643 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1643 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1644 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1644 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1645 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1645 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1646 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1646 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1647 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1647 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1648 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1648 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1649 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1649 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1650 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1651 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1651 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1652 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1652 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1653 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1653 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1654 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1654 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1655 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1655 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1655 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1655 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1655 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1656 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1656 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1657 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1657 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1658 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1658 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1659 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1659 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1660 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1660 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1663 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1663 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1664 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1664 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1665 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1665 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1667 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1667 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1676 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 7080-1676 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1851 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1851 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1851 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1851 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1851 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1853 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1853 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1853 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1853 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1853 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1856 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1856 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1856 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1856 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1856 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7080-1856 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0001 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0005 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0007 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0018 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0019 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0022-0875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0022-0875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0022-0875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0027 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0027-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0027-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0027-0240 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0030 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0035 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7083-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0057 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0090 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0091 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0092 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0093 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0094 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0095 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7083-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0096 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0097 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0103 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0103 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0109 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0109 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0111 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0116-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0116-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0116-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0116-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0116-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0116-0720 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0116-0720 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0116-0720 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0116-0720 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0121 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0121 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0121 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0121 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0126-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0126-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0126-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0126-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0126-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0126-0730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0126-0730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0126-0730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0126-0730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0126-0730 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7083-0140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0146 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0146 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0148 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0148 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0148 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0148 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7083-0152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7084-0001 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7084-0001 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7084-0001 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7084-0001 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7084-0001 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7084-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7084-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7084-0002 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7084-0003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7084-0003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7084-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7084-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7084-0004 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7084-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7084-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7084-0006 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7084-0007 | CABLE ASSEMBLY | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0020 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0029 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0030 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0031 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0032 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0033 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0034 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0035 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0036 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0037 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0043 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7085-0046 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0001 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0001 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0001 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0001 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0002 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0002 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0002 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0002 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0003 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0003 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7087-0003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0003 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0003 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0003 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0004 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0004 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0004 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0004 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0004 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0005 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0005 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0005 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0005 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0005 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0005 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0006 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0006 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0006 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0006 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0006 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0006 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0007 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0007 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0007 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0007 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0007 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0007 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0008 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0008 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0008 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0008 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0008 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0008 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0009 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0009 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0009 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0009 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0009 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0009 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0010 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0010 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0010 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0010 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0010 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0010 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0011 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0011 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0011 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0011 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0011 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0012 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0012 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0012 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0012 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0012 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0013 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0013 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0014 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0014 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0014 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0014 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0014 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0014 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0015 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0015 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0015 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7087-0015 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0015 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0015 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0016 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0016 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0016 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0016 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0016 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0016 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0017 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0017 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0017 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0017 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0017 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0017 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0018 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0018 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0018 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0018 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0018 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0018 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0019 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0019 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0019 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0019 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0019 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0019 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0020 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0020 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0020 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0020 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0020 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0020 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0021 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0021 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0021 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0021 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0021 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0021 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0022 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0022 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0022 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0022 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0022 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0022 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0023 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0023 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0023 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0023 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0023 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0023 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0024 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0024 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0024 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0024 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0024 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0024 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0025 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0025 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0025 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0025 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0026 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0026 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0026 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0026 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0027 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0027 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0027 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0027 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0027 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0027 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7087-0028 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0028 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0028 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0028 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0028 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0028 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0029 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0029 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0029 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0029 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0030 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0030 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0030 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0030 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0031 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0031 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0031 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0031 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0031 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0032 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0032 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0032 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0032 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0033 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0033 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0033 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0033 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0034 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0034 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0034 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0034 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0035 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0035 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0035 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0035 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0035 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0035 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0036 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0036 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0036 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0036 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0036 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0036 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0037 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0037 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0037 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0038 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0038 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0038 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0039 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0039 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0039 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0040 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0040 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0040 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0041 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0041 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0041 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0042 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0042 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0042 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0043 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0043 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0043 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0044 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0044 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0044 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0045 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0045 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0045 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0046 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0046 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0046 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0047 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0047 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0047 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0048 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0048 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0048 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0049 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0049 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7087-0049 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0050 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0050 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0050 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0051 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0051 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0051 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0052 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0052 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0052 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0053 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0053 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0053 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0054 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0054 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0054 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0054 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0055 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0055 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0055 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0056 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0056 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0056 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0057 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0057 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0057 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0058 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0058 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0058 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0059 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0059 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0059 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0060 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0060 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0061 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0061 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0061 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0062 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0062 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0062 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0063 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0063 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0063 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0063 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0064 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0064 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0064 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0065 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0065 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0065 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0066 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0066 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0066 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0067 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0067 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0067 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0067 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0068 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0068 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0068 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0068 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0069 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0069 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0069 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0070 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0070 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0074 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0074 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0075 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0075 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0076 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0076 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0076 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0077 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0077 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7087-0077 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0078 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0079 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0082 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0083 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0084 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0085 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0086 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0087 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0088 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0089 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0089 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0090 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0090 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0091 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0092 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0092 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0093 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0093 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0094 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0095 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0096 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0097 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0097 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0098 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0098 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0099 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0099 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0100 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0101 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0101 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7087-0102 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0102 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0104 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0105 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0106 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0106 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0107 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0107 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0108 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0109 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0109 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0109 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0112 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0112 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0113 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0113 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0114 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0115 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0116 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0116 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0117 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0117 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0118 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0118 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0119 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0119 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0120 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0121 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0121 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0121 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0121 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0121 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0121 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0122 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0123 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0124 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0125 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0127 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0133 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0135 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7087-0136 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0137 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0138 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0139 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0139 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0140 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0140 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0141 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0142 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0143 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0144 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0145 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0149 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0150 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0151 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0152 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0153 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0153 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0154 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0154 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0155 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0155 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0155 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0155 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0155 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0156 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0156 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0156 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0156 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0156 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0157 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0158 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0158 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0158 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0159 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0159 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0159 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0159 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0159 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0160 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0161 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0161 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0161 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0161 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0162 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0162 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0162 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0162 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0163 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0163 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0163 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0163 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0164 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0164 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0164 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0164 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7087-0165 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0165 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0165 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0165 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0166 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0166 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0166 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0166 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0167 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0167 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0167 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0167 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0168 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0168 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0168 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0168 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0171 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0171 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0171 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0172 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0172 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0172 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0173 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0173 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0173 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0173 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0173 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0174 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0174 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0175 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0177 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0179 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0179 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0188 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0189 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0191 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0191 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0191 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0191 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0191 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0191 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0192 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0192 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0192 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0192 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0192 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0192 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0194 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0194 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0194 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0194 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0194 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0194 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0195 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0195 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0195 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0195 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0196 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0196 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0196 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0196 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0196 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0196 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0197 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0197 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0197 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0197 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0198 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0198 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0198 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0198 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0198 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0198 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0199 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0199 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0199 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0199 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0199 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0199 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0200 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0200 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0201 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0202 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0202 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0205 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7087-0205 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0206 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0206 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0208 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0208 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0209 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0209 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0209 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0210 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0210 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0210 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0213 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0213 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0214 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0214 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0216 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0217 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0218 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0219 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0220 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0222 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0223 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0226 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0226 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0227 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0227 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0228 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0228 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0229 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0229 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0230 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0230 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0231 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0231 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0231 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0231 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0232 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0232 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0233 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7087-0233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0233 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0234 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0234 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0234 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0234 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0234 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0234 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0235 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0235 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0235 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0235 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0235 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0235 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0236 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0236 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0237 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0237 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0238 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0238 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0239 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0239 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0240 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0240 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0241 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0241 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0242 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0242 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0242 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0242 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0242 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0242 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0243 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0243 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0244 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0244 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0245 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0245 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0246 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0246 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0247 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0247 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0248 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0248 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0249 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0249 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0250 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0250 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0251 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0251 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0251 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0252 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0252 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7087-0252 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0252 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0252 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0253 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0253 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0254 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0254 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0262 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0262 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0283 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0283 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0283 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0283 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0289 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0289 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0289 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0289 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0290 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0306 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0307 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0307 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0308 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0318 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0318 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0318 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0319 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0319 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0319 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0320 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0320 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0320 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0321 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0321 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0322 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0327 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0328 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0329 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0330 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0330 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0330 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0331 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0331 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0331 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0332 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0339 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0340 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0340 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0341 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0341 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0341 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0341 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0341 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0341 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0341 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0342 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0342 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0342 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0342 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0343 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0343 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0343 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0343 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0344 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0344 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0345 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0345 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0353 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0353 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0353 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7087-0354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0356 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0357 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0357 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0358 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0358 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0358 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0358 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0358 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0358 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0358 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0359 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0359 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0359 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0359 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0359 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0359 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0360 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0360 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0360 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0361 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0361 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0361 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0370 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0370 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0370 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0370 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0371 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0371 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0371 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0371 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0371 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0371 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0372 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0373 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0374 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0375 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0376 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0377 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0378 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0378 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0378 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0379 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0379 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0379 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0380 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0381 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0382 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0383 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0383 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0383 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0384 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0384 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0384 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0390 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0390 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0390 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0391 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0391 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0391 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0391 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0392 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0393 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0393 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7087-0394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0394 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0394 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0398 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0398 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0398 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0398 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0399 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0399 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0400 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0400 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0401 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0401 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0402 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0402 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0402 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0403 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0403 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0403 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0404 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0404 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0405 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0405 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0406 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0406 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0407 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0407 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0408 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0408 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0409 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0409 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0409 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0409 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0410 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0410 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0604 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0604 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0604 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0604 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0605 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0605 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0605 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0606 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0606 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0607 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0607 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0608 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0608 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0609 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0609 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0610 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0610 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611-201 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611-201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611-201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611-247 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611-247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611-247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611-248 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611-248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611-248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611-249 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611-249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611-249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611-253 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611-253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611-253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611-297 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611-297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611-297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611-XXX | Other | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611-XXX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0611-XXX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0612 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0612 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0612 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0612 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0612 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0612-101 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0612-101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0612-101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0612-101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0612-101 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0613 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0613 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0614 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0614 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0615 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7087-0615 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0616 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0616 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0616 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0616 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0616 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0617 | CABLE ASSEMBLY | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0617 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0617 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0617 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0617 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0620 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0620 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0620 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0621 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0621 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0621 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0621 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0621 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0621 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0621 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0622 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0622 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0622 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0623 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0623 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0623 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0624 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0624 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0625 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0626 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0626 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0627 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0627 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0628 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0628 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0629 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0629 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0634 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0634 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7087-0634 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0000 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0000 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0002 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0003 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0003 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0004 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0004 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0005 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0006 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0007 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0008 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0008 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0009 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0009 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0010 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0010 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0014 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0014 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0015 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0015 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0016 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0016 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0018 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0018 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7088-0020 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0020 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0020 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0021 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0021 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0021 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0022 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0022 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0023 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0023 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0024 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0024 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0025 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0025 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0026 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0027 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0028 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0029 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0029 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0030 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0030 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0032 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0032 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0033 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0033 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0034 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0034 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0035 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0035 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0036 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0036 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0037 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0037 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0048 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0048 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0049 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0049 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0050 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0050 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0051 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0051 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0052 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0052 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0053 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0053 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0053 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0054 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0054 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0054 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0054 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0055 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0055 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0056 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0056 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0057 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0057 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0058 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0058 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0059 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0059 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0060 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0061 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0061 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7088-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0062 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0062 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0063 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0063 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0063 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0064 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0064 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0064 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0065 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0065 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0065 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0066 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0066 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0067 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0067 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0068 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0068 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0069 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0069 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0070 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0070 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0071 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0071 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0072 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0072 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0073 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0073 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0074 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0074 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0075 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0075 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0076 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0076 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0077 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0078 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0082 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0083 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0084 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0088 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0089 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0090 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0090 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0091 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0092 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0092 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0093 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0093 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0094 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0095 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0096 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0097 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0097 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0097 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0098 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0098 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0098 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7088-0099 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0099 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0101 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0101 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0102 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0102 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0103 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0103 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0103 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0103 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0103 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0104 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0104 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0105 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0105 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0106 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0106 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0107 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0107 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0108 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0108 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0108 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0108 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0110 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0110 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0114 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0118 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0118 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0119 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0119 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0119 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0120 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0120 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0122 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0122 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0122 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0122 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0123 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0123 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0123 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0123 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0124 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0124 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0125 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0125 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0126 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0126 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0127 | CABLE ASSEMBLY | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 7088-0127 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0000 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0001 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0001 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0002 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0005 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7089-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0006 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0007 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0008 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0009 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0012 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0013 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0013 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0013 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0014 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0015 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0016 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0017 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0021 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0022 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0026 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0026 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0027 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0027 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0028 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0028 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0029 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0032 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0033 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0034 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0035 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0036 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0037 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0038 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0038 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7089-0039 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0039 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0040 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0040 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0041 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0041 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0042 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0042 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0043 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0043 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0044 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0044 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0045 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0045 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0046 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0046 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0047 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0047 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0048 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0048 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0051 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0051 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0052 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0052 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0052 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0055 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0059 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0230 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0231 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0231 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0232 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0234 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0234 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0235 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0235 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0235 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0235 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0236 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0237 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0237 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0238 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0238 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7089-0239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0239 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0241 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0241 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0243 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0243 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0244 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7089-0245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0003 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0003 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0008 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0010 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0011 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0012 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0013 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0014 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0015 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0016 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0017 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7092-0018 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0005 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0007 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0008 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0014 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0014 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0019 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0020 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0021 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0022 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0023 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0026 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0027 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0028 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0032 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0037 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7093-0038 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0041 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0049 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0055 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0055 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0056 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0056 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0068 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0070 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0071 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0073 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0073 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0073A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0073A | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0073B | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0073B | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0073C | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0073C | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0073D | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0073D | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0074 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0076 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0077 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0077 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0078 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0079 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0079 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0080 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0080 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0081 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0081 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0082 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0082 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0083 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0089 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0094 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0094 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0095 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0095 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0096 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0096 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7093-0097 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0098 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0098 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0099 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0103 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0103 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0103 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0103 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0103 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0106 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0108 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0108 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0109 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0109 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0109 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0110 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0110 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0110 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0111 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0112 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0113 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0113 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0117 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0117 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0118 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0118 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0123 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0123 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0124 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0126 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0126 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0131 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0131 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0132 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0134 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0134 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0136 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0136 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0141 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0142 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0143 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0144 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0145 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0146 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0147 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0148 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0148 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0148 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7093-0151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0151 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0152 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0153 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0153 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0153 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0154 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0154 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0154 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0155 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0155 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0155 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0156 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0156 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0156 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0157 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0157 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0157 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0158 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0158 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0159 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0159 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0160 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0161 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0161 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0162 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0162 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0162 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0162 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0163 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0163 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0163 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0163 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0164 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0164 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0164 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0165 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0166 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0166 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0167 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0167 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0167 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0167 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0168 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0168 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0168 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0168 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0173 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0174 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0175 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0176 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0177 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0178 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0179 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0180 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0181 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0182 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0182 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0182 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0183 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0183 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0183 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0184 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0185 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0203 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0203 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0203 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0203 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0204 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0204 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0205 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7093-0206 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0207 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0208 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0208 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0209 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0209 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0210 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0210 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0211 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0211 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0212 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0213 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0214 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0215 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0216 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0217 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0218 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0219 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0220 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0221 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0221 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0221 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0221 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0222 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0222 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0223 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0223 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0224 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0224 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0225 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0226 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0226 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0227 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0227 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0228 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0228 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0229 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0229 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0231 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0234 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0235 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0241 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0243 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0243 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7093-0244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0244 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0244 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0245 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0245 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0246 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0247 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0247 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0248 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0249 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0249 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0252 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0253 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0254 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0255 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0256 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0257 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0258 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0259 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0260 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0261 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0262 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0262 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0262 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0263 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0264 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0265 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0266 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0267 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0268 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0269 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0269 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0269 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0270 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0270 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0270 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0275 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0275 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0275 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0276 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0276 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0277 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0277 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0278 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0278 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0279 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0280 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0280 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0281 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0283 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0283 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0289 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0290 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0297-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0297-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0297-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0297-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0297-0450 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0297-0800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0297-0800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0297-0800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0297-0800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0297-0800 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0298 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0301 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0302 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0302 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0302 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0302 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0303-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0303-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0303-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0303-2400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0303-2400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0303-2400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0304-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0304-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0306 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0306 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0306 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0308 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0309 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0309 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0310 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0310 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7093-0311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0311 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0311 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0313 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0314 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0314 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0314 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0322 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0323 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0323 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0338 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0339 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0342 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0342 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0343 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0343 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0343 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0343 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0344 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0344 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0344 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0344 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0345 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0345 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0345 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0347 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0349 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0352 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0352 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0353 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0353 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0353 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0353 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0353 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0354 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0355 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0356 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0357 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0357 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0357 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0357 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0358 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0359 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0359 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0359 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0360 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0360 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0361 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0361 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0361 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0361 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0361 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0362 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0362 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0362 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0363 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0363 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0363 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0365 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0365 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0365 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0368 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0368 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0368 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0368 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0369 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0371 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0371 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0372 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0373 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0374 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0376 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7093-0377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0377 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0378 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0378 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0378 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0379 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0379 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0379 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0380 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0381 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0382 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0383 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0383 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0384 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0384 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0385 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0385 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0388 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0388 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0388 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0389 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0389 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0392 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0399 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0399 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0400 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0401 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0404 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0404 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0405 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0406 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0406 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0407 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0407 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0408 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0408 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0409 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0409 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0409 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0409 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0410 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0410 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0411 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0411 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0412 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0412 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0412 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0412 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0413 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0413 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0414 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0415 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0415 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0415 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0415 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0416 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0417 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0418 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0419 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0420 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0421 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0422 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0423 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0424 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7093-0426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0427 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0427 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0428 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0429 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0430 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0431 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0432 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0433 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0434 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0435 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0435 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0435 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0435 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0436 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0436 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0436 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0436 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0437 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0437 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0437 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0437 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0438 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0438 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0438 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0438 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0439 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0439 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0439 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0440 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0441 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0441 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0441 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0442 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0442 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0442 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0442 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0442 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0443 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0443 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0444 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0444 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0445 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0445 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0446 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0446 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0447 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0447 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0448 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0449 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0453 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0453 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0456 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0456 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0457 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0457 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0458 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0458 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0459 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0460 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0460 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0461 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0461 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0462 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0462 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0463 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0463 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0464 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0464 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0464 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0465 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0466 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0466 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0466 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0467 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0467 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7093-0467 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0468 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0469 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0470 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0470 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0470 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0471 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0472 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0473 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0474 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0476 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0476 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0476 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0477 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0478 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0479 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0480 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0481 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0482 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0483 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0484 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0485 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0485 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0485 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0486 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0486 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0486 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0487 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0488 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0488 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0488 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0489 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0490 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0490 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0490 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0491 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0491 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0492 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0492 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0492 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0492 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0495-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0495-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0495-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0495-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0495-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0495-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0495-4 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0495-4 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-1 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-2 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-3 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-4 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-4 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-4 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-4 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-4 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0496-4 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0497-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0497-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7093-0497-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0497-4 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0498-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0498-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0498-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0498-4 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0500 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0500 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0501 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0501 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0501 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0502 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0502 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0502 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0503 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0503 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0503 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0507 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0507 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0508 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0509 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0509 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0509 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0509 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0509 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0510 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0510 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0511 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0511 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0511 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0511 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0514 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0514 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0515 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0515 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0515 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0520 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-0520 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-4985 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-4991 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-4991 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-4991 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-4992 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-4993 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-4993 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-4993 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-4995 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-4995 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-4995 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-4996 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-4996 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-4996 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5000 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5001 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5001 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5002 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5003 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5004 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5005 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5006 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5007 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5008 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5009 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7093-5010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5010 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5011 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5013 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5014 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5015 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5016 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5017 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5018 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5019 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5020 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5021 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5022 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5023 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5023 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5024 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5024 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5025 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5026 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5026 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5029 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5030 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5033 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5034 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5035 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5036 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5036 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5038 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5038 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5039 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5042 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5042 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5043 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5043 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5044 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5045 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5046 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5047 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5048 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7093-5055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5055 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5056-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5056-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5057 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5057 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5058 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5058 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5059 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5059 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5060 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5061 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5061 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5066 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5067 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5068 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5069 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5070 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5071 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5072 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5074 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5081 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5081 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5083 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5083 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5084 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5085 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5086 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5087 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5087 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5088 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5091 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5096 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5096 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5097 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5097 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5098-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5098-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5098-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5099-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5099-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5099-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5099-1 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5099-1 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5099-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5099-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5099-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5099-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5099-2 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5099-2 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5099-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5099-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5099-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5099-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5099-3 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5099-3 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5100 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5101 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5101 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5104 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7093-5105 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5106 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5106 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5107 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5107 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5114 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5114 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5115 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5115 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5116 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5117 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5117 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5121 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5121 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5123 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5123 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5123 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5123 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5124 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5124 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5127 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5127 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5128 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5129 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0525 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0525 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0525 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0575 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0575 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0575 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0850 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0850 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7093-5130-0850 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0925 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0925 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0925 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0975 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0975 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-0975 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1275 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1275 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1275 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1425 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1450 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1475 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1500 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1525 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1525 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1525 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1550 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1575 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1575 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1575 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1600 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1625 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1650 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1675 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1700 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1725 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1750 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7093-5130-1775 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1800 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1825 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1850 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1850 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1850 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1875 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1900 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1925 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1925 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1925 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1950 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1975 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1975 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-1975 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2000 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2025 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2050 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2075 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2100 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2125 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2200 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2225 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2275 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2275 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2275 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2325 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2350 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2375 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5130-2400 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5132 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5132 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5135 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5138 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5138 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5139 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5140 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5140 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5148 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5148 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5148 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5149 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5149 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5150 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5150 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5153 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5153 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5167 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5168 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5168 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5168 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5169 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5169 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5169 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5173 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5173 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5173 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5173 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7093-5174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5174 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5174 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5175 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5175 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5176 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5176 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5177 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5177 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5178 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5178 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5179 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5179 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5180 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5180 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5181 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5181 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5184 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5185 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5185 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5186 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5186 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5186 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5187 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5187 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5187 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5188 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5188 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5189 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5189 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5190 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5190 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5191 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5191 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5191 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5192 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5192 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5192 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5195 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5195 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5196 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5196 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5201 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5201 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5202 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5202 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5203 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5203 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5205 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5206 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5206 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5207 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5212 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5213 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5214 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5215 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5216 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5217 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5218 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5219 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5220 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5232 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5233 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5234 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5234 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5234 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5234 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5235 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5235 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7093-5235 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5236 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5237 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5237 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5238 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5238 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5239 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5239 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5239 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5241 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5246 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5246 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5250 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5250 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5251 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5267 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5267 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5267 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5267 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5267 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5267 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5267 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5267 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5271 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5271 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5272 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5272 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5272 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5277 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5277 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5277 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5277 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5278 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5278 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5278 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5278 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5279 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5279 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5279 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5279 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5280 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5280 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5280 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5280 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5281 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5281 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5281 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5282 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5283 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5283 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5284 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5284 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5296 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5296 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5296 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5296 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5296 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5297 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5297 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5300 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5300 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5312 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5314 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5314 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5316 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5316 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5316 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5321 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7093-5321 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 7511-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 7511-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7521-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7521-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7521-40002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7521-40002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7541-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 7551-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8000-0041 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8000-0046 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8000-0047 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8000-4002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8000-4003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8000-4004 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 8000-4005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8000-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8000-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8000-6008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8000-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8000-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8000-6009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8000-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8000-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8000-6012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8000-6013 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8000-6013 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8000-6015 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8000-6015 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8000-6015 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8001-0000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-40116 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-40116 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-40117 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-40117 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-40119 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-40163 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-4100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-4100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-4101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-4101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-4102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-4103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-4104 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-4105 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-4106 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-4107 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-4108 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-60005 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 8001-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-60014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-60018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-60027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-60027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-60027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8001-60028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-60028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8001-60033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8002-00005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8002-4100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8002-4100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8002-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8003-4000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8003-4001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8003-4002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8003-4003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8003-4004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8003-4005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8004-6001 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 8005-0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8005-0015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8005-0015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8011-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8011-10002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8011-40005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8011-4001 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8011-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8011-60033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8011-60037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8011-60038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8011-60039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8011-60041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8011-60042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8011-60044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8011-80003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8012-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8012-00002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8012-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8012-4002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8012-4003 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8012-4006 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8012-4008 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8012-4010 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8012-4012 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8012-4013 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8012-4017 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8012-4020 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8012-4021 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8012-4022 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8012-4028 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8012-4028 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 8012-6007 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8012-6008 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8014-6005 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8015-6005 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 8015-6403 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8015-6428 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8016-6305 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8016-6408 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8016-6409 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8016-6412 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8017-6002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8017-6002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8017-6004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8017-6004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-0003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-0004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-0006 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6005 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6005 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6007 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6009 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6009 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6016 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6022 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6026 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6035 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6040 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6053 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6053 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6056 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6056 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6057 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6057 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6060 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6060 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6061 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6061 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6063 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6063 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6066 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6066 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6067 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6067 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6070 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6072 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6074 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6074 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6086 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6091 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6091 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6098 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6098 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6111 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6111 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6116 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6116 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6134 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6134 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6137 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6137 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6139 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6139 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6142 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6146 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6147 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6148 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6149 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6156 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6157 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6158 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6158 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6159 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6159 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6163 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6163 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6169 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6171 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6171 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6172 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6172 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6173 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6173 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6174 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6174 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6176 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6176 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6179 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6179 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6187 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6187 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6196 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6610 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8018-6610A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8020-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-00006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-00010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-00011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-00012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-00013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-00014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-40012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-40013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-40013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-40014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-40015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-40018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-40019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 8021-40019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-40020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-40020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-4006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-4006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-6002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-6003 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60129 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60130 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60136 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60141 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60141EDU | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60143 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60143EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60145 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60145 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60146 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60146 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60151 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60152 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60155 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60156 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60156 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60156 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60157 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60157 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60157 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8021-6016 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60164 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8021-60164A | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8021-6024 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-6030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-6110 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-6111 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-6112 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-6115 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8021-80001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8022-0002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8022-0005 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8022-0005 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8022-0005 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8024-4000 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8025-4000 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8027-6005 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8027-6012 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 8027-6013 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8027-6060 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 8027-6060 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8029-4001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6010 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6030 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6030 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6040 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6040 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6055 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6055 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6056 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6103 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6103 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6104 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6104 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6112 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6112 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6114 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6114 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6120 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6120 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6123 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6123 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6127 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6127 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6131 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6132 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8029-6132 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8032-4001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-4003 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-4004 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-4007 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-4008 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-4008 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-4014 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-4016 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-4019 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-4021 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-4025 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-4025 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-4025 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-4026 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-6001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-6002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-6011 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-6013 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-6019 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-6019 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-6019 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-6020 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-6020 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-6020 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-6022 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-6022 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-6023 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-6026 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8032-6026 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8033-6003 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8037-0002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8037-0002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8038-4001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8038-4003 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8038-4003D | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8038-4004 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8038-4009 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 8038-4009 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8038-4010 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8038-6003 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8038-6004 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8038-6005 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8038-6006 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8040-0002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8040-0002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8040-0002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8040-0003 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8040-0003 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8040-0005 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8040-0020 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8040-0020 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8040-0021 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8040-0021 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8040-0022 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8040-0022 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8040-0300 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8040-6409 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8040-6409EDU | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8040-6424 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8040-6427 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-00006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-00007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-40008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-40008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-40013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-40014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-40014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-40014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-40016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-40019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-40019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-40023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-40023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-40023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-40023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-40027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-40027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-40031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-40031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-40036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8041-40036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8045-0005 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8045-0013 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8045-0013 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8045-0014 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8045-0014 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8045-6004 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8045-6004 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8045-6050 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8045-6050 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8045-6301 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8045-6301 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8045-6309 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8045-6309 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8045-6310 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8045-6310 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8045-6311 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8045-6312 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8045-6312 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8045-6313 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8045-6313 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8045-6314 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8045-6314 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8045-6315 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8045-6315 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8045-6315 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8045-6315 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8046-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8046-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8046-0015 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8046-0088 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8046-4102 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8046-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8046-6012 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8046-6016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8046-6023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8046-6046 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8046-6047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8046-6052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8046-6053 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8046-6091 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8046-6094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8046-6102 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8046-6103 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8046-6105 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8046-6125 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8046-6137 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8046-6138 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8046-6140 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8047-0009 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8047-0009 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8047-0010 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8047-0010 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8047-0010 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8047-0022 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8047-0023 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8047-0023 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8047-0603 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0002 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0002 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0003 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0003 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0003 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 8048-0003 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0003 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0010 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0010 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0010 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0010 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0010 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0011 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0011 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0012 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0012 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0013 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0013 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0015 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0015 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0015 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0016 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0016 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0016 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0017 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0017 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0017 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0022 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0025 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8048-0025 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8050-0010 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8050-0013 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8050-0013 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8050-0013 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8050-0013 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8050-0016 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8050-0016 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8050-0017 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8050-0017 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8050-0035 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8050-0035 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8050-0045 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8050-0045 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8050-0403 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8050-0403 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8051-00001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8051-00003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8051-00003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8051-00005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8051-00008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8051-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8051-40007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8051-40007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8051-40010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8051-40014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8051-40017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8051-40019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8051-40019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8051-40020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8051-40020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8051-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8051-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8051-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8051-60014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8051-60014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8051-60018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8051-60018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8052-0007 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8052-0007 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8052-0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8052-0009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8058-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8058-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8058-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8058-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8058-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8058-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8058-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8058-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-1000 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-1001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-1001 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-1003 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-1003 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-4000 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-4001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-4003 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-4003 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-4004 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-4005 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-4008 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-4010 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-4011 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-4012 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-6008 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-6009 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-6010 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8080-6011 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8087-6003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8087-6004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8087-6017 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8087-6028 | TERMINATION | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8087-6028 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8087-6028 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8090-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8090-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8090-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8093-6002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8093-6002 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 8100-0006 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8100-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8101-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 8102-0102 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8102-0110 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8110-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8110-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8110-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8110-0101 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8111-00014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8111-0013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8120-0005 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8120-0006 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8120-0012 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8120-0040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8121-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8122-0109 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8150-0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8150-0010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8160-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8160-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8200-4001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8200-4001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8200-4001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8200-4001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8200-4001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8200-4002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8200-4002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8200-4002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8200-4002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8200-4002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8200-4004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8200-4004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8200-4004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8200-4004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8201-4001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8201-4001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8201-4001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8201-4001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8201-4001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8341-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8341-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8341-40001Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8341-40001Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8341-40002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8341-40002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8341-40002Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8341-40002Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8341-40003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8341-40003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8351-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8351-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8351-40001Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8351-40001Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8351-40002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8402-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8411-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8411-00003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8411-00004 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8421-0000 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8421-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8421-00003 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8700-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8700-ADPTKIT | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8700-ADPTKIT | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8700-CALKIT | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 8700-CALKIT | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8700-CALKIT | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8700-CALKIT | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8700-CALKIT | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8700-CALKIT | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8700-CALKIT-001 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 8700-CALKIT-001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8700-CALKIT-001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8700-CALKIT-001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8700-CALKIT-001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8700-CALKIT-001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8704-0001 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 8711-60033 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 8711-60033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8711-60034 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 8711-60034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8711-60159 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 8711-60159 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8711-60159 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8711-60160 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 8711-60160 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8711-60160 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8711-60161 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 8711-60161 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8711-60161 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8711-60172 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 8711-60172 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8711-60172 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8711-60173 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 8711-60173 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8711-60173 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8712-60565 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8712-60565 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8712-60565 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8712-60565 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8713-0001 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 8713-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8720-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60064 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60064 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60098 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60098 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60116 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60118 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60119 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60122 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 8721-60122 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60122 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60124 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60125 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60126 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60127 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60128 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60129 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60130 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60131 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60140 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60140 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60140 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60141 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60141 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8721-60141 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8725-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8725-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8725-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8733-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8734-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8734-6002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8741-0001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8741-0001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8770-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8770-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8778-6000 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8778-6000 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8778-6000 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8778-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8778-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8778-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8778-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8778-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8778-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8778-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8778-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8778-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8778-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8789-0100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8802-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8802-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8802-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8802-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8802-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8802-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8811-60022 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| 8811-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8811-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8811-60022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8811-60023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8811-60023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8811-60023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8811-60023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8821-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8821-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8821-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8821-60026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8821-60029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8821-60035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8821-60036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8821-60037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8821-60039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8821-60040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8821-60041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8821-60041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8821-60041 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8821-60043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8835-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8835-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8878-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8878-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8878-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8911-60024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8911-60024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8911-60024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8911-60025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8911-60025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8911-60025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8921-60014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8921-60030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8921-60030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8921-60037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8921-60038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8921-60039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8922-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8922-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8934-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8934-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8941-60005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8941-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8941-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8941-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8951-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8951-60004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8951-60005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8951-60005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8951-60005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8951-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8951-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8951-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8951-60009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 8970-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8970-6003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8970-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8984-6600 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8984-6600 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8984-6601 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 8988-6100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9018-6001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9211-60009 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 9221-60014 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9221-60014 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9221-60014-1 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9221-60014-1 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9221-60014-2 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9221-60014-2 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9221-60146 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9301-00003 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-00004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-00013 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-00018 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-00019 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-00021 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-00022 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-00023 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-00024 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-00025 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-00026 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-00029 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-00048 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-00054 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-00077 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-10001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-10001 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-10006 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-10007 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-10008 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-10009 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-10010 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-10011 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-10012 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-10013 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-10014 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-40015 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-40034 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-40035 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-40038 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-40039 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-40040 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-40042 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-40047 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-40055 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-40059 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-4585-7509 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-4585-7509 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-4585-7509 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-4585-7509 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-4585-7509 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9311-4585-7509 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60015-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60016 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60017 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60019 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60019 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60023 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60032 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60036-TD | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60038-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60039-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60040 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60043 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60044 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60045 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60045 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60048 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60050 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60051 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60054 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60058 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60084 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60084 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60085 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60087 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60088 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60088 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60088 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60088 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60095 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60112 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60119 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60119A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60120-FD | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60120-FD | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60120-LD | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60120-LD | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60120-SB | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60120-SB | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60123 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60124 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60128 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60134 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60138 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60139 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60140 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60143 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60150 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60154 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60160 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60173 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60174 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 9311-60175 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60176 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60177 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60184 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60201 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60204 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60207 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60208 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60209 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60211 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60216 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60217 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60218 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60242 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60266 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60271 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60277 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60285 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60285 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60286 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60287 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60297 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60309 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60321 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60336 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60341 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60342 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60343 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60344 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60345 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60350 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60351 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60358 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60361 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60376 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-60379 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-80002 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-80002 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-80020 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-80028 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-80028 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-80028 | MULTI-PORT | Insulator | No | SILICON-ALUMINIUM ALLOY | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9311-80028 | MULTI-PORT | Insulator | No | SILICON-ALUMINIUM ALLOY | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9311-80028-1 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-80028-1 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-80028-1 | MULTI-PORT | Insulator | No | SILICON-ALUMINIUM ALLOY | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9311-80028-1 | MULTI-PORT | Insulator | No | SILICON-ALUMINIUM ALLOY | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9311-80028-2 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-80028-2 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-80028-2 | MULTI-PORT | Insulator | No | SILICON-ALUMINIUM ALLOY | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9311-80028-2 | MULTI-PORT | Insulator | No | SILICON-ALUMINIUM ALLOY | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9311-80029 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-80029 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-80029 | MULTI-PORT | Insulator | No | SILICON-ALUMINIUM ALLOY | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9311-80029 | MULTI-PORT | Insulator | No | SILICON-ALUMINIUM ALLOY | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9311-80300 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9311-80302 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9312-00001 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9312-00003 | MULTI-PORT | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9312-00003 | MULTI-PORT | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9312-00004 | MULTI-PORT | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9312-00004 | MULTI-PORT | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9312-00004 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9312-10001 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9312-10001A | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9312-10002 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9312-10002A | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9312-10003 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9312-10003A | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9312-60022 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9312-60022 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9312-60025 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9312-60025 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9312-60032 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9312-60032 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9312-80001 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9312-80001 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-00010 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-00011 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-10004 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-10005 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-10012 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-10013 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-10014 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-40004 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-40004 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-40004Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-40004Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-40005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-40006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-40006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-40008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-40014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-40014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-40015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-40015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-40018 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-40018 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-40020 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-40020 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-40021 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-40021 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-40024 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-40031 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-40033 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-60079 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-80001 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-80001 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-80002 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-80002 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9321-80003 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 9321-80003 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-00008 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-00008 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-00009 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-00014 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-00014 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40003 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40003 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40009 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40009 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40015 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40037 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40040 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40040 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40041 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40041 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40043 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40043 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40045 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40045 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40046 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40046 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40056 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40064 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40064 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40066 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40066 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40076 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40079 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40082 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40082 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40083 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40083 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40086 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40086 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40087 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40089 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40089 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40091 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40091 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40095 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40095 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40096 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40096 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40099 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40099 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-40108 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-60030 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-60036 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-60039 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-60039 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-60042 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-60042 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9341-60053 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9342-00001 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9342-00001 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9342-00004 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9342-00005 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-00002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40004 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40004 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40015 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40022 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40022 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40025 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40027 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40027 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40027 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40028 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40029 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40029 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 9351-40045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40046 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40057 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40057 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40061 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40061 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40063 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40063 | MULTI-PORT | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40068 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40069 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40072 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40072 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40073 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-40073 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60055 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60055 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60062 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60062 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60072 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60072 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60072Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60072Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60073 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60073Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60078 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60079 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60079 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60081 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60081 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60082 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60083 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60083 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60084 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-60084 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9351-80042 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9352-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9551-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9551-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9741-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9921-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9921-40001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9921-40001Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| 9921-40001Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| AM-02-0112C07 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-02-0112C08 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-02-0129C13 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-02-0132C03 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-02-0132C04 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-02-0132C06 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0112C37 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0112C39 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0112C43 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0112C45 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0112C53 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0112C57 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0112C59 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0112C61 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0122C59 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0129C06 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0129C07 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0129C08 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0129C10 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0129C15 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0129C16 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0129C58 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0132C51 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0132C52 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0132C56 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0132C57 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0132C58 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0132C59 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0132C60 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0132C61 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0132C66 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0132C67 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0132C71 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0132C73 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0132C74 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0132C78 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0132C86 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0132C90 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0138C08 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0138C09 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0138C80 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0193C20 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0193C25 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0193C30 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-0193C35 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| AM-04-01-BLANK | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| B21AB21AD003.00 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| C/A SEMI-RIGID | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| C/A SEMI-RIGID | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| C/A SEMI-RIGID | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| C/A SEMI-RIGID | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| C/A SEMI-RIGID | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| CPG#1 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| CPG#2 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| DCBE20_10-26D | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| DCDD20_10-26D | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| DCDE20_10-26D | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| DISK | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FB292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FB292-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FQSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FQSMP-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FQSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FQSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FQSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FQSMP-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FRSMPM-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FRSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FRSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FRSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FSSMPM-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FSSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FSSMPM-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FSSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FSSMPS-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FSSMPS-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FSSMPS-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FV67.3NANO-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FV67.3NANO-590 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FV67.3NANO-590 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FV67.3NANO-590 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FV67.3SMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FV67.3SMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FV67.3SMPS-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-MS292-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-MS292-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-MV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-MV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-MV67.3NANO-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-P12DSMPM-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-P12DSMPM-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-P12DSMPM-033 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FB292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FB292-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FQSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FQSMP-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FQSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FQSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FQSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FQSMP-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FTSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FTSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FV67.3NANO-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FV67.3NANO-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FV67.3NANO-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FV67.3NANO-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FV67.3NANO-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FV67.3NANO-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FV67.3SMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FV67.3SMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-FV67.3SMPS-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-MBSMP-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-MS292-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FB292-085-MS292-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-MSLPSMA-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-MSLPSMA-035 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-MSLPSMA-035 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-MV67.3SMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-MV67.3SMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-P12DSMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-P12DSMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-P12DSMPM-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-P12DSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-P12DSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-P12DSMPM-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-S12DSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-S12DSMPM-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FQSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FQSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FQSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FQSMP-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FRSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FRSMP-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FSSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FSSMP-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-87LL-FTRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-87LL-FTRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-87LL-FTRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-87LL-FTRSMPM-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-87LL-MS292-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-87LL-MS292-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-87LL-MS292-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-87LL-MS292-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FB292-87LL-MV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FB292-87LL-MV67.3SMPM-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FBSMA-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FBSMA-055 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FQSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FQSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FQSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FQSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FQSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FQSMP-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FRSMP-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FBSMA-047-FRSMPM-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FRSMPM-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FRSMPM-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FRSMPM-053 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FRSMPM-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FRSMPM-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FRSMPM-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FRSMPM-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FRSMPM-063 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FRSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FRSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FRSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FRSMPM-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FSSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FSSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FSSMPM-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FTRSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FTRSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FTRSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FTRSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FTRSMPM-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FTSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FTSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FTSMPM-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-079 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-119 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-119 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-119 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-119 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-158 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-158 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-158 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3NANO-158 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3SMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3SMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3SMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3SMPM-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3SMPS-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3SMPS-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3SMPS-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3SMPS-095 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MRSMA-076 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MRSMA-076 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MRSMA-076 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MRSMA-076 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MRSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MRSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MRSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MRSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MRSMA-270 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MRSMA-270 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MRSMA-270 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MRSMA-270 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3NANO-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3NANO-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3NANO-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3NANO-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3SMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3SMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3SMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3SMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3SMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3SMPM-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3SMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3SMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3SMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3SMPS-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3SMPS-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3SMPS-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3SMPS-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3SMPS-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FBSMA-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-P16DSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-P16DSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-P16DSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-P16DSMPS-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-P16DSMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-P16DSMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-P16DSMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-P16DSMPS-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-S16DSMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-S16DSMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-S16DSMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-S16DSMPS-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FBSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FBSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FBSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FBSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FBSMA-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMP-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMP-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMP-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMP-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMP-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMP-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMPM-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FQSMP-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FRSMP-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FRSMP-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FRSMP-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FRSMP-035 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FRSMP-035 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FRSMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FRSMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FRSMPM-065 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FRSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FRSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FRSMPM-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FRSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FRSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FRSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FRSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTRSMPM-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTRSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTRSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTRSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTRSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTRSMPM-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTSMPM-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MBSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MBSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MBSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MBSMP-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MBSMP-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FBSMA-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSSMA-064 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSSMA-064 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSSMA-064 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSSMA-064 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSSMA-260 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MSSMA-260 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-P12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-P12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-P12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-P12DSMPM-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-P12DSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-P12DSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-P12DSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-P12DSMPM-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-P12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-P12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-P12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-P12DSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-P12DSMPM-270 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-P12DSMPM-270 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-P12DSMPM-270 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-P12DSMPM-270 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-S12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-S12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-S12DSMPM-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-S12DSMPM-270 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-S12DSMPM-270 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-S12DSMPM-270 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-S12DSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-S12DSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-S12DSMPM-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FQSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FQSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FQSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FQSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FQSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FQSMP-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FRSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FRSMP-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FSSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FSSMP-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FBSMA-087LL-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FQSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FQSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FQSMP-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FRSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FRSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FRSMPM-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FSSMP-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FSSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FSSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FSSMP-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FSSMPM-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FSSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FSSMPM-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FTSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FTSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FTSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FV67.3SMPM-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FV67.3SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FV67.3SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FV67.3SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FV67.3SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FV67.3SMPM-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FV67.3SMPM-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FV67.3SMPM-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FV67.3SMPM-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FV67.3SMPM-095 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FV67.3SMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FV67.3SMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FV67.3SMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FV67.3SMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-FV67.3SMPM-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MRSMA-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MRSMA-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MRSMA-990 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MRSMA-990 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-190 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-190 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-220 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-220 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-780 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-780 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-780 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-780 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-781 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-781 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-781 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-781 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-782 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FBSMA-87LL-MSSMA-782 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-782 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-MSSMA-782 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-P12DSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-P12DSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-P12DSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-P12DSMPM-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-S12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-S12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FBSMA-87LL-S12DSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FM-EVALKIT | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FMMKV-EVALKIT | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FMMKV-EVALKIT | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FQSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FQSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FQSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FQSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FQSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FRSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FRSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FRSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FSSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FSSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-MSSMA-750 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-MSSMA-750 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-MSSMA-750 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FBSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FBSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FBSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FQSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FQSMP-250 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FQSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FQSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FQSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FSSMP-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FSSMP-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FSSMP-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FSSMP-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FQSMP-085-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-170 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MS292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSSMA-240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSSMA-240 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSSMA-240 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FQSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FQSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FQSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FQSMP-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-87LL-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-87LL-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-87LL-MSSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-87LL-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-87LL-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMP-87LL-MSSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FQSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FQSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FRSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FRSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FRSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FSSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FSSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MS292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MS292-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-S16DSMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-S16DSMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-S16DSMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-S16DSMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-S16DSMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-S16DSMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-S16DSMPS-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-S16DSMPS-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-S16DSMPS-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-S16DSMPS-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-S16DSMPS-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-S16DSMPS-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FQSMPM-085-FB292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FB292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FQSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FQSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MS185-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MS185-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MS24-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MS24-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MS292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MS292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MSSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FQSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-FV675MPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FQSMPM-087LL-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-FQSMPM-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-FQSMPM-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MRSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MRSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MRSMA-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MS292-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MS292-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSLPSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSLPSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSLPSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSLPSMA-165 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSLPSMA-165 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSLPSMA-165 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSSMA-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSSMA-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSSMA-170 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSSMA-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSSMA-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSSMA-190 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-MSSMA-260 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-S12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-S12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-S12DSMPM-270 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-S12DSMPM-270 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-S12DSMPM-330 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FQSMPM-87LL-S12DSMPM-330 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-030 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-050 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-052 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-052 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-120 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-180 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-030 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-070 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-100 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMP-047-FBSMA-180 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-035 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-044 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-044 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-044 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-050 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-052 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-063 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-065 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-070 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-077 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-077 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-077 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-130 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-180 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-220 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-300 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-360 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMPM-180 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMPM-200 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FS24-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FS292-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-025 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-025 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-025 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-025 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-030 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMP-047-FSSMP-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-035 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-038 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-040 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-043 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-050 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-065 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-090 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-160 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-240 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMPM-040 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMPM-050 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMPS-080 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MRSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MRSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MRSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MRSMA-140 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MRSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MS24-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MS24-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MS24-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MS24-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MS24-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MS292-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MS292-120 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MS292-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MS292-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MS292-150 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MS292-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMP-047-MSSMA-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-035 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-035 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-039 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-039 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-041 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-041 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-041 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-041 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-041 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-300 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-300 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-600 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-990 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-990 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3NANO-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3NANO-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3NANO-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3NANO-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3NANO-035 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3NANO-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3NANO-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3NANO-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3NANO-066 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-033 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-034 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-034 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-034 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-034 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-042 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-042 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-042 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-042 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-044 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-044 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-044 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-044 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-055 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-059 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-059 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-059 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-059 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMP-047-MV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-070 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-071 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-071 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-071 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-071 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-080 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-090 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPS-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPS-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPS-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPS-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPS-040 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPS-059 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPS-059 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPS-059 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPS-059 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPS-059 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPS-102 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPS-102 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPS-102 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPS-102 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPS-102 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FB292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FB292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FB292-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FB292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FB292-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FB292-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FB292-080 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FB292-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FB292-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-037 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-037 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-037 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-037 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-037 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-150 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-155 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-155 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-155 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-155 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-155 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-360 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-032 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-032 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-032 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMP-085-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-083 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-083 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-083 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-187 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-187 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-187 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-220 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-240 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-280 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-800 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FS24-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FS292-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-080 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-085 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-100 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-110 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-130 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-135 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-160 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-240 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-030 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-035 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-036 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMP-085-MBSMP-036 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-036 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-036 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-036 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-037 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-037 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-037 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-037 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-037 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-040 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-045 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-046 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-046 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-046 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-046 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-046 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-050 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-063 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-063 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-088 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-088 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-100 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-107 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-107 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-107 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-107 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-107 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-113 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-113 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-113 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-113 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-113 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-130 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-240 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-260 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-260 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-270 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-270 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-270 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-270 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-270 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-290 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-290 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-290 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-290 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-290 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-360 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMP-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS24-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-030 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-040 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-062 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-062 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-062 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-062 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-070 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-080 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-090 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-130 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-180 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-360 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSLPSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSLPSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSLPSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSLPSMA-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSLPSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-048 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-048 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-056 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-056 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-056 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-056 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-056 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMP-085-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-188 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-188 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-188 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-188 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-188 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-250 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-250 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-250 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-250 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-250 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-300 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-300 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-310 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-310 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-310 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-310 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-310 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-600 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MV67.3SMPM-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MV67.3SMPM-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MV67.3SMPM-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MV67.3SMPM-105 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-S12DSMPM-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-S12DSMPM-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-S12DSMPM-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-S12DSMPM-039 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-S12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-S12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-S12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-S12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMP-087LL-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-FBSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-FBSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-FRSMP-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-FRSMP-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-FRSMP-085 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-FRSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-FRSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-FRSMP-160 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MBSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MBSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MBSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MBSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMP-87LL-MBSMP-030 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MS292-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MS292-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MS292-090 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MS292-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMP-87LL-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-033 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-049 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-049 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-049 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-051 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-051 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-051 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-075 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-144 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-144 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-144 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-019 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-019 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-019 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-019 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-019 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-048 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-053 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-055 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-075 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-079 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-085 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMPM-047-FBSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-125 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-055 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-088 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-170 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-180 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-018 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-018 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-019 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-019 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-021 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-021 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-024 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-024 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-025 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-025 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-031 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-031 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-032 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-032 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-034 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-034 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-036 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-036 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-046 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-046 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-049 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-049 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-054 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-054 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-057 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-057 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMPM-047-FRSMPM-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-069 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-069 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-072 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-072 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-074 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-074 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-086 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-086 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-155 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-155 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-093 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-093 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-093 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMPM-047-FSSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-013 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-013 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-013 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-020 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-020 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-020 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-023 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-023 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-023 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-025 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-025 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-025 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-026 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-026 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-026 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-036 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-036 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-036 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-042 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-042 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-042 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-044 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-044 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-044 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-046 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-046 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-046 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-047 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-047 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-047 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-049 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-049 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-049 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-054 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-054 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-054 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-057 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-057 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-057 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-058 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-058 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-058 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-061 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-061 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-061 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-064 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-064 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-064 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-067 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-067 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-067 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-069 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-069 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-069 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-072 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-072 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMPM-047-FSSMPM-072 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-074 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-074 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-074 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-076 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-076 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-076 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-083 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-083 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-083 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-087 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-087 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-087 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-089 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-089 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-089 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-091 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-091 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-091 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-098 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-098 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-098 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-109 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-109 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-109 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-173 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-173 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-173 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPS-030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPS-030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMPS-030 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FV67.3NANO-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FV67.3NANO-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FV67.3NANO-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FV67.3NANO-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-042 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-042 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-042 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-042 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-052 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMPM-047-MRSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS185-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS185-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS185-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS185-227 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS185-227 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS185-227 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS185-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS185-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS185-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-032 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-032 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-032 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-038 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-045 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-055 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-065 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-075 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-085 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-095 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-105 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-115 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-125 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-155 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-155 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-155 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-315 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-315 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-315 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMPM-047-MS292-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-157 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-157 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-420 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-420 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-031 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-031 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-031 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-031 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-032 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-032 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-032 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-032 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-035 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-036 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-036 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-036 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-036 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-045 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-053 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-055 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-079 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-115 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-118 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-118 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-118 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-118 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-135 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-145 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-145 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-145 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-145 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMPM-047-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-210 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-250 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-250 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-250 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-250 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-300 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-302 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-302 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-302 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-302 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-990 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-041 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-041 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-041 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-041 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-042 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-042 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-042 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-042 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-042 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-051 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-051 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-051 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-051 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-355 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-355 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-355 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3NANO-355 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMPM-047-MV67.3SMPM-020 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-020 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-020 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-026 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-026 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-026 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-028 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-028 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-028 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-034 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-034 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-034 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-036 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-036 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-036 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-037 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-037 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-037 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-042 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-042 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-042 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-047 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-047 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-047 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-049 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-049 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-049 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-051 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-051 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-051 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-054 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-054 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-054 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-056 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-056 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-056 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-058 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-058 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-058 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-059 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-059 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-059 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-061 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-061 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-061 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-064 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-064 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-064 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-067 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-067 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-067 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-069 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-069 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-069 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-071 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-071 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-071 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMPM-047-MV67.3SMPM-076 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-076 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-076 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-077 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-077 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-077 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-044 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-044 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-044 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-044 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-051 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-051 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-051 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-051 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-056 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-056 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-056 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-056 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-057 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-057 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-057 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-057 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-058 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-058 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-058 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-058 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-059 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-059 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-059 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-059 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-062 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-062 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-062 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-062 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMPM-047-MV67.3SMPS-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-071 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-071 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-071 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-071 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-078 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-078 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-078 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-078 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-098 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-098 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-098 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-098 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-P12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-P12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-P12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-P12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-P12DSMPM-077 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-P12DSMPM-077 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-P12DSMPM-077 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-S12DSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-S12DSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-S12DSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-S12DSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-S16DSMPS-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-S16DSMPS-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-S16DSMPS-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-S16DSMPS-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-S16DSMPS-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-S16DSMPS-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-S16DSMPS-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-S16DSMPS-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FB292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FB292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FBSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FBSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FBSMA-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FBSMA-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FBSMA-085 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FBSMA-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FBSMA-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FBSMA-105 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FBSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMP-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMP-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMP-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMP-240 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMPM-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMPM-085-FRSMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMPM-131 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMPM-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMPM-162 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMPM-250 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMPM-350 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMPM-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMPM-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMP-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMP-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMP-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMP-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-054 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-054 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-058 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-058 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-069 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-069 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-072 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-072 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-078 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-078 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-103 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-103 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-430 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-430 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MBSMP-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MBSMP-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MBSMP-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MBSMP-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MBSMP-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MBSMP-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-044 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-044 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-044 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-046 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-046 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-046 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-062 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-062 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-062 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMPM-085-MRSMA-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-068 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-073 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-085 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-121 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-121 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-121 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-131 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-131 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-131 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-132 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-132 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-132 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-135 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-161 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-161 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-161 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-184 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-184 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-184 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-209 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-209 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-209 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-215 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-215 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-215 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-220 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS24-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS24-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS24-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS24-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS24-151 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS24-151 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-055 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-300 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-340 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-340 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSLPSMA-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSLPSMA-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSLPSMA-055 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSLPSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSLPSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSLPSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSLPSMA-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSLPSMA-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMPM-085-MSLPSMA-065 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSLPSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSLPSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSLPSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSLPSMA-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSLPSMA-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSLPSMA-085 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-045 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-048 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-062 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-062 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-062 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-079 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-155 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-155 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-155 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-170 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-236 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-236 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-236 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-036 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-036 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-041 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-041 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-044 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-044 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-047 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-047 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-049 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-049 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-056 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-056 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-064 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-064 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMPM-085-MV67.3SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPS-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPS-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPS-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPS-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPS-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPS-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-061 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-061 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-116 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-116 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-117 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-117 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-126 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-126 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-131 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-131 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-179 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-179 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-FRSMPM-139 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-FRSMPM-221 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-FSSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-FSSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-FV67.3SMPM-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-FV67.3SMPM-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-FV67.3SMPM-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-FV67.3SMPM-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-FV67.3SMPM-083 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-FV67.3SMPM-083 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-FV67.3SMPM-083 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-FV67.3SMPM-083 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-FV67SMPM-096 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-FV67SMPM-096 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-FV67SMPM-101 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMPM-87LL-FV67SMPM-101 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-FV67SMPM-127 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-FV67SMPM-127 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MBSMP-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MBSMP-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MBSMP-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MRSMA-136 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MRSMA-136 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MRSMA-136 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MRSMA-136 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MRSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MRSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MRSMA-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MS292-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MS292-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MSSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MSSMA-122 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MSSMA-122 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MSSMA-122 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MSSMA-137 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MSSMA-137 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MSSMA-137 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MSSMA-201 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MSSMA-201 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MSSMA-201 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPM-036 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPM-036 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPM-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPM-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPM-054 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPM-054 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPM-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPM-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPM-083 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPM-083 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPS-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPS-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPS-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPS-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPS-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPS-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPS-078 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPS-078 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-MV67.3SMPS-078 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-S12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPM-87LL-S12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FB292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FB292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FB292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FB292-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FB292-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FB292-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FB292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FB292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FB292-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMPS-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPM-165 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPM-165 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPM-165 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPM-165 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPS-032 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPS-032 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPS-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPS-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPS-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPS-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMP-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMP-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMP-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPM-067 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPM-067 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPM-067 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPM-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPM-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPM-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPS-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPS-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPS-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPS-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPS-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPS-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMPS-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MRSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MRSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MRSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MRSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS185-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS185-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS185-045 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS185-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS185-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS185-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS24-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS24-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS24-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS24-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS24-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS24-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS24-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS24-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS24-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS24-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS24-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS24-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS24-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS24-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS24-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS292-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS292-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS292-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS292-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS292-112 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS292-112 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS292-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS292-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS292-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS292-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3NANO-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3NANO-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3NANO-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3NANO-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3NANO-078 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3NANO-078 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3NANO-078 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3NANO-078 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3NANO-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3NANO-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3NANO-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3NANO-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3NANO-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3NANO-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FRSMPS-047-MV67.3NANO-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3NANO-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPM-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPM-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPM-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-086 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-086 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-086 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-086 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-S16DSMPS-230 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-S16DSMPS-230 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-S16DSMPS-230 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-S16DSMPS-230 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FRSMPS-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FS24-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FS24-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FS24-047-MS24-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FS24-047-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FS24-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FS24-047-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FS24-085-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FS24-085-MS24-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FS24-085-MS24-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FS24-085-MS24-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FS24-085-MS24-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FS24-085-MS24-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FS24-085-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FS24-085-MS292-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FS24-085-MS292-900 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FS24-085-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FS24-085-MSSMA-590 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FS24-085-MSSMA-590 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FS24-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FS24-085-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FS24-140-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FS292-047-FSSMA-640 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FS292-047-FSSMA-640 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FS292-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FS292-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FS292-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FS292-047-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FS292-085-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FS292-085-MS292-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FS292-085-MS292-1200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FS292-085-MS292-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FS292-085-MS292-900 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FS292-085-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FS292-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FS292-085-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-047-FSSMA-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-047-FSSMA-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-047-MSSMA-040 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-047-MSSMA-040 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-047-MSSMA-040 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-047-MSSMA-040 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-047-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-085-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FSSMA-085-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-085-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-085-MSSMA-380 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-085-MSSMA-380 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-085-MSSMA-380 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMA-085-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FB292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FB292-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FB292-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FB292-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FBSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FBSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FBSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FBSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FBSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FBSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FS292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FS292-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMP-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMP-216 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMP-245 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMP-285 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMP-394 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMP-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FV67.3SMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FV67.3SMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FV67.3SMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FV67.3SMPS-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FV67.3SMPS-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FV67.3SMPS-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MRSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MRSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MRSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MRSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MRSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MRSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MRSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MRSMA-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MRSMA-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MRSMA-065 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MS185-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MS185-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MS24-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MS24-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MS292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MS292-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MS292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MS292-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MS292-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MS292-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FSSMP-047-MSSMA-045 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-055 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-102 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-102 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-102 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-490 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-490 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-490 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MV67.3SMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MV67.3SMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MV67.3SMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FB292-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FB292-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FB292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FB292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FB292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FB292-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-052 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-085 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-095 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-460 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-460 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-460 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FRSMP-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FRSMP-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FRSMP-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FRSMP-065 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FS24-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FS24-590 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FSSMP-085-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-064 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-183 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-256 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-340 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-440 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-680 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MBSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MBSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MBSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MBSMP-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MBSMP-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MBSMP-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-072 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-072 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-072 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-075 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-077 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-077 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-077 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-220 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-305 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-305 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-305 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-350 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-350 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-350 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-405 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-405 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-405 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS24-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS24-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS24-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS24-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FSSMP-085-MS292-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-190 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-260 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-065 | RAPID RESPONSE | Insulator | No | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-065 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-072 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-072 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-072 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-075 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-098 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-098 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-098 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-102 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-102 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-102 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-115 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-125 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-170 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-188 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-188 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-188 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-280 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-296 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-296 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-296 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-300 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-340 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-340 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-340 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-390 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-390 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-390 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-450 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-450 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-450 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FSSMP-085-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-490 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-490 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-490 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-650 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-650 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-650 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-680 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-680 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-680 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-700 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-700 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-700 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-820 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-820 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-820 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-175 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-175 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-185 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-185 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-FSSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-FSSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-FSSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MRSMA-078 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MRSMA-078 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MRSMA-078 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MRSMA-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FSSMP-87LL-MRSMA-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MRSMA-135 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MRSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MRSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MRSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MS24-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MS24-095 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MS24-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MS24-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MS292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MS292-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MS292-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MS292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MS292-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MS292-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MSLPSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MSLPSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MSLPSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MSLPSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MSLPSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MSLPSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MSSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMP-87LL-MSSMA-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-059 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-059 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-145 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-145 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-033 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-038 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-043 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-045 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-046 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-046 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-046 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-048 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-052 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-135 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-320 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-320 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-320 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-032 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-032 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-032 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-032 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FSSMPM-047-FRSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-040 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-045 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-067 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-067 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-067 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-067 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-071 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-071 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-071 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-071 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-074 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-074 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-074 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-074 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-079 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-085 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-804 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-804 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-804 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-804 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-852 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-852 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-852 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-852 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-888 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-888 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-888 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-888 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-948 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-948 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-948 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-948 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMPM-041 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMPM-041 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMPM-041 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMPM-047 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMPM-047 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMPM-047 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMPM-061 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMPM-061 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMPM-061 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FS24-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FS292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FSSMPM-047-FSSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-394 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-394 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-037 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-049 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-051 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-054 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-059 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-077 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-078 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-089 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-098 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-104 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-126 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-136 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FV67.3NANO-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FV67.3NANO-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FV67.3NANO-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MRSMA-042 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MRSMA-042 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MRSMA-042 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MRSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MRSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MRSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MRSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MRSMA-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MRSMA-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MRSMA-079 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MRSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MRSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MRSMA-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MRSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS185-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS185-038 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS185-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS185-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-099 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-099 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-112 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-112 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-125 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FSSMPM-047-MS24-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS292-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS292-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS292-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS292-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS292-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS292-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS292-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS292-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS292-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS292-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS292-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS292-420 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS292-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS292-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-055 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-085 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-095 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-151 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-151 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-151 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-153 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-153 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-153 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-159 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-159 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-159 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-230 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-230 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-230 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-250 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-250 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-250 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-280 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-300 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-390 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-390 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-390 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-515 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-515 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-515 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FSSMPM-047-MSSMA-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-780 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-780 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-780 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-790 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-790 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-790 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-990 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3NANO-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3NANO-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3NANO-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3NANO-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3NANO-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3NANO-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3SMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3SMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3SMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3SMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3SMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3SMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3SMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3SMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3SMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3SMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3SMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-S16DSMPS-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-S16DSMPS-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-S16DSMPS-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047SF-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047SF-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047SF-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047SF-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047SF-FSSMPM-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047SF-FSSMPM-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047SF-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047SF-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047SF-FSSMPM-340 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047SF-FSSMPM-340 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047SF-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-047SF-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FB292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FB292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FB292-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FB292-065 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FB292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FB292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FB292-145 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FB292-145 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-105 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-145 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-145 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-145 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-170 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-270 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-270 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-270 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-300 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FSSMPM-085-FRSMP-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-070 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-110 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-150 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-XXX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-XXX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-XXX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FRSMP-XXX | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FS24-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FS24-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FS24-XXX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FS292-XXX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMA-XXX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMA-XXX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-103 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-153 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-500 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-XXX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FSSMP-XXX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FV67.3SMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FV67.3SMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FV67.3SMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FV67.3SMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FSSMPM-085-MBSMP-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MBSMP-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MBSMP-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MBSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MBSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MBSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MBSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MBSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MBSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MRSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MRSMA-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MRSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MRSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MRSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MRSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MRSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MRSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MRSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MRSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MRSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MRSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MRSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MRSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS185-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS185-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS185-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS185-990 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS24-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS24-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS24-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS24-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS24-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS24-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS24-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS24-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS24-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS24-800 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS24-XXX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS24-XXX | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS292-060-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS292-060-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS292-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS292-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS292-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS292-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS292-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS292-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS292-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS292-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS292-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS292-335 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS292-335 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS292-XXX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MS292-XXX | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSLPSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSLPSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSLPSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-024 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-024 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-024 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-045 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-075 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-081 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-081 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-081 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FSSMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-125 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-131 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-131 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-131 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-135 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-170 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-210 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-236 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-236 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-236 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-280 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-374 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-374 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-374 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-680 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-680 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-680 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-960 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-960 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-960 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-990 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-XXX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-XXX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MSSMA-XXX | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-S12DSMPM-195 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-S12DSMPM-195 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-FV675MPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-FV675MPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FSSMPM-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-FSSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-FV67.3SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-FV67.3SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-FV67.3SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-FV67.3SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MS292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MS292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MS292-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MS292-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MS292-180-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MS292-180-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MS292-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MS292-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPM-87LL-MSSMA-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FB292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FB292-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FB292-059 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FB292-059 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FB292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FB292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FB292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FB292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FB292-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FB292-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FB292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FB292-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FB292-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FB292-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FBSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FBSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FBSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FBSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FBSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FSSMPS-047-FRSMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPM-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPM-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPM-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPM-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPM-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPM-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FS24-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FS24-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FS24-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FS292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FS292-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FS292-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-010 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-010 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-010 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-40 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-40 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-40 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPM-032 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPM-032 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPS-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPS-250 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPS-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPS-540 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPS-560 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPS-640 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MRSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MRSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MRSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MRSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FSSMPS-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS185-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS185-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS185-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS185-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS185-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS185-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS185-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS185-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS185-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS185-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS185-112 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS185-112 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS185-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS185-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS185-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS185-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS24-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS24-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS24-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS24-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS24-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS24-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS24-083 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS24-083 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS24-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS24-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS24-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS24-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS292-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS292-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS292-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS292-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS292-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS292-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS292-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS292-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS292-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS292-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS292-310 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS292-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS292-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-320 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-320 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-320 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-990 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MV67.3NANO-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MV67.3NANO-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MV67.3NANO-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MV67.3NANO-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MV67.3NANO-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MV67.3NANO-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MV67.3NANO-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MV67.3NANO-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FSSMPS-047-MV67.3NANO-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MV67.3NANO-037 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MV67.3NANO-037 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MV67.3NANO-037 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MV67.3SMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MV67.3SMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MV67.3SMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FSSMPS-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FTRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FTRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FTRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-220 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FTRSMPM-047-MV67.3NANO-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3NANO-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3NANO-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3NANO-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3NANO-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3NANO-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3NANO-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3NANO-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3NANO-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3NANO-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3NANO-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3NANO-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3NANO-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3NANO-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3NANO-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3NANO-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3NANO-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3NANO-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTRSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTRSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTRSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTRSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTRSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTRSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTRSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTRSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTRSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MRSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MRSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MRSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MRSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MRSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MRSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FTRSMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-FTRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FTRSMPM-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTRSMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-FSSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-FSSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-FTSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-FTSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-FTSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-FTSMPM-460 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-FV67.3NANO-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-FV67.3NANO-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-FV67.3NANO-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MS292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MS292-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MSSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MSSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MSSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MSSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MSSMA-300 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MV67.3NANO-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MV67.3NANO-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MV67.3NANO-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MV67.3NANO-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MV67.3NANO-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MV67.3NANO-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FB292-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FB292-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FQSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FQSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTRSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTRSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTRSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTRSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTRSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTRSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTRSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTRSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTRSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTRSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTRSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTRSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FTSMPM-085-FTRSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTRSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTRSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTRSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTRSMPM-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTRSMPM-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTRSMPM-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTRSMPM-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTSMPM-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MRSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MRSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MRSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MRSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MRSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MRSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS24-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS24-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS292-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS292-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS292-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS292-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS292-098 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS292-098 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS292-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS292-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS292-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS292-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS292-315 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS292-315 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS292-320 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS292-320 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS292-520 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS292-520 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-069 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-069 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-069 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-074 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-074 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-074 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-094 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-094 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-094 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-P12DSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-P12DSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-P12DSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-S12DSMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-S12DSMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-085-S12DSMPM-083 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FTSMPM-08S-S12DSMPM-083 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-08S-S12DSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-08S-S12DSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-08S-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-08S-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-FTSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-87LL-FQSMPM-790 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-87LL-FQSMPM-790 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-87LL-FTSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-87LL-FTSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-87LL-FTSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-87LL-MS24-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-87LL-MS24-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-87LL-MS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FTSMPM-87LL-MS292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FV67.3NANO-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FV67.3NANO-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FV67.3NANO-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FV67.3NANO-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FV67.3NANO-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FV67.3NANO-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FV67.3NANO-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FV67.3NANO-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FV67.3NANO-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FV67.3NANO-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FV67.3NANO-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FV67.3NANO-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FV67.3NANO-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-FV67.3NANO-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-220 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-260 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-047-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-085-MSSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-085-MSSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-085-MSSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-085-MSSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FV67.3NANO-085-MSSMA-220 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-085-MSSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-085-MSSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-085-MSSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3NANO-085-MSSMA-260 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FB292-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FB292-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FB292-075 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FBSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FBSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FBSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FBSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FBSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FBSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FBSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FBSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMP-160 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMP-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMP-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMP-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMP-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMP-360 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMPS-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMPS-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMPS-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FRSMPS-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FSSMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-040 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-060 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-120 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FV67.3SMPM-047-FV67.3NANO-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-155 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-155 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-155 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3NANO-155 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-067 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-067 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-067 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-067 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-075 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-190 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-234 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-234 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-234 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-234 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FV67.3SMPM-047-MRSMA-238 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-238 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-238 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-238 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-255 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-255 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-255 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-255 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-278 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-278 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-278 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-278 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-294 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-294 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-294 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-294 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-315 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-315 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-315 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-315 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MS24-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MS24-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MS24-135 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MS292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MS292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-020 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-020 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-020 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-020 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-075 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-085 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-170 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-190 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FV67.3SMPM-047-MSSMA-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-210 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-220 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-230 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-230 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-230 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-230 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-260 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-280 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-300 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-320 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-320 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-320 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-320 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-340 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-340 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-340 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-340 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-380 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-380 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-380 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-380 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P16DSMPS-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P16DSMPS-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P16DSMPS-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P16DSMPS-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P16DSMPS-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P16DSMPS-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P16DSMPS-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P16DSMPS-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P16DSMPS-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P16DSMPS-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P16DSMPS-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P16DSMPS-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P16DSMPS-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P16DSMPS-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P16DSMPS-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P16DSMPS-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P1SMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P1SMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P1SMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-P1SMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S12DSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S12DSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S12DSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S12DSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S12DSMPM-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S12DSMPM-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S12DSMPM-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S12DSMPM-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S12DSMPM-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S12DSMPM-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S12DSMPM-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S12DSMPM-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FV67.3SMPM-047-S16DSMPS-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-145 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-145 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-145 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-145 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-165 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-165 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-165 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-165 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-175 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-175 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-175 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-175 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-095 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-135 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FV67.3SMPM-085-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-140 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-175 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-175 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-175 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-175 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-175 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-175 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-180 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-195 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-195 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-195 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-195 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-195 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-195 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-200 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-090 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-120 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMP-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FSSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FV67.3SMPM-085-FV67.3SMPM-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-076 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-076 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-076 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-076 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-076 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-081 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-081 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-081 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-081 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-081 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-088 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-091 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-091 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-091 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-091 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-091 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-112 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-112 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-112 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-112 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-112 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-119 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-119 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-119 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-119 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-119 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MS24-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FV67.3SMPM-085-MS24-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MS24-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MS24-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MS292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MS292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MS292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MS292-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MS292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MS292-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MS292-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MS292-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MS292-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSLPSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSLPSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSLPSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSLPSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSLPSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSLPSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSLPSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSLPSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSLPSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSLPSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSLPSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSLPSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSLPSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSLPSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSLPSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-063 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-068 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-073 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-115 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-190 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-195 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-195 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-195 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-195 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-195 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FV67.3SMPM-085-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-210 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-220 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-260 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-280 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-320 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-320 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-320 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-320 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-320 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-520 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-520 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-520 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-520 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-520 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-540 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-540 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-540 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-540 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-540 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-800 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-P12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-P12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-P12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-P12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-P12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-P12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-P12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-P12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-P12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-P12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-P12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-P12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FV67.3SMPM-085-S12DSMPM-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-145 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-145 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-145 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-145 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-215 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-215 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-215 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-215 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-250 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-250 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-250 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-250 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087L-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087L-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087L-FV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087L-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087L-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087L-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087L-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-FV67SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-FV67SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-FV67SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-FV67SMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-FV67SMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-FV67SMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FV67.3SMPM-087LL-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MSSMA-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-S12DSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-S12DSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-S12DSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-S12DSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087L-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087L-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087L-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087L-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087L-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087L-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087L-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-087L-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FBSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FBSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FBSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FBSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FBSMA-095 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FBSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FBSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FBSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FBSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FBSMA-300 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPS-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPS-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPS-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPS-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPS-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-FV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MS292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MS292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MS292-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MS292-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MS292-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MS292-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MS292-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MS292-033 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MSSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPM-87LL-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FBSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FBSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FBSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FBSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FBSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FBSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FBSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FBSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FBSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FBSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FV67.3SMPS-047-FV67.3SMPS-099 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FV67.3SMPS-099 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FV67.3SMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FV67.3SMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FV67.3SMPS-118 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FV67.3SMPS-118 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-FBSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-FBSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-FBSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-FBSMA-095 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-FV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-FV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-FV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-FV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-FV67.3SMPS-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-FV67.3SMPS-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MSSMA-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MSSMA-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MSSMA-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MSSMA-800 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-P12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-P12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-P12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-P12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-S12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-S12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-S12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-S12DSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-S12DSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-S12DSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-S12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-S12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-S12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087L-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087L-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FV67.3SMPS-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087L-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087L-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087L-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087L-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087L-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-087L-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-87LL-FBSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-87LL-FBSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-87LL-FBSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-87LL-FBSMA-095 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-87LL-FV67.3SMPS-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-87LL-FV67.3SMPS-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-87LL-FV67.3SMPS-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-87LL-FV67.3SMPS-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-87LL-MS292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-87LL-MS292-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67.3SMPS-87LL-MS292-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-033 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-045 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-063 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-065 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-075 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-040 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-050 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-057 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-057 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-057 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-057 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-065 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-019 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-019 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-019 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-022 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-022 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-022 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-024 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-024 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-024 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-028 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-028 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-028 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FV67SMPM-047-FRSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-031 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-031 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-031 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-062 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-062 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-062 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-067 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-067 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-067 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-069 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-069 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-069 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-074 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-074 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-074 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-086 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-086 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-086 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPS-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPS-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPS-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPS-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPS-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPS-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPS-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPS-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPS-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPS-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPS-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMPS-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMP-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMP-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMP-041 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMP-041 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMP-064 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMP-064 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMP-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMP-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMP-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMP-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMPM-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMPM-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMPM-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMPM-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMPS-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMPS-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FTSMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FTSMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FV67SMPM-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-FV67SMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-035 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-045 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-048 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-052 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-053 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-065 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-154 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-154 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-154 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MS24-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MS24-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MS292-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MS292-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-035 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-045 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-055 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-065 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-085 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-095 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-105 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-185 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-185 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-185 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-215 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FV67SMPM-047-MSSMA-215 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-215 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-235 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-235 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MSSMA-235 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FB292-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FB292-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FRSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FRSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FRSMPM-071 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FRSMPM-071 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FSSMP-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FSSMP-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FV67SMPM-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-065 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-075 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-FV67SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FV67SMPM-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MRSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MRSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MRSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MRSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MRSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MRSMA-075 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MRSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MSSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-FB292-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-FB292-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MRSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MRSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MRSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MRSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MRSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MRSMA-075 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MRSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-037 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-037 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-037 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-045 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-053 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-072 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-072 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-072 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-077 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-077 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-077 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FV67SMPM-87LL-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMP-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMP-040 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMP-080 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMP-090 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FVSMPM-047-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPS-086 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPS-086 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMPS-086 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FRSMP-XXX | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FSSMP-025 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FSSMP-025 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FSSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FSSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FSSMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FSSMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FSSMPS-086 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FSSMPS-086 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FSSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FSSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FSSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FSSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-MS24-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-MS24-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-MS292-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-MS292-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-MS292-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-MSSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-047-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FRSMPM-010 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FRSMPM-010 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FRSMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FRSMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FRSMPM-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FRSMPM-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FRSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FRSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FRSMPM-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FRSMPM-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FRSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FRSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FRSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FSSMP-025 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FSSMP-025 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-FSSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MS24-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MS24-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MS292-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MS292-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MS292-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MS292-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MSSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MSSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| FVSMPM-085-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MSSMA-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MSSMA-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FVSMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| FX4459-1 | Other | Insulator | No | SILICON-ALUMINIUM ALLOY | | | | 10,000 ppm to <150,000 ppm (15%) |
| FX4593B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FX4724M | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| FX4724N | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| H12C | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H12C-3519-7970 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H12C-3519-7970 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H12E | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H12E-0001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H12E-0001 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| H12M-9500-7949 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H12M-9500-7949 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| H12P | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H12P-4820-6927 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H12P-4820-6927 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H12P-4820-6927 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H12S | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H12S-0001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H12S-0001 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| H14C | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H14C-2882-5456 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H14C-2882-5456 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H14C-2882-5456 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| H14C-7458-9900 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H14C-7458-9900 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H14C-7458-9900 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| H14E | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H14P | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H14P-1450-3254 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H14P-1450-3254 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H14P-1450-3254 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| H14P-1784-7344 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H14P-1784-7344 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H14P-9225-6300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H14P-9225-6300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H14P-9225-6300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H14S | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H18C | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H18C-2323-4552 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H18C-2323-4552 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| H18C-3283-1608 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H18C-3283-1608 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H18C-3283-1608 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| H18C-6911-7462 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H18C-6911-7462 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| H18C-9876-1923 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H18C-9876-1923 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| H18E | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H18P | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H18P-4846-2537 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| H18P-4846-2537 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| H18S | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| INS TOOL | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| INSULATOR | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/01-A5N01 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/01-A5N02 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/02-A5N01 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/02-A5N02 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/11-E5N01 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/12-E5N01 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/12-E5N02 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/40-A3N01 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/40-A3N01 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/40-A3N02 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/40-A3N03 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/40-A3N03 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/41-A3N01 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/41-A3N01 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/41-A3N01 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/41-A3N01 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M31031/41-A3N02 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/41-A3N02 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M31031/41-A3N03 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/41-A3N03 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/41-A3N03 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/41-A3N03 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M31031/42-E3N01 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/43-E3N01 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/43-E3N01 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M31031/44-E3N01 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M31031/44-E3N01 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/17-0013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/17-0014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/17-0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/17-0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/19-0013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/19-0013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/19-0014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/19-0014 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/25-0011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/25-0012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/25-0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/25-0020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/25-0021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/25-0021A | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/25-0111 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/25-0116 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/25-0120 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/25-3024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/25-3025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/25-3124 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| M39012/26-0010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0011A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0011A | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0101 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0101 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0102 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0117 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0117 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0117 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0225 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0225 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0225 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26-0225 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26B0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26B0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26B0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26B0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26B0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26B0006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26B0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26B0015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26B0016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26B0016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26B0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/26B0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/27-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/27-0018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/27-0018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/27-0018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/27-0018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/27-0101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/27-0101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/27-0101 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/27-0104 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/27-0104 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/27-0104 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/27-0117 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/27-0117 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0101 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0101 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0102 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0103 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28-0103 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28B0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28B0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28B0020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28B0020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/28B0020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/29-0010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/29-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/29-0018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/29-0018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/29-0018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/29-0022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/29-0022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/29-0022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/29-0022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/29-0101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| M39012/30-0012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0016 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0016 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0016 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0016 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0101 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0101 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0102 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0117 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0117 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0117 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0117 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0118 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0118 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0118 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0118 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0118 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0225 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0225 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0225 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0225 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0225 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0503 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0503 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30-0503 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30B0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30B0005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30B0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30B0005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30B0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30B0006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30B0006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30B0006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30B0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30B0015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30B0015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30B0015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30B0016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30B0016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30B0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/30B0016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/31-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/32-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/33-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/33-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/33-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/33-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/34-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/34-0001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/34-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3106 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3107 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3107 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3109 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3109 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3125 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3125 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3125 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3126 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3126 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3126M | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3126M | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3128 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3128 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3129 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-3129 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-4029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55-4029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3014 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| M39012/55B3015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3112 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3112 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3112A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3112A | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3113 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3114 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3114 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3115 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3115 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3116 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3116 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3119 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/55B3119 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3106 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3107 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3107 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3109 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3109 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3125 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3125 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3126 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3126 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3126M | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3126M | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3128 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3128 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3129 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3129 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3130 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56-3130 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3014 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3112 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3112 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3115 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3115 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3116 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3116 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3119 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3119 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3122 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/56B3122 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/57-3006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/57-3006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/57-3006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/57-3007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/57-3009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| M39012/57-3025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/57-3025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/57-3026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/57-3027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/57-3028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/57B3012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/57B3014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/57B3015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/57B3022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/58-3006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/58-3006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/58-3006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/58-3007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/58-3007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/58-3026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/58-3028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/58-3029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/58B3018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/58B3018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59-3006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59-3006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59-3006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59-3007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59-3007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59-3009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59-3009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59-3009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59-3025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59-3025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59-3025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59-3026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59-3026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59-3027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59-3027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59-3028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59-3028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59-3029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59-3029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59-3030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59-3030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59B3012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59B3012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59B3013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59B3017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59B3019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59B3019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59B3019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59B3022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59B3022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/59B3022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/60-3001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/60-3002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/61-3001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/61-3001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/61-3002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/61-3002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/62-3001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/62-3001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/62-3002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/62-3002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/67-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/67-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/67-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/67-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/67B0009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/67B0009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/68-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/69-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/69-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/69B0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/69B0009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/70-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/70-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/71-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/71-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/73-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/73-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/73-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/73-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/73B0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/73B0008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/73B0009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/73B0009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/74-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/74-0004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/77-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/77-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79-3007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79-3007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79-3008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79-3008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79-3011 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79-3011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79-3012 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79-3012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79-3107 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79-3107 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79-3108 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79-3108 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79B3001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79B3001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79B3001U | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79B3001U | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79B3002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79B3002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79B3003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79B3003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79B3004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79B3004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79B3101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79B3101 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| M39012/79B3102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79B3102 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79B3103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79B3103 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79B3104 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/79B3104 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3011 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3012 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3105 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3105 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3106 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3107 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3107 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3108 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80-3108 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80B3001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80B3001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80B3002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80B3002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80B3003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80B3003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80B3004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80B3004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80B3101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80B3101 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80B3102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/80B3102 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/81-3005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/81-3006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/81-3007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/81-3008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/81-3011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/81B3001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/81B3002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/81B3003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/81B3004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/82-3005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/82-3007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/82-3008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/82B3001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/82B3002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/82B3004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/83-3005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/83-3005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/83-3006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/83-3006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/83-3007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/83-3007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/83-3008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/83-3008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/83-3011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/83B3001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/83B3001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/83B3002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/83B3002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/83B3003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/83B3003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/83B3004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/83B3004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/92B3001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/92B3101 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39012/95-0001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/95-0002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39012/95-0003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/20-01 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/20-02N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/20-03N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/20-04N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/21-03N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/21-04N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/21-04S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-01N | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-01N | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-01S | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-01S | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-02N | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-02N | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-02S | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-02S | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-03N | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-03N | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-03S | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-03S | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-04N | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-04N | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-04S | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-04S | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-05N | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-05S | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-06N | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-06S | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-07N | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-07S | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-08N | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-09N | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-09N | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-09S | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-09S | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| M39030/3-10S | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-10S | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-11N | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-11N | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-11S | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-11S | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-12N | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-12N | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-12S | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-12S | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-13N | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-13N | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-13S | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-13S | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-15N | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-15N | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-15S | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/3-15S | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/5-01N | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/5-01N | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/5-03N | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/5-03N | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/5-04N | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/5-04N | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/5-04S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/5-04S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/5-05 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/5-05 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/5-05N | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/5-05N | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/5-05S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/5-05S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/5-06N | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/5-06N | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/5-06S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/5-06S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/5-07 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/5-07N | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/5-07S | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/7-05 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/7-05 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/7-05N | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M39030/7-05N | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M39030/7-06N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-01N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-01N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-01N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-01S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-01S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-01S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-02N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-02N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-02N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-02S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-02S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-02S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-03N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-03N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-03N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-03S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-03S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-03S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-04N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-04N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-04N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-04S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-04S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-04S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-05N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-05N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-05N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-05S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-05S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-05S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-06N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-06N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-06N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-06S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-06S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-06S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-07N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-07N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-07N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-07S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-07S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-07S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-08N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-08N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-08N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-08S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-08S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-08S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-09N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-09N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-09N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-09S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-09S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-09S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-10N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-10N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-10N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-10S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-10S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-10S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-11N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-11N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-11N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-11S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-11S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-11S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-12N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| M3933/14-12N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-12N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-18N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-18N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-18N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-19N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-19N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-19N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-19S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-19S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-19S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-20N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-20N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-20N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-21N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-21N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-21N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-21S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-21S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-21S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-22N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-22N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-22N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-23N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-23N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-23N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-XX | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-XX | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-XX | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-XXN | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-XXN | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-XXN | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-XXS | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-XXS | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/14-XXS | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-01N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-01N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-01N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-01S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-01S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-01S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-02N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-02N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-02N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-02S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-02S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-02S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-03N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-03N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-03N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-03S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-03S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-03S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-04N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-04N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-04N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-04S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-04S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-04S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-05N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-05N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-05N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-05S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-05S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-05S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-06N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-06N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-06N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-06S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-06S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-06S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-07N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-07N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-07N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-07S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-07S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-07S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-08N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-08N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-08N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-08S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-08S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-08S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-09N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-09N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-09N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-09S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-09S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-09S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-10N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-10N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-10N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-10S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-10S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-10S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-11N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-11N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-11N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-11S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-11S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-11S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-16 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-16 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-16N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-16N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-16S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-16S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-17N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-17N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-17N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-17S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| M3933/16-17S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-17S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-18N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-18N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-18N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-18S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-18S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-18S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-19N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-19N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-19N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-19S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-19S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-19S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-20N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-20N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-20N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-20S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-20S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-20S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-21N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-21N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-21N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-21S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-21S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-21S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-22N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-22N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-22N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-22S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-22S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-22S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-23N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-23N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-23N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-23S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-23S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-23S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-24N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-24N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-24N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-24S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-24S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-24S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-25N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-25N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-25N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-25S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-25S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-25S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-26N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-26N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-26N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-26S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-26S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-26S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-27N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-27N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-27N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-27S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-27S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-27S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-28N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-28N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-28N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-28S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-28S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-28S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-29N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-29N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-29N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-29S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-29S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-29S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-30N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-30N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-30N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-30S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-30S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-30S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-31N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-31N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-31N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-31S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-31S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-31S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-32N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-32N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-32N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-32S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-32S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-32S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-33S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-33S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-33S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-34N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-34N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-34N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-34S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-34S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-34S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-35S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-35S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-35S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-36N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-36N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-36N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-36S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-36S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-36S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-37S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| M3933/16-37S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-37S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-38N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-38N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-38N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-38S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-38S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-38S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-39S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-39S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-39S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-40N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-40N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-40N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-40S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-40S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-40S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-41S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-41S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-41S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-42N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-42N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-42N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-42S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-42S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-42S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-43S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-43S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-43S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-44N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-44N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-44N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-44S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-44S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-44S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-45S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-45S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-45S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-XX | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-XX | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-XX | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-XXN | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-XXN | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-XXN | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-XXS | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-XXS | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/16-XXS | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/17-01N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/17-01N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/17-01N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/17-07N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/17-07N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/17-07N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/17-11N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/17-11N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/17-11N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/17-12N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/17-12N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/17-12N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/17-16N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/17-16N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/17-16N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/17-17N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/17-17N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/17-17N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/17-19N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/17-19N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/17-19N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-01N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-01N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-01S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-01S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-02N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-02N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-03N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-03N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-04N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-04N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-09N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-09N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-09S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-09S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-10N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-10N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-10S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-10S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-11N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-11N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-11S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-11S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-12N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-12N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-12S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-12S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-14N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-14N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-14S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-14S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-15N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-15N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-15S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-15S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-16N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-16N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-16S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-16S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-21N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-21N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-22N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| M3933/18-22N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-23N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-23N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-24N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-24N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/18-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/19-01N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/19-01N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/19-01N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/19-06N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/19-06N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/19-06N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/19-07N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/19-07N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/19-07N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/19-10N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/19-10N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/19-10N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/19-12N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/19-12N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/19-12N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-01N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-01N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-01S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-01S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-02N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-02N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-02S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-02S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-03N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-03N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-03S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-03S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-04N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-04N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-04S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-04S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-05N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-05N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-05S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-05S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-06N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-06N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-06S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-06S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-07N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-07N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-07S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-07S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-08N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-08N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-08S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-08S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-09N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-09N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-10N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-10N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-10S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-10S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-12S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-12S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-13N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-13N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-13S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-13S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-15N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-15N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-16S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-16S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-17N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-17N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-19S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-19S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-20N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-20N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-20S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-20S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-27N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-27N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-27S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-27S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-28N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-28N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-28S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-28S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-29N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-29N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-29S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-29S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-30N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-30N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-30S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-30S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-31N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-31N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-31S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-31S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-32N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-32N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-32S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-32S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-33N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-33N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-33S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-33S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-34N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-34N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-34S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-34S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-35N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| M3933/25-35N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-35S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-35S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-36N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-36N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-36S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-36S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-38N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-38N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-38S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-38S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-39N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-39N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-41N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-41N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-43N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-43N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-45N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-45N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-46N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-46N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-46S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-46S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-58N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-58N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-58S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-58S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-59N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-59N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-59S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-59S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-60N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-60N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-60S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-60S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-61N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-61N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-61S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-61S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-62N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-62N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-62S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-62S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-63N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-63N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-63S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-63S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-64N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-64N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-64S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-64S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-65N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-65N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-65S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-65S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-66N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-66N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-66S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-66S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-67N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-67N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-67S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-67S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-68N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-68N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-68S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-68S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-69N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-69N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-69S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-69S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-70N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-70N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-70S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-70S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-71N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-71N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-71S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-71S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-72N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-72N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-72S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-72S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-73N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-73N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-73S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-73S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-74N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-74N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-74S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-74S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-75N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-75N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-75S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-75S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-76N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-76N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-76S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-76S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-77N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-77N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-77S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-77S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-78N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-78N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-78S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-78S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-79N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-79N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-79S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-79S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| M3933/25-80N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-80N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-80S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-80S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-81N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-81N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-81S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-81S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-82N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-82N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-82S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-82S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-83N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-83N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-83S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-83S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-84N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-84N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-84S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-84S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-85N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-85N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-85S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-85S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-86N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-86N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-86S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-86S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-87N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-87N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-87S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-87S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-88N | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-88N | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-88S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-88S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-XX | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-XX | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-XXN | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-XXN | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-XXS | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/25-XXS | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/27-01S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/27-40S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/27-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/28-01S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-01S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-02S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-03N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-03S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-04S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-05N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-05S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-06S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-07N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-07S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-08S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-09N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-09S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-10S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-11N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-11S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-12S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-13N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-13S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-14S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-15S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-16S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-17S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-18S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-19S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-20S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-21N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-21S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-22S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-23S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-24S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-25S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-26S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-27S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-28S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-33 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-33N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-33S | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-35 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-35S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M3933/30-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/02-30001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/02-30001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/02-30001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/04-00030 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/07-00029 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/20-00201 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/20-00201 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/20-70001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/20-70001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/28-30001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/28-30001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/28-30002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/29-30001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/29-30001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/29-30101 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/29-30101 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/30-30001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/30-30001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/30-30001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/30-30003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/30-30101 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/30-30101 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/30-30101 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/31-30001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| M55339/32-00001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/32-00001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/32-00001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/32-30001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/32-30001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/32-30001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/32-70001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/32-70001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/32-70001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/33-00001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/33-70001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/34-00001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/34-30001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/35-00001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/35-00001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/35-00001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/36-00001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/36-00001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/38-00001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/38-00001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/39-00001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/39-00001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/39-00001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/40-30001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/40-30001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/40-30101 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/40-30101 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/41-30001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/44-30001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/45-30101 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/45-30101 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/45-30101 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/46-30001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/47-30001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/47-30001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/47-30101 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/47-30101 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/51-00001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/51-00001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/53-30001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/53-30001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M55339/53-30001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M55339/7-70001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/1-31001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/1-31002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/1-31003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/1-31004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/1-32001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/1-32003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/1-32004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/2-31001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/2-31001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M83517/2-31004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/2-31004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M83517/2-32002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/2-32002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M83517/2-32004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/2-32004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M83517/3-31004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/3-31007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/3-32001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/3-32004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/3-32006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/3-32007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/4-31001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/4-31002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/4-31004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/4-31005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/4-32001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/4-32002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/4-32003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/4-32004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/4-32005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/5-31001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/5-31001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| M83517/6-31001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/6-31002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/6-32001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/6-32002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/8-31001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/8-31001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/9-31001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/9-31002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/9-31003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| M83517/9-32002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-FBSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-FBSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-FBSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-FBSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-FSSMP-177 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-FSSMP-177 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-FSSMP-177 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MBSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MBSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MBSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MBSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MBSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MBSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MBSMP-500 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MBSMP-500 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MRSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MRSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MRSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MRSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MBSMP-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MS24-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MS24-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MS24-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MS292-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MS292-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MS292-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MSSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MBSMP-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-87LL-FSSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-87LL-FSSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-87LL-FSSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-87LL-MBSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-87LL-MBSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-87LL-MS24-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-87LL-MS24-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-87LL-MS24-085 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-87LL-MS292-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-87LL-MS292-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-87LL-MS292-085 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMP-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MBSMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-MBSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MBSMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MIT 2004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MIT 2004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MIT 2004 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MOLD A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MOLD B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MOLD PIN | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-FRSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-FRSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-FRSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-FRSMPM-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-FV67.3NANO-255 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-FV67.3NANO-255 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-FV67.3NANO-255 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-FV67.3NANO-255 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MRSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MRSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MRSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MRSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MRSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MRSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MRSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MRSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MRSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MRSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MRSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MRSMA-270 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MRSMA-270 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPM-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPS-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-P16DSMPS-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-P16DSMPS-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-P16DSMPS-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-P16DSMPS-300 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MRSMA-047-P16DSMPS-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-P16DSMPS-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-P16DSMPS-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-P16DSMPS-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-S12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-S12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-S12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-S12DSMPM-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-S12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-S12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-S12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-S12DSMPM-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-S16DSMPS-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-S16DSMPS-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-S16DSMPS-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-S16DSMPS-085 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-330 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-330 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-330 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-330 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FSSMP-072 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FSSMP-072 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FSSMP-072 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FSSMP-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FSSMP-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FSSMP-075 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FSSMP-077 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FSSMP-077 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FSSMP-077 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FSSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FSSMP-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FSSMP-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-045 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-058 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-058 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-058 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-068 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-188 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-188 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-205 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-205 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-215 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-215 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-275 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-275 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-500 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-500 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-550 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-550 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MRSMA-085-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSLPSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSLPSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSLPSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSLPSMA-054 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSLPSMA-054 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSLPSMA-054 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSLPSMA-054 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSLPSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSLPSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSLPSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSLPSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSSMA-217 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSSMA-217 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSSMA-217 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MSSMA-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-P12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-P12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-P12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-P12DSMPM-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-P12DSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-P12DSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-P12DSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-P12DSMPM-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-P12DSMPM-250 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-P12DSMPM-250 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-P12DSMPM-250 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-P12DSMPM-250 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-P12DSMPM-590 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-P12DSMPM-590 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-P12DSMPM-590 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-P12DSMPM-590 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-S12DSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-S12DSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-S12DSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-S12DSMPM-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-S12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-S12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-S12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-S12DSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-S12DSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-S12DSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-S12DSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-S12DSMPM-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-S12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-S12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-S12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-S12DSMPM-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-MS185-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-MS24-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-MS292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-FRSMP-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-FRSMP-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-FRSMP-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-FRSMP-063 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-FRSMP-063 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-FSSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-FSSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-FSSMP-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MRSMA-87LL-FSSMP-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MRSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MRSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MRSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MRSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MRSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MRSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MRSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MRSMA-320 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MRSMA-320 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MSLPSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MSLPSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MSLPSMA-045 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MSSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MSSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MSSMA-830 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MSSMA-830 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-MSSMA-830 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-S12DSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-S12DSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MRSMA-87LL-S12DSMPM-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FBSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FBSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FBSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FBSMA-540 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FBSMA-540 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FBSMA-540 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FSSMPM-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FSSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FSSMPS-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FSSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FSSMPS-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FV67.3NANO-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FV67.3NANO-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FV67.3NANO-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MS185-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MS185-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MS185-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MS185-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MS185-166 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MS185-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MS185-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MS185-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MS24-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MS24-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MS24-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MS292-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MS292-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MS292-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MS292-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MV67.3NANO-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MV67.3NANO-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MV67.3NANO-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MV67.3SMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MV67.3SMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MV67.3SMPS-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-P16DSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-P16DSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-P16DSMPS-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-FS24-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-FS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-FSSMPM-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MS185-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MS185-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MS185-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MS185-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MS185-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MS185-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MS185-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MS185-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MS185-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MS185-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MS185-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MS185-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MS185-800 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MS24-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MS24-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MS292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MS292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MS292-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MS292-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MS292-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MV67.3SMPS-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MV67.3SMPS-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MV67.3SMPS-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-087LL-MS185-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-087LL-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-087LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS185-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-87LL-MS185-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-87LL-MS185-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS185-87LL-MS24-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FBSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FBSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FSSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FSSMPM-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FV67.3SMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FV67.3SMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FV67.3SMPS-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FV67SMPM-135 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-FV67SMPM-135 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MS24-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MS24-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MS24-067 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MS24-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MS24-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MS24-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MS24-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MS24-146 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MS24-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MS24-260 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MS24-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MS292-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MS292-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MS292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MS292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MS292-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MSSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MSSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MSSMA-095 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MS24-047-MV67.3SMPM-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MV67.3SMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MV67.3SMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MV67.3SMPS-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MV67.3SMPS-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MV67.3SMPS-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MV67.3SMPS-038 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-FB292-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-FB292-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-FS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-FSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-FSSMP-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-FSSMP-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-FSSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-FV67.3SMPS-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-FV67.3SMPS-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-FV67.3SMPS-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MBSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MBSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MBSMP-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MBSMP-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MBSMP-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MBSMP-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MRSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MRSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-055 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-190 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-220 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-260 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS292-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS292-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS292-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS292-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS292-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS292-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS292-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS292-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS292-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS292-990 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MSSMA-250 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MSSMA-250 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MSSMA-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MV67.3SMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MV67.3SMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MV67.3SMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MV67.3SMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MV67.3SMPS-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-S12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-S12DSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MS24-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-087LL-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-087LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-140-FS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-140-MS24-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-140-MS24-300 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-140-MS24-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-140-MS24-500 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-140-MS24-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-140-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-87LL-MS24-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-87LL-MS24-115 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-87LL-MS24-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-87LL-MS24-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-87LL-MS292-115 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-87LL-MS292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-87LL-MS292-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS24-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS24-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FB292-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FB292-065 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FB292-075 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FB292-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FBSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FBSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FRSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FRSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FRSMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FRSMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FRSMPM-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FRSMPM-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FRSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FRSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FRSMPS-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FRSMPS-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FSSMP-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FSSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3NANO-042 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3NANO-042 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3NANO-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3NANO-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3NANO-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3NANO-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3SMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3SMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3SMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3SMPS-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3SMPS-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3SMPS-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3SMPS-079 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3SMPS-084 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3SMPS-084 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3SMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3SMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3SMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3SMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MRSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MRSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MRSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MSSMA-954 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MSSMA-954 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MV67.3SMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MV67.3SMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MS292-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-P12DSMPM-037 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-P12DSMPM-037 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-P12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-P12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-S16DSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-S16DSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-035 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-035 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-260 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-260 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-295 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-295 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-300 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-300 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FQSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FQSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FRSMP-100 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FRSMP-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FRSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FRSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FSSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FSSMPM-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FSSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FSSMPM-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FTRSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FTRSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FTRSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FTRSMPM-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FV67.3SMPS-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FV67.3SMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FV67.3SMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FV67.3SMPS-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MBSMP-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MBSMP-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MBSMP-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MRSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MRSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MRSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MRSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MRSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MRSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MRSMA-128 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MRSMA-128 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-075 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-079 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-083 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-103 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-115 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-158 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-167 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-170 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-190 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-210 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-220 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-250 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-260 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-285 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-305 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-310 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-320 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MS292-085-MS292-325 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-330 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-394 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-405 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-420 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-430 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-618 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-960 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MSLPSMA-937 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MSLPSMA-937 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MSSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MSSMA-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MV67.3SMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MV67.3SMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-P12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-P12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-P12DSMPM-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-P12DSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-P12DSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-P12DSMPM-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-P12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-P12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-P12DSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-P12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-P12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-P12DSMPM-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-S12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-S12DSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-S12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-S12DSMPM-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-S12DSMPM-550 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-S12DSMPM-550 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-S12DSMPM-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-S12DSMPM-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-SD12SMPMII-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-085-SD12SMPMII-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-087LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-087LL-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-087LL-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-FQSMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-FQSMPM-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-MS292-035 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-MS292-065 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-MS292-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-MS292-085 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-MS292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-MS292-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-MS292-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-MS292-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-MS292-960 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-MS292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-P12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-P12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-P12DSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-P12DSMPM-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-P12DSMPM-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-P12DSMPM-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-S12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MS292-87LL-S12DSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-FBSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MSLPSMA-085-FBSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-FBSMA-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-FBSMA-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-FRSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-FRSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-FRSMPM-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-FSSMPM-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-MSLPSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-MSLPSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-MSLPSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-MSLPSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-MSLPSMA-954 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-MSLPSMA-954 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-087LL-MSLPSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-87LL-FTSMPM-390 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-87LL-FTSMPM-390 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-87LL-FTSMPM-390 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-87LL-MSLPSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-87LL-MSLPSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-87LL-MSLPSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSLPSMA-87LL-MSLPSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FB292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FB292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FB292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-032 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-032 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-032 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-032 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-047 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-047 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-047 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-047 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-055 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-055 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FRSMP-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FRSMP-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FRSMP-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FRSMP-300 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FRSMP-300 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FRSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FRSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FRSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FRSMPM-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FRSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FRSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FRSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FRSMPM-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FSSMP-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FSSMP-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FSSMP-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FSSMP-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MSSMA-047-FSSMP-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FSSMP-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FSSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FSSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FSSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FSSMPM-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-045 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-075 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-355 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-355 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-355 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3NANO-355 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3SMPS-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3SMPS-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3SMPS-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3SMPS-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3SMPS-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3SMPS-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3SMPS-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3SMPS-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3SMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3SMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3SMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3SMPS-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3SMPS-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3SMPS-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3SMPS-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3SMPS-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-099 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-099 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-099 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-045 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MSSMA-047-MSSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-075 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-118 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-118 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-155 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-155 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-175 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-175 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-220 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-230 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-230 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-280 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-450 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-450 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-550 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-550 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-787 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-787 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3NANO-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3NANO-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPM-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPM-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPM-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPM-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPM-300 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P12DSMPM-605 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P12DSMPM-605 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P12DSMPM-605 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P12DSMPM-605 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MSSMA-047-P16DSMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-085 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-170 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-300 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-340 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-340 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-340 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-340 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-460 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-460 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-460 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-460 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-470 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-470 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-470 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-470 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-500 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-500 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-500 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-500 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-515 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-515 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-515 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-515 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-545 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-545 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-545 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-545 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-620 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-620 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-620 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-620 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S12DSMPM-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S12DSMPM-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-085 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MSSMA-047SF-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-330 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-330 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-330 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-330 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-330 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-FSSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-052 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-052 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-053 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-047SF-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FB292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FB292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FB292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-045 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-045 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-055 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-055 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-085 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-085 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-085 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MSSMA-085-FBSMA-095 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-095 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-175 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-175 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-175 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-175 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-258 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-258 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-258 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-258 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-325 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-325 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-325 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-325 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-375 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-375 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-375 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-375 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FRSMP-030 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FRSMP-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FRSMP-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FRSMP-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FRSMP-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FRSMP-150 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FRSMP-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FRSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FRSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FRSMP-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FRSMP-160 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FRSMP-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FSSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FSSMP-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FSSMP-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FSSMP-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FSSMP-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FSSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FSSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FSSMPM-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FSSMPM-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FSSMPM-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FSSMPM-115 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FSSMPM-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FSSMPM-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FSSMPM-125 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FSSMPM-193 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FSSMPM-193 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FSSMPM-193 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FSSMPM-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FSSMPM-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FSSMPM-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3NANO-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3NANO-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3NANO-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3NANO-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3SMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3SMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3SMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3SMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3SMPM-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3SMPM-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3SMPM-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3SMPM-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3SMPM-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3SMPM-800 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3SMPS-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3SMPS-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3SMPS-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3SMPS-300 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3SMPS-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3SMPS-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3SMPS-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MSSMA-085-FV67.3SMPS-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MBSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MBSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MBSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MBSMP-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-035 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-038 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-038 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-043 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-048 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-055 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-058 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-058 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-058 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-058 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-063 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-063 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-112 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-112 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-112 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-115 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-115 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-139 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-139 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-139 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-260 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-320 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-320 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-320 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-380 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-380 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-380 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-500 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-500 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-500 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-550 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-550 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-550 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MSSMA-085-MRSMA-650 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-650 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-650 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-650 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-750 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-750 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-750 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-750 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-800 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-810 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-810 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-810 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-850 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-850 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-850 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-850 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-900 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-900 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-900 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-900 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-030 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-033 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-045 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-053 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-057 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-057 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-065 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-068 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-074 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-074 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-076 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-076 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-078 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-078 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-095 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-098 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-098 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-101 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-101 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-103 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-103 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-105 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-112 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-112 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-113 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-113 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-125 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-128 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-128 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-149 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-149 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-155 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-155 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-158 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-158 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-169 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-169 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-1800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-1800 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-189 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-189 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-190 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-203 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-203 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MSSMA-085-MSSMA-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-210 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-220 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-2360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-2360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-260 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-285 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-285 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-290 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-290 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-300 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-305 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-305 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-307 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-307 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-310 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-310 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-320 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-320 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-321 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-321 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-330 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-330 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-370 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-370 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-380 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-380 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-394 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-394 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-440 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-440 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-470 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-470 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-500 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-500 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-540 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-540 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-550 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-550 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-700 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-700 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-740 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-740 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-780 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-780 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-788 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-788 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-790 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-790 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-800 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-850 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-850 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-900 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-900 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-960 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-960 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MV67.3SMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MV67.3SMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MV67.3SMPM-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MV67.3SMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MV67.3SMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MV67.3SMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MV67.3SMPS-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-040 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-050 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MSSMA-085-P12DSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-200 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-220 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-260 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-270 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-270 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-270 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-270 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-280 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-300 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-340 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-340 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-340 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-340 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-370 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-370 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-370 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-370 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-400 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-400 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-420 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-420 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-420 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-420 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-440 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-440 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-440 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-440 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-070 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-087 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-087 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-087 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-090 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-095 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-107 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-107 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-107 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MSSMA-085-S12DSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-125 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-125 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-130 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-130 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-155 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-155 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-155 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-165 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-165 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-165 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-170 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-170 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-250 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-250 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-250 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-260 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-270 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-270 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-270 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-290 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-290 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-290 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-591 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-591 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-591 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-720 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-720 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-740 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-740 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-740 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-087LL-MSSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-087LL-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-087LL-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-087LL-S12DSMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-087LL-S12DSMPM-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-087LL-S12DSMPM-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-FQSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-FQSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-FQSMPM-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-FV67.3SMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-FV67.3SMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-FV67.3SMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-FV67.3SMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-FV67.3SMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-057 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-057 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-190 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-210 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-210 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-290 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-290 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-350 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-350 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-420 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-420 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-455 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-455 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-460 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-460 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-470 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-470 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MSSMA-87LL-MSSMA-520 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-520 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-830 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MSSMA-830 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MV67.3SMPM-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MV67.3SMPM-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MV67.3SMPM-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MV67.3SMPS-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MV67.3SMPS-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MV67.3SMPS-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-MV67.3SMPS-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-290 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-290 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-290 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-290 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-340 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-340 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-340 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-340 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-900 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-900 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-900 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P12DSMPM-900 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P16DSMPS-900 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P16DSMPS-900 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P16DSMPS-900 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-P16DSMPS-900 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-S12DSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-S12DSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-S12DSMPM-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-S12DSMPM-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-S12DSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-S12DSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-S12DSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-S12DSMPM-150 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-S12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-S12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-S12DSMPM-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-S12DSMPM-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-S12DSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-S12DSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-S12DSMPM-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-S12DSMPM-370 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-S12DSMPM-370 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-S12DSMPM-370 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-S12DSMPM-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-S12DSMPM-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MSSMA-87LL-S12DSMPM-480 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3NANO-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3NANO-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3NANO-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3NANO-047-FBSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3NANO-047-FRSMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3NANO-047-FRSMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3NANO-047-FRSMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3NANO-047-FRSMPM-075 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3NANO-047-FSSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3NANO-047-FSSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3NANO-047-FSSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3NANO-047-FSSMPS-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3NANO-047-FSSMPS-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3NANO-047-FSSMPS-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3NANO-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3NANO-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3NANO-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3NANO-047-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3NANO-047-MV67.3NANO-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3NANO-047-MV67.3NANO-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMP-060 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-037 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-037 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-037 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-043 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-050 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MV67.3SMPM-047-FRSMPM-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-055 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-073 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-FRSMPM-088 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-MRSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-MV67.3SMPM-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-085-FB292-630 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-085-FB292-630 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-085-MS24-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-085-MS24-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-085-MSSMA-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-085-MSSMA-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-085-MSSMA-800 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-085-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-085-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-087L-MV67.3SMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-087L-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPM-087L-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-033 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-035 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-039 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-044 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-044 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-044 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-044 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-045 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-048 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-051 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-051 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-051 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-051 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-053 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-056 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-056 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-056 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-056 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-057 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-057 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-057 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-057 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-058 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-058 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-058 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-058 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-059 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-059 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-059 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MV67.3SMPS-047-FRSMPM-059 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-062 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-062 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-062 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-062 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-065 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-066 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-068 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-070 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-071 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-071 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-071 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-071 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-074 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-074 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-074 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPM-074 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-040 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-090 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-FRSMPS-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-MS292-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-MV67.3SMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-MV67.3SMPS-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-MV67.3SMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-MV67.3SMPS-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-MV67.3SMPS-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-MV67.3SMPS-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-FB292-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-FB292-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-FB292-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-FB292-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-FB292-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-FBSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-FBSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-FV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-MRSMA-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-MRSMA-XXX | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-MSSMA-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-MSSMA-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-MSSMA-800 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-MSSMA-800 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-MV67.3SMPS-XXX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-MV67.3SMPS-XXX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MV67.3SMPS-087L-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| MV67.3SMPS-087L-MV67.3SMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| MVGG4-26E3 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| NK0940-6404-02 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| NK0940-6404-02 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| NK0940-6404-02 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| NK0947-0200-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| NK0947-0200-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| NK0947-0200-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| NK0947-0200-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| NK0950-0250-03 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| NK0950-0250-60 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| NK0965-0200-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| NK0965-0200-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| NK0965-0204-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| NK0965-0204-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| NK0965-0206-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| NK0965-0206-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| NK0965-0208-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| NK0965-0208-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| NK8050-0027 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| NOKIA-IB | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-FBSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-FV67.3NANO-099 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-FV67.3NANO-099 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-FV67.3NANO-099 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-FV67.3NANO-099 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-FV67.3NANO-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-FV67.3NANO-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-FV67.3NANO-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-FV67.3NANO-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-FV67.3NANO-173 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-FV67.3NANO-173 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-FV67.3NANO-173 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-FV67.3NANO-173 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-S12DSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-S12DSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-S12DSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-047-S12DSMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-FV67.3NANO-173 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-FV67.3NANO-173 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-FV67.3NANO-173 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-FV67.3NANO-173 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MS292-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MS292-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-100 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-100 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-110 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-180 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-MSSMA-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-030 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-099 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-099 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-200 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-300 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-320 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-320 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-480 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-880 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-880 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-900 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-900 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-S12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-S12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-S12DSMPM-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-S12DSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-S12DSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-S12DSMPM-150 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-S12DSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-S12DSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-S12DSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| P12DSMPM-085-S12DSMPM-363 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-S12DSMPM-363 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-S12DSMPM-363 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-087LL-P12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-87LL-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-87LL-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-87LL-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-87LL-MSSMA-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-87LL-MSSMA-360 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-87LL-P12DSMPM-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-87LL-P12DSMPM-990 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-87LL-S12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-87LL-S12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-87LL-S12DSMPM-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-87LL-S12DSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-87LL-S12DSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P12DSMPM-87LL-S12DSMPM-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-FBSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-FBSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-FBSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-FBSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-FBSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-FBSMA-530 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-FBSMA-530 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-FBSMA-530 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-FBSMA-530 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-FV67.3NANO-355 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-FV67.3NANO-355 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-FV67.3NANO-355 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-FV67.3NANO-355 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-MSSMA-080 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-MSSMA-080 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-MSSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-MSSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-MSSMA-140 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-MSSMA-140 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-MSSMA-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-MSSMA-160 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-MV67.3NANO-355 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-MV67.3NANO-355 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-MV67.3NANO-355 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-MV67.3NANO-355 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-P16DSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-P16DSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-P16DSMPS-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-P16DSMPS-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-P16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| P16DSMPS-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| PAINT1 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| PLASTIC-CAP-4 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| PSEF10-98R | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| PSGG2-95A9 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| PSGG7-59KW | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| PW-01 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| PW-02 | Other | Insulator | No | GAROLITE | | | | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-110 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-190 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-280 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-FV67.3NANO-360 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| S12DSMPM-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-047-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-FRSMP-120 | RAPID RESPONSE | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-FV67.3NANO-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-FV67.3NANO-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-FV67.3NANO-220 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-FV67.3SMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-FV67.3SMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-FV67.3SMPM-160 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-MRSMA-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-MRSMA-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-MS185-120 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-MS185-120 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-MSSMA-060 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-MSSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-MSSMA-600 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-MSSMA-600 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-P12DSMPM-580 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-P12DSMPM-580 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-P12DSMPM-580 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-S12DSMPM-095 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-S12DSMPM-105 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-S12DSMPM-410 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-S12DSMPM-450 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-085-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-087LL-S12DSMPM-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-87LL-MSSMA-490 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-87LL-MSSMA-490 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-87LL-MSSMA-490 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-87LL-MSSMA-520 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-87LL-MSSMA-520 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S12DSMPM-87LL-MSSMA-520 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| S16DSMPS-047-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S16DSMPS-047-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S16DSMPS-047-FBSMA-240 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S16DSMPS-047-FBSMA-240 | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| S16DSMPS-047-FV67.3NANO-078 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S16DSMPS-047-FV67.3NANO-078 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S16DSMPS-047-FV67.3NANO-078 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S16DSMPS-047-FV67.3NANO-078 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S16DSMPS-047-S16DSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S16DSMPS-047-S16DSMPS-060 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S16DSMPS-047-S16DSMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S16DSMPS-047-S16DSMPS-180 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S16DSMPS-047-S16DSMPS-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S16DSMPS-047-S16DSMPS-260 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S16DSMPS-047-S16DSMPS-840 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S16DSMPS-047-S16DSMPS-840 | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S16DSMPS-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| S16DSMPS-047-S16DSMPS-XXX | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0289-6002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0289-6002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0289-6002 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0289-6002 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-005 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-010 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-015 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-020 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-025 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-035 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-040 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-045 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-050 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-055 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-060 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-065 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-070 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-075 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-080 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-085 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-095 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-100 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-105 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-110 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-120 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-130 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-150 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-160 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6300-XXX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6301-XXX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6302-XXX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6303-XXX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6305-005 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6305-015 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6305-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6305-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6305-XXX | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-005 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-010 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-015 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-025 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-035 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-040 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-045 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-055 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF0912-6307-060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-065 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-075 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-085 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-095 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-105 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-110 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-120 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-130 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-160 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-200 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0912-6307-XXX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6100-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-001 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-002 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-003 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-004 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-005 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-006 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-007 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-008 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-009 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-010 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-011 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-012 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-013 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-014 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-015 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-016 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-017 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-018 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-019 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-020 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-021 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-022 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-023 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-024 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-025 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-101 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-105 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-110 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6101-XXX | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6102-026 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6102-027 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6102-028 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6102-029 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6102-032 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6102-034 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6102-036 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6102-038 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6102-046 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6102-XXX | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6103-01 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6103-02 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6103-03 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6103-04 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6103-05 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6103-06 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6103-08 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6103-10 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6103-15 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6103-20 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6103-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-0.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-00 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-02 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-03 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-04 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-05 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-06 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-07 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-08 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-09 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-1.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-10 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-11 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-12 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-13 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-14 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-15 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-2.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-20 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-3.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-30 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-4.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-5.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-6.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-7.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-8.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-9.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6107-XX | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6109 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6111-01 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6111-02 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6111-03 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6111-04 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6111-05 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6111-06 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6111-07 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6111-08 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6111-09 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6111-10 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6111-11 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6111-12 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF0915-6111-13 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6111-14 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6111-22 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6112-00 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6112-01 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6112-02 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6112-03 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6112-04 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6112-05 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6112-06 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6112-07 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6112-08 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6112-09 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6112-10 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-0.5 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-00 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-01 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-02 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-03 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-04 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-05 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-06 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-07 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-08 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-09 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-1.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-10 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-11 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-12 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-13 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-15 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-2.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-20 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-3.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-30 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-4.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-40 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-5.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-6.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-7.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-8.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-9.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6200-XX | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0915-6300-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0916-6200-01 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0916-6200-03 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0916-6200-06 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0916-6200-10 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0916-6200-20 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0916-6200-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0916-6201-03 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0916-6201-06 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0916-6201-10 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0916-6201-20 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0916-6201-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0916-6300-XX | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF0916-6300-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0916-6400-08 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF0916-6400-50 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0916-6400-XX | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF0916-6401-50 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-02 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-03 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-04 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-04 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-04 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-05 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-05 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-05 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-06 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-07 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-07 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-07 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-08 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-08 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-08 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-09 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-09 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-09 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-10 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-12 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-12 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-12 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-13 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-13 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-13 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-15 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-15 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-15 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-16 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-16 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-16 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-17 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-17 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-17 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-18 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-18 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-18 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-20 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-20 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF0929-6101-20 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-22 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-22 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-22 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-25 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-25 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-25 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-2X | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-2X | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-2X | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-30 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-30 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-30 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-3X | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-3X | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-3X | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-40 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-40 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-40 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6101-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-03 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-06 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-10 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-15 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-15 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-20 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-20 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-2X | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-2X | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-2X | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-30 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-30 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-30 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-3X | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-3X | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-3X | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-40 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-40 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-40 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6102-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-02 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-03 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-04 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-04 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-04 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-05 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-05 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-05 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-06 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-07 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-07 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-07 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-08 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-08 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-08 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-14 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-14 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-14 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6103-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6104-.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6104-.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6104-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6104-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6104-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6104-02 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6104-1.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6104-1.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6104-2.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6104-2.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6104-2X | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6104-2X | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6104-2X | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6104-3X | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6104-3X | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6104-3X | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6104-40 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6104-40 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6104-40 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6104-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6105-.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6105-.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6105-00 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6105-00 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6105-01 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6105-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6105-02 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6105-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6105-03 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6105-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6105-1.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6105-1.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6105-2.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6105-2.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6105-XX | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6105-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF0929-6106-0.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6106-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6106-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6106-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6106-04 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6106-05 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6106-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6106-07 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6106-08 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6106-1.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6106-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6106-2.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6106-3.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6106-4.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6106-5.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6106-6.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6106-7.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6106-8.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6106-9.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-02 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-03 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-04 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-04 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-05 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-05 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-06 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-07 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-07 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-08 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-08 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-09 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-09 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-10 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-12 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-12 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-13 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-13 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-15 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-15 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-20 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-20 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-30 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-30 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6107-30 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6108-08 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6108-08 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6108-14 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6108-14 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6108-2X | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6108-2X | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6108-2X | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6108-3X | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6108-3X | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6108-3X | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6108-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6108-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6109-2X | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6109-2X | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6109-2X | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6109-3X | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6109-3X | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6109-3X | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6109-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6109-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-00 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-00 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-02 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-03 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-03 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-04 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-04 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-05 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-05 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-06 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-06 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-07 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-07 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-08 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-08 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-09 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-09 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-10 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-10 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-11 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-11 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-12 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-12 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-13 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-13 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-14 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-14 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-15 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-15 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-16 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-16 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-17 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-17 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-18 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-18 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-19 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-19 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-20 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF0929-6112-20 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-30 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-30 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-30 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-XX | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6112-XX | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6113-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6113-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-.25 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-0.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-000 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-002 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-003 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-004 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-005 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-006 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-007 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-008 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-015 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-025 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-035 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-045 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-055 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-065 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-075 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-085 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-095 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-1.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-105 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-110 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-115 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-125 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-130 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-160 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-170 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-180 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-2.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-3.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-4.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-5.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-6.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6114-XXX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6115-8.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6115-8.5 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6117-07 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6117-07 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6117-08 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6117-08 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6117-09 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6117-09 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6117-10 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6117-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6117-6.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6117-6.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6117-7.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6117-7.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6117-8.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6117-8.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6117-XX | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6117-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6118-.25 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6118-XXX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-.25 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-.25 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-0.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-0.5 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-00 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-00 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-01 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-01 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-02 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-02 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-03 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-03 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-04 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-04 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-05 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-05 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-06 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-06 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-07 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-07 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-08 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-08 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-09 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-09 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-1.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-1.5 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-10 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-10 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-105 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-105 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-11 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-11 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-115 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-115 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-12 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-12 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-12.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-12.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-125 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-125 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-13 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-13 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-135 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-135 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-14 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF0929-6200-14 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-145 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-145 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-15 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-15 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-155 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-155 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-16 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-16 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-165 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-165 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-17 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-17 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-175 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-175 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-18 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-18 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-185 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-185 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-19 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-19 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-195 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-195 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-2.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-2.5 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-20 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-20 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-205 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-205 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-205 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-21 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-21 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-21 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-215 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-215 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-215 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-22 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-22 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-22 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-225 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-225 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-225 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-23 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-23 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-23 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-235 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-235 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-235 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-24 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-24 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-24 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-245 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-245 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-245 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-25 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-25 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-25 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-26 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-26 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-26 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-27 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-27 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-27 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-29 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-29 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-29 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-2X | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-2X | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-2X | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-3.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-3.5 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-30 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-30 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-30 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-3X | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-3X | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-3X | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-4.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-4.5 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-40 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-40 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-40 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-5.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-5.5 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-50 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-50 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-50 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-6.0 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-6.0 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-6.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-6.5 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-7.0 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-7.0 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-7.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-7.5 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-8.0 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-8.0 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-8.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-8.5 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-9.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-9.5 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-XX | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6200-XX | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6204-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6204-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6204-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6204-02 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6204-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6204-03 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6204-04 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6204-04 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF0929-6204-05 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6204-05 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6204-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6204-06 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6204-08 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6204-08 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6204-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6204-10 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6204-20 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6204-20 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6204-30 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-0.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-0.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-02 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-03 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-04 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-04 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-05 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-05 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-06 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-07 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-07 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-08 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-08 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-09 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-09 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-1.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-1.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-10 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-2.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-2.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-3.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-3.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-4.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6206-4.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6208-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6208-06 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6208-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6208-10 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6209-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6209-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6209-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6209-02 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6209-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6209-03 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6209-04 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6209-04 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6209-05 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6209-05 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6209-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6209-06 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6209-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6209-10 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6209-20 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6209-20 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6209-30 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6209-30 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6209-30 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6209-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6209-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-03 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-04 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-04 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-05 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-05 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-09 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-09 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-10 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-11 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-11 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-12 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-12 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-13 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-13 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-14 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-14 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-15 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-15 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6221-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6222-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6222-03 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6222-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6222-06 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6222-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6222-10 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6222-20 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6222-20 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-01 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-01 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-02 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-02 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-03 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-03 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-04 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-04 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-05 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-05 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-06 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-07 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF0929-6223-07 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-08 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-08 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-09 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-09 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-10 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-10 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-11 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-11 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-12 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-12 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-13 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-13 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-14 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-14 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6223-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6241-44 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6241-44 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6241-46 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6241-46 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6241-47 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6241-47 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6241-48 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6241-48 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6241-49 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6241-49 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6241-50 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6241-50 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6241-51 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6241-51 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6241-XX | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6241-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-0.5 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-0.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-0.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-01 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-01 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-01 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-02 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-02 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-02 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-03 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-04 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-04 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-04 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-05 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-05 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-05 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-06 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-07 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-07 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-07 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-08 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-08 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-08 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-09 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-09 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-09 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-1.5 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-1.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-1.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-10 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-105 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-105 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-105 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-11 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-11 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-11 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-2.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-2.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-2.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-3.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-3.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-3.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-4.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-4.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-4.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-5.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-5.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-5.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-6.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-6.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-6.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-7.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-7.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-7.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-8.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-8.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-8.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-9.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-9.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-9.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-XX | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6292-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6296-01 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6296-02 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6296-03 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6296-04 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6296-05 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6296-06 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6296-07 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6296-08 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6296-09 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF0929-6296-10 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6296-11 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6296-12 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6296-13 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6296-14 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6296-15 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6296-16 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6296-17 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6296-18 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6296-19 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6296-20 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6296-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-00 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-01 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-02 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-03 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-04 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-05 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-06 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-07 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-08 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-09 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-10 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-11 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-12 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-13 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-14 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-15 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-16 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-17 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-18 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-19 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-20 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6298-XX | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6299-01 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6299-02 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6299-03 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6299-04 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6299-05 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6299-06 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6299-07 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6299-08 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6299-09 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6299-10 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6299-11 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6299-12 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6299-13 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6299-14 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6299-15 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6299-16 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6299-17 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6299-18 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6299-19 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6299-20 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6299-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6300-03 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6300-03 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6300-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6300-06 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6300-09 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6300-09 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6300-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6300-10 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6304-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6304-03 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6304-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6304-06 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6304-07 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6304-07 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6304-09 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6304-09 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6306-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6306-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6306-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6306-02 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6306-04 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6306-04 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6306-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6306-06 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6306-07 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6306-07 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6306-08 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6306-08 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6306-09 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6306-09 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6400-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6400-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6400-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6400-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6400-03 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6400-03 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6400-04 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6400-04 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6400-05 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6400-05 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6400-06 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6400-06 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6400-07 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6400-07 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6400-08 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6400-08 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6400-09 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6400-09 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6400-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6400-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6401-03 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6401-03 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6411-135 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6411-135 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6411-145 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6411-145 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF0929-6411-16 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6411-16 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6411-195 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6411-195 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6411-33 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6411-33 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6411-34 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6411-34 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6411-39 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6411-39 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6412-07 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6412-07 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6412-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6412-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6700-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6700-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6700-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6701-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6701-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6701-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6701-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6701-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6701-02 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6701-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6701-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6701-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-0.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-0.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-01 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-02 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-03 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-04 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-04 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-05 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-05 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-06 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-07 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-07 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-08 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-08 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-09 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-09 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-1.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-1.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-10 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-105 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-105 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-11 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-11 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-115 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-115 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-12 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-12 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-125 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-125 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-13 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-13 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-135 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-135 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-14 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-14 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-145 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-145 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-15 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-15 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-155 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-155 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-16 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-16 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-165 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-165 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-17 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-17 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-175 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-175 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-18 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-18 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-185 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-185 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-19 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-19 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-195 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-195 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-2.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-2.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-20 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-20 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-3.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-3.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-4.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-4.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-5.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-5.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-6.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-6.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-7.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-7.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-8.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-8.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-9.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-9.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-XXX | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6712-XXX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6715-01 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6715-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6715-20 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF0929-6715-20 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6716-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6716-03 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6716-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6716-06 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6716-07 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6716-07 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6716-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6716-10 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6804-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6804-09 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6804-09 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6804-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6809-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6809-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6809-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6809-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6809-20 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6810-13N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6810-13N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6810-13N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6810-14N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6810-14N | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6810-14N | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6811-90 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6811-90 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6811-90 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6811-90S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6811-90S | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6811-90S | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6828 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6828 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-6828 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-69XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-69XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0929-69XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-0.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-0.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-0.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-00 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-00 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-01 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-01 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-01 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-02 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-02 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-02 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-03 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-03 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-03 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-04 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-04 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-04 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-05 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-05 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-05 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-06 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-06 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-06 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-07 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-07 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-07 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-08 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-08 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-08 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-09 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-09 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-09 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-1.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-1.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-1.5 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-10 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-10 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-10 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-11 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-11 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-11 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-12 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-12 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-12 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-13 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-13 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-13 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-14 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-14 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-14 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-15 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-15 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-15 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-16 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-16 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-16 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-17 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-17 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-17 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-18 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-18 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-18 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-19 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-19 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-19 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-2.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-2.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-2.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-20 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-20 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-20 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-21 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-21 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-21 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF0930-6200-25 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-25 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-25 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-3.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-3.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-3.5 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-30 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-30 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-30 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-4.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-4.5 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-4.5 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-40 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-40 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-40 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-5.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-5.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-5.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-XX | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-XX | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6200-XX | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6202-40 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6202-40 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6202-40 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6204-0.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6204-0.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6204-0.5 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6206-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6206-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6206-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6208-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6208-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6208-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6216-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6216-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6216-05 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6216-05 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6216-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6216-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6216-12 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6216-12 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6217-40 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6217-40 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6217-40 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6218-40 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6218-40 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6218-40 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6219-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6219-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6219-02 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6219-10 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6219-10 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6219-10 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-.25 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-.25 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-.25 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-0.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-0.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-0.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-00 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-00 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-01 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-02 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-03 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-04 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-04 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-04 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-05 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-05 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-05 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-06 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-07 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-07 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-07 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-08 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-08 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-08 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-09 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-09 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-09 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-10 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-11 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-11 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-11 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-12 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-12 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-12 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-13 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-13 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-13 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-14 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-14 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-14 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-15 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-15 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-15 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-155 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-155 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-155 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-16 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-16 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF0930-6220-16 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-165 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-165 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-165 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-17 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-17 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-17 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-175 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-175 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-175 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-18 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-18 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-18 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-185 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-185 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-185 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-19 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-19 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-19 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-195 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-195 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-195 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-20 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-20 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-20 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-215 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-215 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-215 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-22 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-22 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-22 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-225 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-225 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-225 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-23 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-23 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-23 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-235 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-235 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-235 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-3.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-3.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-3.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-4.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-4.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-4.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-5.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-5.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-5.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-6.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-6.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-6.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-XX | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6220-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-01 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-01 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-01 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-06 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-06 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-06 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-20 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-20 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-20 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-21 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-21 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-21 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-22 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-22 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-22 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-23 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-23 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-23 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-24 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-24 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-24 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-XX | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-XX | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6221-XX | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6222-03 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6222-03 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6222-06 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6222-06 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6222-07 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6222-07 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6222-20 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6222-20 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-.25 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-.25 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-.25 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-02 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-03 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-04 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-04 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-04 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-2.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-2.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-2.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-3.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-3.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-3.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-4.5 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-4.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-4.5 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-XX | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6223-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF0930-6315-30 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0930-6315-30 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0940-6400-01 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6200-01 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6200-01 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6200-01 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6200-03 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6200-03 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6200-03 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6200-05 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6200-05 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6200-05 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6200-10 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6200-10 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6200-10 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6200-20 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6200-20 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6200-20 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6204-15 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6204-15 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6204-15 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6210-30 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6210-30 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6221-06 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6221-06 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6221-06 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6221-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6221-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0945-6221-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6200-01 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6200-01 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6200-02 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6200-02 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6200-03 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6200-03 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6200-04 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6200-04 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6200-05 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6200-05 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6200-06 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6200-06 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6200-10 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6200-10 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6200-20 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6200-20 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6200-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6200-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6201-20 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6201-20 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6204-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6204-06 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6204-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6204-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6206-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6206-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6206-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6206-03 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6206-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6206-06 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6206-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6206-10 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6206-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6206-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6208-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6208-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6208-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6208-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6210-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6210-10 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6212-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6212-01 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6212-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6212-02 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6212-03 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6212-03 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6212-06 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6212-06 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6212-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6212-10 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6212-14 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6212-14 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6212-20 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6212-20 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6212-30 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6212-30 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6212-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6212-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6213-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6213-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6504-10 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6504-10 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6504-20 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6504-20 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6504-XX | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0965-6504-XX | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0987-6000-08 | ATTENUATOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0987-6000-08 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0987-6000-08 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0987-6011-08 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF0987-6011-08 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0987-6011-08 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0987-6011-08 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF0992-6001-06 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0992-6001-06 | ATTENUATOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF0992-6001-06 | ATTENUATOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF0992-6001-06 | ATTENUATOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF0992-6001-06 | ATTENUATOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1066-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1080-0003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1080-0004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1080-0004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF1080-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1080-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1090-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1090-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1090-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6005 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6016 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6016 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6016 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6019 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6024 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6024 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6028 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6028 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6030 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6030 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6034 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6034 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6036 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6039 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6039 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6040 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6040 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6041 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6042 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6043 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6044 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6045 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6046 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6047 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6048 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6049 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6050 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6050 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6051 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6052 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6052 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6054 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6054 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6055 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1102-6055 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1103-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1103-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1103-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1103-6013 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1104-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1104-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1104-6006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1104-6006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1104-6006 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1104-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1104-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1104-6007 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1104-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1104-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1104-6015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1104-6015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1104-6015 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1104-6018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1104-6018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1104-6018 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1104-6019 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1104-6019 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1104-6020 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1104-6020 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1105-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1105-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1105-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1105-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1105-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1105-6003 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1105-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1105-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1105-6007 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1105-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1105-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1105-6010 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1108-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1108-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1108-6008 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1108-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1109-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1109-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1109-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1109-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1109-6005 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1110-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1110-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1110-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1110-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1110-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1110-6002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1111-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1111-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1111-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1111-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1111-6006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1111-6006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6005 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF1112-6013 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6025 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6026 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6026 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6027 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6028 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6029 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6031 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6033 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6034 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6034 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6035 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6035 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6036 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6036 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6037 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6037 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6038 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6038 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6039 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6039 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6040 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6040 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6065 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6066 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6066 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6068 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6069 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6070 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6070 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6072 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6074 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6074 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6075 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6075 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6080 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6082 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6083 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6084 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6085 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6090 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6091 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6093 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6097 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6099 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6101 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6102 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6103 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6105 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6106 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6122 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6123 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6127 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6129 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6133 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6139 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6143 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6144 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6148 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6148 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6162 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6162 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6166 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6166 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6169 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6169EDU | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6170 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6175 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1112-6176 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1114-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1114-6006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1114-6006 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1114-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1114-6007 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1114-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1114-6009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1114-6013 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1114-6017 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6007 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6009 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6011 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6012 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6013 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6014 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6022 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6023 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6024 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6025 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6037 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6045 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6050 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6052 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6055 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6056 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6072 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6073 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6080 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6081 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6082 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6084 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6085 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6086 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6087 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6089 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6090 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6091 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6093 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF1115-6094 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6095 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6105 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1115-6106 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1116-6002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1116-6003 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1116-6007 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1116-6016 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1116-6021 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1116-6022 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1116-6027 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1116-6027 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1116-6031 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1116-6031 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1116-6038 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1116-6039 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1116-6040 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1116-6046 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1116-6048 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1116-6055 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1116-6066 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1116-6070 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1116-6071 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1116-6072 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1117-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1117-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1117-6013 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1117-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1117-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1117-6018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1117-6018 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1117-6018 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1117-6020 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1117-6020 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1117-6024 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1117-6026 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1117-6027 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1117-6028 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1117-6028 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1117-6028 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1117-6030 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1117-6032 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1118-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1120-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1120-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1120-6002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1120-6003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1120-6003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1120-6003 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1120-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1121-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1121-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6003 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6005 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6006 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6007 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6008 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6009 | ADAPTER | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6009 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6010 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6010 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6010 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6011 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6011 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6012 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6012 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6012 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6012 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6013 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6013 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6013 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6013 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6013 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6014 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6014 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6014 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6015 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6015 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6015 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6016 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6016 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6023 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6023 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6024 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6024 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6031 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6032 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6033 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6034 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6035 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6036 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6037 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6038 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6039 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6040 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF1122-6040 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6041 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6041 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6042 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6045 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6045 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6046 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6046 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6101 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6101 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6102 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6102 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6102 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6104 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6104 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6105 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6105 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6105 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6106 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6106 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6108 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6110 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1122-6110 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1123-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1123-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1123-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1123-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1123-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1123-6003 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1123-6003 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1123-6003 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1123-6004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1123-6004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1123-6004 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1123-6004 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1123-6004 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1123-6005 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1123-6005 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1123-6005 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1123-6005 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1126-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1126-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1126-6009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1126-6009 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1127-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1127-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1128-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1128-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1128-6006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6017 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6028 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6033 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6033 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6034 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6034 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6034 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6034 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6034 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6037 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6037 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6042 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6042 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6043 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6054 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6054 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6054 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6055 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6056 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6057 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6059 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6059 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6059 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6060 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6061 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6062 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6066 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6067 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6068 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6069 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6071 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6072 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6074 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6074 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6075 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6076 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6076 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6077 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6077 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6085 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6085 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6086 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6087 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6089 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6090 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6092 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6093 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6093 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6094 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6094 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6094 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6095 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6095 | ADAPTER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6095 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6102 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6102 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6106 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF1129-6111 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6111 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6123 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6125 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6125 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6130 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6131 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6131 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6131 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6144 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6146 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6152 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6153 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6153 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6154 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6154 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6157 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6157 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6157 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6158 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6159 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6159 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6159 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6160 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6162 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6165 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6166 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6166 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6169 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6171 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6176 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6179 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6186 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6189 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6193 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6194 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6194 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6195 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6195 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6197 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6201 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6207 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6209 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6209 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1129-6209 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1130-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1131-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-4082 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6017 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6017 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6019 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6019 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6021 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6021 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6022 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6022 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6023 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6023 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6024 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6024 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6026 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6027 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6028 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6034 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6035 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6035 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6035 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6038 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6040 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6042 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6043 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6043 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6043 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6048 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6048 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6049 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6052 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6054 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6056 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6057 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6058 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6067 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6069 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6070 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6071 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6072 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6077 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6078 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6082 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6083 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6087 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6089 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6091 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6091 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6091 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6091 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6093 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6096 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6102 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1132-6106 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1133-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF1133-6009 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1133-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1133-6011 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1133-6012 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6005 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6007 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6008 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6015 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6016 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6016 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6020 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1134-6020 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1135-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1135-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1135-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1138-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1138-6006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1138-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1138-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1138-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1138-6015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1138-6016 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1138-6016 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1138-6016 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1138-6018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1138-6018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1138-6020 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1138-6021 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1138-6022 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1138-6024 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1138-6027 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1138-6031 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1138-6032 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1139-6007 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1139-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1139-6015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6007 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6008 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6009 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6009 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6010 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6012 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6019 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6019 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6020 | ADAPTER | Insulator | No | HIGH DENSITY POLYETHYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6020 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6020 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6020 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6028 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6030 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6031 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6032 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6032 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6032 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6033 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6035 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6036 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6037 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6038 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6039 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6040 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6041 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6042 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6043 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6044 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6045 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6046 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6047 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6050 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6050 | ADAPTER | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6051 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6052 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6052 | ADAPTER | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6053 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6055 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6056 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6056 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6057 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6060 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6060 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6061 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6061 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6062 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF1140-6063 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6064 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6065 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6067 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6073 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6076 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6076 | ADAPTER | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6077 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6077 | ADAPTER | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6078 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6081 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6106 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6110 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1140-6110 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1141-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1143-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1143-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1143-6010 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1144-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1144-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6006 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6007 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6008 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6009 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6009 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6009 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6010 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6010 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6010 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6011 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6011 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6011 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6021 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6021 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6023 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6023 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6023 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6023 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6027 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6028 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6028 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6032 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6033 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6033 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6033 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6033 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6035 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6037 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6037 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6037 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6037 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6039 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6041 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6041 | ADAPTER | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6042 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6042 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6043 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6044 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6049 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6050 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1145-6050 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1147-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1147-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1148-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1148-6004 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1148-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1149-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1149-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1149-6401 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1149-6401 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1149-6404 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1149-6404 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1150-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1150-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1150-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1150-6401 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1150-6401 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1150-6402 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1150-6407 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1150-6407 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1150-6407 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1152-6004 | ADAPTER | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1152-6004 | ADAPTER | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1152-6004 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1152-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1152-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1152-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1152-6005 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1152-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1152-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1152-6015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1152-6016 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1152-6016 | ADAPTER | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1152-6017 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1152-6017 | ADAPTER | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1152-6018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1152-6018 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF1152-6021 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1152-6022 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1152-6022 | ADAPTER | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1157-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1157-6009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1157-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1157-6010 | ADAPTER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1157-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1157-6011 | ADAPTER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1157-6011 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1157-6012 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1157-6013 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1157-6013 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1157-6016 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1158-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1158-6001 | ADAPTER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1158-6008 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1158-6008 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1158-6009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1158-6009 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1160-6740 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1162-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1163-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1165-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1165-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1165-6007 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1165-6009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1165-6009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1165-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1180-6006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1180-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1180-6010 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1180-6011 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1180-6028 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1180-6033 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1180-6034 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1180-6035 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1180-6037 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1180-6038 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1180-6039 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1180-6040 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1180-6041 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1180-6045 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1180-6046 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1185-6003 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6006 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6013 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6015 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6016 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6017 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6018 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6018 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6021 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6022 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6034 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6035 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6044 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6045 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6046 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6047 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6048 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6048 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6049 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6049 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6050 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6600 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6600 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6601 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6601 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6602 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6602 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6607 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6608 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6609 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6610 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6612 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6612 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6614 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6614 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6615 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6615 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6617 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6619 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6623 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6624 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6625 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6626 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6627 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6628 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6629 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6630 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6640 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6641 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6642 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6643 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6646 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6646 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6659 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6659 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6660 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6660 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6661 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6661 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF1187-6664 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1187-6664 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1188-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1188-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1188-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1188-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1188-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1188-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1188-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1188-6008 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1188-6013 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1188-6017 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1188-6018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1188-6018 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1188-6018 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1188-6019 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1188-6020 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1188-6020 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1188-6020 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1188-6021 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1189-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1189-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1189-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1189-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1189-6009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1189-6009 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1189-6009 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1189-6011 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1189-6101 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1189-6101 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1189-6103 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1189-6103 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1189-6104 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1189-6104 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1189-6105 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1189-6105 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1189-6106 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1189-6106 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1189-6110 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1189-6110 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1189-6110 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1192-6005 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1192-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1192-6012 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1192-6012 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1192-6023 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1192-6027 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1194-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1194-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1197-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1197-6004 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-40002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-40006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-40007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-60193 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-60193-1S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-60193-2S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-60203 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-60203 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-60207 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-60208 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-60208 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-60221 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-60221 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-60221EDU | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-60221EDU | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-60222 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6061Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6061Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-6065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66113 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66114 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66133 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66144 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66144 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66151 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66151 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66154 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66156 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66165 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66166 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66169 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66187 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66193 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66193 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66194 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF1211-66194 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66201 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66204 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66208 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66214 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66214-1S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66214-2S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66214-3S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66221 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66221 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66222 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66222 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66230 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66231 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66241 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66261 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66261 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66297 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66300 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66311 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66311 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66313 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66313 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66318 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66325 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66334 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66344 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66344-1S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66344-2S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66354 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66354 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66370 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1211-66370 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60027 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60028 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60039 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60042 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60044-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60044-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1212-60049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1221-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1221-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1225-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1233-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1233-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1233-6002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1233-6002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1250-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1251-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1251-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1251-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1251-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1251-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1251-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1251-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1251-60007 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1279-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1279-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1287-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1287-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1293-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1411-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1421-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1421-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1421-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1421-60016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1421-60016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1421-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1433-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1433-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1444-6000 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1455-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1475-6900 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1480-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1480-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1500-6001 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1501-6001 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1501-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1502-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1503-6101 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1503-6102 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1503-6105 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1505-6100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1507-6100 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1507-6102 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF1507-6105 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1507-6105 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60025 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60025 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60026 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60031 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60035 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60036 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60038 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60044 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60047 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-6005 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60058 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60066 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60066 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60071 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60071Q | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60072 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60076 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60076 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60076 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60079 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60080 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60081 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60083 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60083 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60084 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60086 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60096 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60103 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60103EM | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60109 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60110 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60110 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60112 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60115 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60115 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60116 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60117 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60119 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60119-1S | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60119-2S | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1511-60119-3S | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1512-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1512-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1512-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1512-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1512-60013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1512-60018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1512-60023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1512-60027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1512-60028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-6002 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60025Q | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60040 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60045 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60045Q | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60055 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60055 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60066 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60080 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60080 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60084 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60084 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60084 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60114 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60121 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1521-60152 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1527-6002 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1527-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF1527-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1533-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1533-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1533-6004 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1542-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1543-6101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1543-6105 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1543-6105 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1575-6001 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1575-6003 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1575-6006 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1579-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1593-6000 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1597-6001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1597-6003 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1600-6000 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1600-6000 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1600-6000 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1603-6000 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1611-60001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1611-60001Q | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1611-60003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1611-60003Q | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1611-60007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1611-60009 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1611-60009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1611-60010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1611-60011 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1611-60012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1611-60014 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1611-60015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1611-60016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1611-60019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1611-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1611-60021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1611-60021-1S | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1611-60021-2S | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1611-60021-3S | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1621-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1621-60032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1621-60042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1634-6101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1698-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1708-6302 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1708-6302 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1708-6303 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1711-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1711-6001 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1711-60013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1711-60015 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1711-60017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1711-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1711-60023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1711-60023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1711-60026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1711-60026 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1711-60038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1711-60050 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1711-60050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1711-60053 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1711-60054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1711-60063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60925 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60925 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60926 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60930 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60938 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60942 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60943 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60945 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60953 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60954 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60959 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60960 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60960 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60962 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60969 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60970 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60972 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60984 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60985 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60985 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60987 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60987 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60990 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-60993 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-6904 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-6907 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-6909 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-6918 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-6921 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1721-6924 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1722-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1722-60005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1722-60005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1722-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1722-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1722-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1732-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1732-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1732-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1732-6007 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1732-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1732-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1732-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1732-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1733-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1733-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF1733-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1733-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1733-6013 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1733-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1733-6017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1733-6022 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1733-6023 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1738-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1750-6101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1751-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1753-6102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1754-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1755-6101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1755-6101 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1755-6103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1755-6103 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1755-6104 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1755-6104 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1755-6105 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1755-6105 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1755-6106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1755-6106 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1755-6106B | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1755-6106B | OTHER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1757-6001 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1757-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1757-6002 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1758-6102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1758-6102 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1758-6103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1758-6103 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1758-6104 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1772-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1774-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1774-6001 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1774-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1774-6002 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1774-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1774-6003 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1774-6007 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1774-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1774-6008 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1775-6007 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1775-6007 | OTHER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1775-6008 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1775-6008 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1775-6008 | OTHER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1775-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1775-6010 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1775-6010 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1775-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1775-6011 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF1775-6011 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1775-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1775-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1775-6012 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1775-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1775-6014 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF1778-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1778-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1782-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1783-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF1783-6004 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2211-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2211-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2211-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2211-60005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2250-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2250-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2250-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2611-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2611-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6001 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6002 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6007 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6007 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6030 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6037 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6037 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6041 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6403 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6403 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6403 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6403 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6404 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6404 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6404 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2700-6404 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2701-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2701-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2701-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2701-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2701-6006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2701-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2701-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2701-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2702-6006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2702-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2702-6012 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2702-6015 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF2702-6016 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2702-6402 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2702-6402 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2703-6178 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2703-6178 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2703-6178 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2703-6181 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2703-6181 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2703-6181 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2706-6401 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2706-6401 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2711-60005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2711-60005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2711-60009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2711-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2711-60015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2711-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2711-60019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2711-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2711-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2711-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2711-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2711-60020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2711-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2712-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2712-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2712-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2712-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2712-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2712-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2712-6011 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2712-6011 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2712-6013 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2712-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2712-60403 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2712-60403 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2712-60405 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2712-60405 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2712-60405 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2712-60407 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2712-60407 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6012 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6029 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6029 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6031 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2713-6031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2714-6011 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2714-6011 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2720-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2720-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2721-60032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2721-60041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2721-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2721-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2721-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2721-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2721-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2721-6016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2721-6020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2722-60411 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2733-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2743-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2743-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2746-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2746-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2750-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2750-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2750-6011 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2750-6013 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2750-6016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2750-6024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2750-6040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2750-6048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2750-6067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2750-6073 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2750-6074 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2750-6134 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2750-6413 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2750-6420 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2750-6421 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2750-6423 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2750-6427 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2750-6428 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2750-6429 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2755-6480 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2770-6016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2770-6016 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF2770-6017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF2770-6017 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF2772-6401 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2775-6205 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2775-6205 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2782-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2782-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2790-6401 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2793-6010 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2793-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2794-6003 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2797-6003 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2797-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2798-6014 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2798-6016 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2811-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2811-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2813-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2813-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6009 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6009 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6009 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6066 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6067 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6069 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6069 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6069 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6069 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6076 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6076 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6076 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6076 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6078 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6078 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6081 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6081 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6081 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6081 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6083 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6086 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6087 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6087 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6088 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6088 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6088 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6088 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6089 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6089 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6093 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6093 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6700 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6700 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6700 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6701 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6701 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6701 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6702 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6702 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6702 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6703 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6703 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6703 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6704 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6704 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6704 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6705 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6705 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6705 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6706 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6706 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6706 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6708 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6708 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2900-6708 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2901-6005 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2901-6006 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2901-6401 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6001B | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6001C | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6005D | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6005D | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6042 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6048 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6048 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6060 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6080 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6080 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6085 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF2902-6093 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6093 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6099 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6118 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6123 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6123 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6124 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6124 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6127 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6127 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6131 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6132 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6134 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6136 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6136 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6138 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6138 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6141 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6141 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6142 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6144 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6145 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6146 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6146 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6148 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6149 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6149 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6155 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6157 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6157A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6157B | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6158 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6158 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6161 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6161 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6163 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6164 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6169 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6170 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6172 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6176 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2902-6904 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-4015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-4018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6001B | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6001B | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6035 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6042 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6042 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6067 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6067 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6068 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6068 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6068 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6068 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6071 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6071 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6092 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6092 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6094 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6095 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6095 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6098 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6099 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6099 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6103 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6103 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6104 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6104 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6104 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6104 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6108 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6108 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6108 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6108 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6109 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6109 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6109 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6109 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6111 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6111 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6112 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6113 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6113 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6115 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6115 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6117 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6119 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6120 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6120 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6121 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6122 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6124 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6124 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6126 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6126 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6127 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6127 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6128 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6138 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF2903-6138 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6139 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6140 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6142 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6142 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6143 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6143 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6144 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6144 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6901 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6908 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6908 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6909 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6912 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6912 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2903-6913 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2905-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2905-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2905-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2905-6004 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2905-6005 | Other | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2905-6005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2905-6005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2905-6005 | Other | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2905-6010 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2905-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2905-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2905-6010 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6002B | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6002B | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6002C | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6002C | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6002Q | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6002Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6002U | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6002U | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6032 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6035 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6037 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6041 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6052 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6052 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6057 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6065 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6066 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6066 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6073 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6073 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6076 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6076 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6078 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6080 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6080 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6081 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6081 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6082 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6082 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6090 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6090 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6099 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6100 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6103 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6105 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6105 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6106 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6109 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6109 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6110 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6110 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6118 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6119 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6119 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6123 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6123 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6124 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6124 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6125 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6126 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6126 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6126 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6127 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6127 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6134 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6139 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6139 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6141 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6141 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6144 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6144 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6146 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6146 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6160 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6160 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6161 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6161 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6162 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6164 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6164 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6167 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6167 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF2906-6167 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6169 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6169 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6902 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6907 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6907 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6908 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6912 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6912 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6914 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6914 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6915 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6915 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6916 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6916 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2906-6916 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2907-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2907-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2907-6006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2907-6006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2907-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2907-6008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2907-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2907-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2907-6009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6017 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6026 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6033 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6036 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6036 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6038 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6040 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6041 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6042 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6043 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6045 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6045 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6046 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6046 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6047 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2908-6047 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2909-6023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2909-6023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2909-6026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2909-6026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6059 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6090 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6090 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6092 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6092 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6094 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6095 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6613 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6613 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6613 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6613 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6619 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6619 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6619 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6619 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6620 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6620 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6621 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2910-6621 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60070 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60071 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60071 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60072 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60072 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60072 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60077 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60077 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60078 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60078 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60079 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60079 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60080 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60080 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60083 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60083 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60084 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60084 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60085 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60086 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60086 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60088 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60088 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF2911-60088 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60088 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60090 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60090 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60097 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60097 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60101 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60104 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60106 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60108 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60108 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60108 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60109 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60109 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60112 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60113 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60113 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60118 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60118 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60118 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60121 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60124 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60124 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60124 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60125 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60125 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60126 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60126 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60129 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60129 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60131 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60131 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60132 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60132 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60134 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60134 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60134 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60136 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60138 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60140 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60140 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60145 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60145 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60149 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60149 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60149 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60150 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60150 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60151 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60151 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60152 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60152 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60154 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60154 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60156 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60160 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60164 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60164 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60165 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60165 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60168 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60168 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60169 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60169 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60172 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60172 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60172Q | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60172Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60181 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60181 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60181 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60183 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60183 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60190 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60190 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60194 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60194 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60199 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60200 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60202 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60202 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60202 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60204 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60204 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60205 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60205 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60210 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60210 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60212 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60213 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60213 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60215 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60218 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60218 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60226 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60226 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60227 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60228 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60228 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60230 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF2911-60230 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60230 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60231 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60231 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60233 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60241 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60241 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60242 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60242 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60249 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60249 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60251 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60251 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60253 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60253 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60256 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60256 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60257 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60257 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60258 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60258 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60259 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60259 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60260 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60264 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60268 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60269 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60269 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60270 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60270 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60271 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60273 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60276 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60276 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6028 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6028 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60281 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60281 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60283 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60283 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60284 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60286 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60286 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60287 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60287 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60287 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60288 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60288 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60289 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60292 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60292 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60296 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60296 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60298 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60298 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60302 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60302 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60307 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60307 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60317 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60317 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60317 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6033 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6038 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6040 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6047 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6049 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6051 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6051 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6052 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6057 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6058 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-6066 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60958 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60958 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60958 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60960 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60964 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60964 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60966 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60966 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60966 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60966Q | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60966Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60966Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60967-1K | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60967-1K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60967-2K | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60967-2K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60967-3K | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60967-3K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60967-4K | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF2911-60967-4K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60968-1K | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60968-1K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60968-2K | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60968-2K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60968-3K | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60968-3K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60968-4K | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60968-4K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60969 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60969 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60971 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60971 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60971 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60972 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60972 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60973 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60973 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60973-1S | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60973-1S | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60973-2S | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60973-2S | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60973-3S | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2911-60973-3S | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6001A | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6001A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6037 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6039 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6042 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6044 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6046 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6046 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60910 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60910 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60910 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60910 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60912 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60912 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60914 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60914 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60925 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60925 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60927 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60927 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60927 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60927 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60931 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60931 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60931 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60933 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60933 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60934 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60934 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60934 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60935 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60935 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60937 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60937 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60937 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60937 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60939 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60939 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60941 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60941 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60941 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60953 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60955 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60955 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60955 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60957 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60957 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60957 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60957 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60958 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60958 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60958 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60962 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60962 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60967 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60967 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60968 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60968 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60969 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60974 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60974 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60974 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60975 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60975 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60975 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60976 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60978 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60980 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60982 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60982 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60989 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60989 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60990 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60990 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60990 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60990 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60994 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60994 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60994 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60994 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF2912-60995 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60995 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60998 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-60998 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-61003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-61003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6605 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6605 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6610 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6610 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6610 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6903 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6903 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6906 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6906 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6906 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2912-6906 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-4006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6001A | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6001A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6042 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6043 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6056 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6058 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6058 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6064 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6073 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6074 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6077 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6077 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6081 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6084 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6084 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6085 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6085 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6086 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6086 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6089 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6089 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6090 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6090 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6090 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6091 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6091 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6093 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6093 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6093 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6093 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6095 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6095 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6096 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6096 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6097 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6097 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6097 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6097 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6102 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6103 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6103 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6104 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6104 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6107 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6107 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6107 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6109 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6109 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6110 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6110 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6111 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6111 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2913-6112 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6001A | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6001A | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6026 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6605 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6605 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6605 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6605Q | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6605Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6605Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6608 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6608 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6608 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6609 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6609 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6609 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6610 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6610 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6610 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6611 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6611 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF2915-6611A | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6611A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6612 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6613 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6613 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6901 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2915-6901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2917-6010 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2917-6010 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2917-6011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2917-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2920-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6006 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6052 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61029 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61041 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61042-EDU | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61043 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61043 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61046 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61064 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61071 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61071 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61072 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61073 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61073 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61074 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61074 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61074 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61077 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61092 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61097 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61112 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61113 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61113 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61113 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61114 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61114 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61123 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61123 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61123 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61126 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61127 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61140 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61145 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61145 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61148 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61148 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61152 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61154 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61156 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61157 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61157E | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61159 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61160 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61165 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61169 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61170 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61170 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61171 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61176 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61176 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61176 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61177 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61177 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61177 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61184 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61184 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61184 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61186 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF2921-61187 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61187 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61187 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61187 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61188 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61194 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61194 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61194 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61194 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61197 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61197 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61198 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61200 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61201 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61203 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61210 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61210 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61210 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61214 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61220 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61226 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61229 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61231 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61231 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61232 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61234 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61247 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61252 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61252 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61258 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61263 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61265 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61265 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61265 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61267 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61272 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61273 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61275 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61277 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61287 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61287 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61295 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61301 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61303 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61303 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61303 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61304 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61310 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61310-F | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61311 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61311 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61311 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61316 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61316 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61318 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61318 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61321 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61328 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61330 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61331 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61339 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61339 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61340 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61345 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61345-1S | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61345-2S | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61345-3S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61348 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61353 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61355 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61356 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61356-1S | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61356-2S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61356-3S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61358 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61361 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61364 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61364 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61370 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61379 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61379 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61379 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61384 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61384 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61386 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61391 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61391 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61396 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61397 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61398 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61406 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61406 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61406 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61411 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61416 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61423 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61425 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61432 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61437 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61439 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61440 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61443 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61443 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61444 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61447 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61448 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61450 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61450 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61451 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61452 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61457 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF2921-61457 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61458 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61466 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61472 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61474 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61484 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61487 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61492 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61496 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61497 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61503 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61504 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61506 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61506-1S | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61507 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61507-1S | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61509 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61509 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61516 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61517 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61518 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61520 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61521 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61522 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61530 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61536 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61538 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61544 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61547 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61552 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61555 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61558 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61559 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61560 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61560 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61577 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61587-1K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61587-2K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61587-3K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61587-4K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61588-1K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61588-2K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61588-3K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61588-4K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61589 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61591 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61591 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61595 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61595 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61597-1K | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61597-1K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61597-2K | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61597-2K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61597-3K | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61597-3K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61597-4K | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61597-4K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61598 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61599 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61599 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61599 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61600 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61600 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61600 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61603 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61614-1K | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61614-1K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61614-2K | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61614-2K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61614-3K | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61614-3K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61614-4K | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-61614-4K | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6916 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6919 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6920 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6921 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6938 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6940 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6943 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6944 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6950 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6971 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6971 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6971 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6980 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6981 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6994 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6995 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6996 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6998 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2921-6999 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60922 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60922 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60923 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60927 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60927 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60927 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60927 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60933 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60933 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60938 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60938 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60952 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60952 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60954 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60954 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60955 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60955 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60956 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF2922-60956 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60962 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60964 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60964 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60973 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60973 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60979 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60979 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60980 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60980 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60982 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60982 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60983 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60987 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60987 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60988 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60988 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60992 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60994 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60994 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60994 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60994 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60994 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60995 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60997 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-60997 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-61000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-6915 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-6915 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-6917 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-6917 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-6918 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-6918 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-6920 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2922-6920 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2923-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2923-6017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2928-6006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2928-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2928-6026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2928-6028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2929-6006 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2929-6006 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2930-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2930-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2930-6012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2930-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2930-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2930-6019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2930-6019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2931-6911 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2932-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2932-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2932-6004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2932-6042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2932-6042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2932-6700 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2932-6701 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2933-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2933-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2933-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2933-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2933-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2933-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2933-6041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2933-6045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2933-6045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2933-6045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2933-6067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2933-6074 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2933-6075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2933-6075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2933-6075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2933-6081 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2933-6081 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2933-6081 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2941-6005 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2941-6701 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2941-6702 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2941-6704 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2942-6032 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2942-6032 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2942-6032 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2942-6035 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2942-6035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2942-6035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2942-6045 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2942-6045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2942-6045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2942-6052 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2942-6092 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2942-6097 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2942-6104 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2942-6105 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2942-6105 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2942-6105 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2942-6105 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6041 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6041 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF2943-6073 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6073 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6077 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6077 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6081 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6081 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6081 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6081 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6089 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6090 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6090 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6091 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6091 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6093 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6093 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6904 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6908 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2943-6909 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2946-6012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2946-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2946-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2946-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2946-6061 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2946-6061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6036 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6061B | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6081 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6081B | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6081C | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6092 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6132 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6132 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6132 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6134 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6134 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6135 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6138 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6140 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6144 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6147 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6159 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6161 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6200 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6200C | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6203 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6209 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6214 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6218 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6219 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6220 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6233 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6244 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6251 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6275 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6299 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6306 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6315 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6317 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6332 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6334 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6336 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6337 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6356 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6358 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6377 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6393 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6394 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6396 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6398 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6413 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6441 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6472 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6473 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6474 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6483 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6510 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6515 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6521 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6533 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6537 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6558 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6585 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6590 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6592 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6611 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6662 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6704 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6719 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6720 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6731 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6764 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6768 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6769 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6779 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6780 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6781 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6784 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6786 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF2950-6789 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6790 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6806 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6808 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6864 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6866 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6868 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6901 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6901-U | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6907 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6908 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6916 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6917 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6920 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6930 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6939 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6948 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6954 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6955 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6986 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2950-6987 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6069 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6075 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6081 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6107 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6110 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6112 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6115 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6116 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6119 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6120 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6122 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6123 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6134 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6144 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6144 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6145 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6145 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6158 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6161 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6172 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6192 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6203 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6210 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6210 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6214 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6215 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6261 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6264 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6276 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6284 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6289 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6290 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6291 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6292 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6295 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6297 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6305 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6305 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6309 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6315 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6316 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6318 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6319 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6325 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6328 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6329 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6344 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6345 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6346 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6348 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6353 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6356 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6361 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6362 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6365 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6366 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6368 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6372 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6373 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6375 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6376 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6378 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6379 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6390 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6393 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6394 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6399 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6400 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6404 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6407 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6408 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6464 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6611 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6615 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6709 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6710 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6712 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6801 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6907 | OTHER | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6908 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2951-6911 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2952-6102 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2952-6107 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2952-6111 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2952-6111 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF2952-6112 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2952-6113 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2952-6119 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2952-6120 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2952-6121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2952-6122 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2952-6124 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2952-6135 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2952-6309 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2952-6907 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2952-6909 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6103 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6104 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6120 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6131 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6139 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6145 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6147 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6149 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6151 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6159 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6160 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6166 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6169 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6170 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6180 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6202 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6203 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6205 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6208 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6212 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6216 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6221 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6222 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6223 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6227 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6308 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6310 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6312 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6314 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6315 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6316 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6317 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6319 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6320 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6321 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6411 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6412 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6413 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6414 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6417 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6912 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2953-6915 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6033 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6047 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6047 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6052 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6052 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6081 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6081 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6121 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6133 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6133 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6166 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6166 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6177 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6177 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6178 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6178 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6179 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6179 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6197 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6197 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6202 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6202 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6212 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6217 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6217 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6222 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6222 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6241 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6250 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6250 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6264 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6264 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6266 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6266 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6268 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6268 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6296 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6296 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6297 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6297 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6299 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6299 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6305 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6305 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6308 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6308 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6321 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF2955-6321 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6322 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6322 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6357 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6358 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6366 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6367 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6367 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6373 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6377 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6377 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6378 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6382 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6384 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6385 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6385 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6404 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6404 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6502 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2955-6502 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2956-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6118 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6119 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6131 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6138 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6176 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6176 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6181 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6181 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6197 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6198 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6220 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6220 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6229 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6229 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6230 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6230 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6233 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6234 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6253 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6253 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6257 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6257 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6284 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6284 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6285 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6285 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6299 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6303 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6303 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6304 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6304 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6306 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6306 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6340 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6340 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6343 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6343 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6348 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6348 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6349 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6349 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6353 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6353 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6354 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6354 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6610 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6612 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6612 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6613 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6613 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6614 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6614 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6616 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6616 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6617 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6617 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6619 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6627 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6627 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6631 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6631 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6635 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6635 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6636 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6636 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6637 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6637 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6643 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6643 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6646 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6646 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6650 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6659 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6659 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6668 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6668 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6675 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6675 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6688 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF2960-6691 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6691 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6695 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6695 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6696 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6696 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6697 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6697 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6701 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6701 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6702 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6702 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6703 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6703 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6722 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6722 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6724 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6724 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6725 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6725 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6726 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6726 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6728 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6728 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6735 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6736 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6736 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6737 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6738 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6738 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6740 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6742 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6742 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6743 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6743 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6745 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6745 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6751 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6751 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6752 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6752 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6754 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6755 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6755 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6755 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6755 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6755 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6758 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6758 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6771 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6774 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6774 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6780 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6780 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6781 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6781 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6782 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6782 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6806 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2960-6806 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2961-6029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2961-6029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2961-6061 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2961-6061 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2961-6601 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2961-6601 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2961-6603 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2961-6603 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6023 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6050 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6078 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6088 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6089 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6090 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6102 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6106 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6107 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6107 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6111 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6111 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6115 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6115 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6116 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6117 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6117 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6121 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6124 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6124 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6126 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6127 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6129 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2970-6130 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2971-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2971-6044 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2971-6061 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6055 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6088 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6093 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6128 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6128 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF2975-6200 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6200 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6200 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6241 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6241 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6292 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6298 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6300 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6301 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6314 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6315 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6321 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6327 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6330 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6334 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6334 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6341 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6348 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6349 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6358 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6364 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6365 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6502 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6503 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2975-6503 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2976-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2976-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2979-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2979-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2979-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2980-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2980-6024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2980-6056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2980-6058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2980-6058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2982-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2982-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2982-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2982-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2982-6044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2982-6044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2982-6061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2982-6063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2983-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2983-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2983-6039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2983-6044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2988-6005 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2988-6014 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2988-6015 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2988-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2989-6021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2989-6023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2989-6024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2989-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2989-6035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2989-6042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2989-6049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2989-6061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2989-6061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2989-6062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2989-6063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2989-6063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2989-6064 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2990-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2990-6002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2990-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2990-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2990-6011 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2990-6014 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2990-6019 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2990-6025 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2990-6028 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2990-6037 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2990-6037 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2990-6038 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2990-6038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2990-6039 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2990-6042 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2990-6044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2990-6047 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2990-6048 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2990-6050 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2990-6052 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2991-6002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2991-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2991-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2991-6021 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2991-6028 | ADAPTER | Insulator | No | ETHYLENE PROPYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2991-6028 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2991-6040 | ADAPTER | Insulator | No | ETHYLENE PROPYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2991-6040 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2991-6041 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2991-6043 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2991-6045 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2991-6045 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2991-6046 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2991-6047 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2991-6101 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2991-6101 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2991-6102 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2991-6103 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2992-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2992-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2992-6018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2992-6018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2992-6029 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2992-6033 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2992-6033 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2992-6040 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2992-6040 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF2992-6040 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2992-6041 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2992-6041 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6004 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6005 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6008 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6011 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6017 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6017 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6018 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6020 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6020 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6022 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6022 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6024 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6024 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6025 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6029 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6029 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6029 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6030 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6030 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6031 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6031 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6641 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6641 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6641 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6650 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6650 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2993-6650 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6011 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6025 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6025 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6025 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6028 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6028 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6028 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6041 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6041 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6041 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6047 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6047 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6049 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6049 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6050 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6050 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6601 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6601 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6601 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6602 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6602 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6602 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6603 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6603 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6603 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6605 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6606 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6606 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6609 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6622 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2994-6622 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2995-6009 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2996-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2996-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2996-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2996-6022 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2996-6023 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6003 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6018 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6018 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6023 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6023 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6028 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6031 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6035 | ADAPTER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6035 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6037 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6037 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6038 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6042 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6043 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6043 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6043 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6046 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6047 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6048 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6048 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6049 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6050 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6050 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6052 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6052 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6053 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6054 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF2997-6055 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6055 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6055A | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6055A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6056 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6057 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6059 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2997-6059 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF2998-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2998-6023 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2998-6025 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2998-6026 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2998-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2998-6030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2998-6036 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2998-6037 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF2998-6038 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF2998-6041 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-40042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60033-TD | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-6004Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60074 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60074 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60076 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60077 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60078 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60078 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60084 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60093 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60099 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60104 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60111 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60115 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60117 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60129 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60130 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60130 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60131 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60132 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60132 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60133 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60145 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60146 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60153 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60153 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60153Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60153Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60157 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60157A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60158 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60165 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60166 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60176 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60178 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60178 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60191 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60191 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60193 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60193-1S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60193-2S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60193-3S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60195 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60196 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60200 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60202 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60210 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60215 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60218 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60218-1S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60218-2S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60218-3S | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60220 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60223 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60224 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60225 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60228 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60228 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60229 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60231 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60238 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60238 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60239 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60244 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60244 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60248 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60254 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF3211-60254 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60255 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60255 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60256 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60256 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60258 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60287 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60287 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60293 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60293 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3211-60318 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3212-60005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3212-60005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3251-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3275-6100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3275-6100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3303-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF3303-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF3311-60001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF3311-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3311-60002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF3311-60002Q | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF3311-60003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF3311-60003Q | RAPID RESPONSE | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF3311-60005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF3311-60005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3311-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3311-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3311-60008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF3311-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3311-60013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF3311-60013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3311-60014 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF3311-60014-1S | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF3311-60014-2S | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF3311-60014-3S | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF3321-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3321-60031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3321-6004 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF3331-60001 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF3346-6002 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF3375-6001 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF3811-60028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3811-60032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3811-60033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3811-60042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3811-60043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3811-60044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3811-60059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3811-60059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3811-60059Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3811-60059Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3811-60060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3811-60060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3811-60060Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3811-60060Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3811-60066 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3811-60066 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3821-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3821-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3879-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF3911-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4002-6012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4002-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4004-6011 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4004-6011 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4004-6011 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4004-6011 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4004-6018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4004-6018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4004-6018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4004-6018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4004-6018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4004-6018 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4008-6012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4008-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4009-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4009-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4009-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4009-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4009-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4009-6008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4009-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60074 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60077 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60079 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60084 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60084 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60084 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60094 | CONNECTOR | Insulator | No | HIGH DENSITY POLYETHYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60094 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60094 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60094 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60094 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60096 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF4011-60097 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60098 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60101 | CONNECTOR | Insulator | No | HIGH DENSITY POLYETHYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60101 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60101 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60101 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60101 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60103 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60109 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60110 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60111 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60112 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60113 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60113 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60114 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60114 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60114 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60114 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60115 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60116 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60117 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60118 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60122 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60124 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60124 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60124 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60125 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60130 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60156 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60156 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4011-60192 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4012-60001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4012-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4012-60014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4012-60017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4012-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4012-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-6001 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60012 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60039 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-6004 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60045 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60060 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60068 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60069 | CONNECTOR | Insulator | No | HIGH DENSITY POLYETHYLENE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60069 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60069 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60069 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60070 | CONNECTOR | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60071 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60077 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60077 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60077 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60077 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60077 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60078 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60078 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60085 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60085 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60087 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60091 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60096 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60096EDU | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60098 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60098 | CONNECTOR | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60099 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60099 | CONNECTOR | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60105 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60107 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60110 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60111 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60111 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60114 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF4021-60114 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60114 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60114 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60114 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60115 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60115 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60115 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60115 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60115 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60116 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60116 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60116 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60116 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60116 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60117 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60117 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60117 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60117 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60117 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60118 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60118 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60118 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60118 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60118 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60119 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60119 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60119 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60119 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60119 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60120 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60120 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60120 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60120 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60120 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60121 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60121 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60121 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60122 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60122 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60122 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60122 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60122 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60123 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60123 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60123 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60123 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60123 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60124 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60124 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60124 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60124 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60124 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60125 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60125 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60125 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60125 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60125 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60126 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60126 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60126 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60126 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60126 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60127 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60127 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60127 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60127 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60127 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60128 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60128 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60128 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60128 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60128 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60129 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60129 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60129 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60129 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60129 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60130 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60130 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60130 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60130 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60130 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60131 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60131 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60131 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60131 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60131 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60132 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60132 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60132 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60132 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60132 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60133 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60133 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60133 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60133 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60133 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60134 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60134 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60134 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60134 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60134 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60135 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60135 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60135 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60135 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60135 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60136 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60136 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF4021-60136 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60136 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60136 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60137 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60137 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60137 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60137 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60137 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60144 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60148 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60148EDU | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60155 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60156 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60157 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60157 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60165 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60165 | CONNECTOR | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60166 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60166 | CONNECTOR | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4021-60221 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4022-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4022-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4022-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4044-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4044-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4044-6002 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4044-6002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4044-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4044-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4044-6006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4044-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4044-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4044-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4044-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4044-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4044-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4044-6011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4044-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4044-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4044-6012 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4044-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4044-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4047-6009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4047-6009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4047-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4047-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4047-6009 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4054-6100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4055-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4060-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4066-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4066-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4066-6049 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4066-6056 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4066-6056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4066-6056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6010 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6016 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6017 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6018 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6033 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6035 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6051 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6119 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6119 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6155 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6155 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6187 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6189 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6190 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6209 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6211 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6216 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4080-6216 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4082-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4082-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4082-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4082-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4084-6076 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4084-6076 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4084-6076 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4085-6019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4087-6008 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4087-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4087-6011 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4087-6011 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4093-6014 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4093-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4093-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4093-6015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4093-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4093-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4096-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4096-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4096-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4096-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF4096-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4096-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4096-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4096-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4100-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4100-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4100-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4100-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4110-6011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4110-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4110-6012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4110-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4110-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6082 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6082 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6082 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6082 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6082 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6083 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6083 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6083 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6083 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6083 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6084 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6084 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6084 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6084 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6084 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6085 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6085 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6085 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6085 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6085 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6086 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6086 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6086 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6086 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6086 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6087 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6087 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6087 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6087 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6087 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6088 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6088 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6088 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6088 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6088 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6089 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6089 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6089 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6089 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6089 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6090 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6090 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6090 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6090 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6090 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6091 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6091 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6091 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6091 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6091 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6092 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6092 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6092 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6092 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6092 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6093 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6093 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6093 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6093 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6093 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6094 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6094 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6094 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6095 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6095 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6095 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6095 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6095 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6096 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6096 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6096 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6096 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6096 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6097 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6097 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6097 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6097 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6097 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6098 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6098 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6098 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6098 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6098 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6099 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6099 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6099 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6099 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6099 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6100 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6100 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6100 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6101 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6101 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF4113-6101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6101 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6102 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6102 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6102 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6103 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6103 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6103 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6104 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6104 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6104 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6104 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6104 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6105 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6105 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6105 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6105 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6105 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6106 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6106 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6106 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6107 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6107 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6107 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6107 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6107 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6110 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6110 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6110 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6110 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6110 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6114 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6114 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6114 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6114 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6114 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6115 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6115 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6115 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6115 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6115 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6116 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6116 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6116 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6116 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6116 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6121 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6121 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6121 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6130 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6130 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6130 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6130 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6130 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6154 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6154 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6154 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6154 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6155 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6155 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6155 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6155 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6156 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6156 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6156 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6156 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6156 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6157 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6157 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6157 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6157 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6157 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6158 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6158 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6158 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6158 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6158 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6159 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6159 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6159 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6159 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4113-6159 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF4115-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4115-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4115-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6031 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6032 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6033 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6034 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6035 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF4116-6035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6036 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6037 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6038 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6039 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6040 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6041 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6042 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6043 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6045 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6048 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4116-6048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6016 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6016 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6016 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6016 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6018 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6018 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6018 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6018 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6020 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6020 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4122-6020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6031 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6031 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6032 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6032 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF4123-6033 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6033 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6034 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6034 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6035 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6035 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6036 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6036 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6037 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6037 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6038 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6038 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6039 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6039 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6040 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6040 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6041 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6041 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6042 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6042 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6043 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6043 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6044 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6044 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6070 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6070 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4123-6070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4130-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4130-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4133-6003 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4133-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4133-6015 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4134-6010 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4134-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4134-6010 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4138-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4140-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4169-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4169-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4169-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4169-6006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4169-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4301-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4301-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4301-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4301-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4320-6501 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4320-6501 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4320-6501 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4331-6005 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4383-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4383-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF4501-6029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6031 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6031 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6031 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6039 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6052 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6052 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6052 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6055 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6055 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6056EDU | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6056EDU | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6060 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4501-6060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4503-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4503-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4503-6011 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4503-6011 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4503-6017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4503-6017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4503-6017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4503-6021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4503-6021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4503-6021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4503-6022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4503-6022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4504-6002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4504-6011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4504-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4504-6016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4504-6016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4504-6018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4504-6018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4505-6017 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4505-6017 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4505-6017 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4505-6017 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4505-6021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4505-6021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4505-6023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4505-6023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4505-6031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4505-6032 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4505-6032 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4507-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4507-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4507-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4507-6004 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4507-6004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60031 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60038 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60039 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60040 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60040 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60042 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60043 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60043 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60044 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60044 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60047 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60047 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60048 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60048 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF4511-60048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60054 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60059 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60059 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60061 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60061 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60062 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60065 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60065 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60066 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60066 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60067 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60068 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60069 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60069 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60069 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60070 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60071 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60071 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60072 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60074 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60074 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-60074 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-6009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-6011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4511-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60008 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-60018 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4512-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4515-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4515-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4515-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4515-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60034 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60036 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60042 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60042 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60042 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60071 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF4521-60072 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60073 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60074 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60076 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60077 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60078 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60079 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60080 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60081 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60082 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60083 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60084 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60085 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60086 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60087 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60088 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60089 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60090 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60091 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60092 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60093 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60095 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60100 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60104 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60104 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60105 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60107 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4521-60107 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4522-60030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4523-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4524-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4532-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4532-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4532-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4532-6009 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4532-6011 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4532-6013 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4533-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4533-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4533-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4533-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4533-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4533-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4533-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4533-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4533-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4533-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4533-6034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4533-6034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4533-6034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4533-6034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4533-6034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4541-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4541-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4541-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4541-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4541-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4541-6024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4543-6001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4543-6016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4543-6016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4545-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4545-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4545-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4545-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4545-6008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4545-6008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4545-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4545-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4545-6009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4545-6009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4545-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4545-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4545-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4545-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4545-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4545-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4545-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF4545-6015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4545-6015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4545-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4546-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4546-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4546-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4546-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4546-6011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4546-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4546-6019 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4546-6028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4546-6028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4546-6029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4550-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4550-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4550-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4550-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4555-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4555-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4557-6100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4560-6012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4560-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4575-6202 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4575-6202 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4575-6210 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4575-6210 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4580-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4580-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4580-6017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4580-6022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4580-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4580-6031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4580-6038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4580-6039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4580-6055 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4580-6056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4580-6057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4580-6061 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4580-6062 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4580-6063 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4583-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4583-6029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4583-6029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4587-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4587-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4587-6005 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4589-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4589-6017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6010 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6010 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6010 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6010 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6010 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6020 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6020 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6020 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6031 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6031 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6031 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6031 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6031 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6031 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6032 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6032 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6032 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6033 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6033 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF4592-6033 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4592-6033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4593-6001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4593-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4593-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4593-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4595-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4596-6004 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4597-6002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4597-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4598-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4598-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4598-6004 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4598-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4598-6006 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4598-6007 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4598-6007 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4598-6008 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4599-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4599-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4710-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4710-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4710-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4710-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4711-60007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4711-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4711-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4711-60009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4711-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4711-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4711-60010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4711-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4711-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4716-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF4716-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4732-6000 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4741-6301 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF4911-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5001-60003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5002-6000 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5002-6000 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60033 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60034 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60035 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60035 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5011-60038 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5013-6003 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5013-6003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5020-6011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5020-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5020-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60025 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60039 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60041 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60045 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60045 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5021-60050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5033-6003 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5040-6800 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5040-6800 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5040-6800 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF5040-6800 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5040-6800 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF5040-6800A | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5040-6800A | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5040-6800A | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5040-6800A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5045-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5045-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5045-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5045-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5045-6010 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF5047-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5047-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5050-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5050-6031 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5050-6031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5050-6034 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5050-6034 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5050-6034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5050-6034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5050-6075 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5055-6018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5055-6018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5073-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5073-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5073-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5079-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5079-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5080-6016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5081-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5081-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5081-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5089-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5089-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5090-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5096-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5096-6002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5096-6005 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5096-6016 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5096-6018 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5096-6019 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5097-6004 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5097-6004 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5200-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5200-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5207-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5207-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5211-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5211-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5211-60010 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5211-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5211-60013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5211-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5211-6006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5211-6006 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5221-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5221-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5221-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5221-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5221-60007 | CONNECTOR | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5221-6001 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5221-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5221-60010 | CONNECTOR | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5221-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5222-6000 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5222-6000 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5222-6000 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5250-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5257-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5257-6800 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5280-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5291-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF5291-6001 | ADAPTER | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5400-6004 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF5442-6000 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6504-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6504-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6504-6006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6504-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6505-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6505-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6505-6006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6505-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6505-6013 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6505-6013 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6505-6015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6505-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6507-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6507-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6508-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6508-6007 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6509-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6509-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6509-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6509-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6509-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6509-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6509-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6509-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6509-6009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6509-6009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6511-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6511-60003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6511-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6511-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6511-60004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6511-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6511-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6511-60006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6511-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6511-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF6511-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6511-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6511-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6511-60015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6511-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6511-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-60006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-60008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-60009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-60011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-60012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6512-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-6003 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6521-60034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6522-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6522-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6524-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6524-6002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6529-6001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6529-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6004 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6018 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6018 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6018 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6024 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6029 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6030 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6545-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6549-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6549-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6549-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6549-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6555-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6590-6002 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6590-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6593-6002 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6594-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6594-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6596-6001 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF6596-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF6596-6001 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8000-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF8000-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8000-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8000-6014 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8000-6017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8000-6019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8000-6020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8000-6020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8000-6020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8000-6021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8000-6023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8000-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8000-6025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8000-6028 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8001-6000 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8002-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8002-6005 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8002-6005 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8002-6006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8002-6006 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8002-6006 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8004-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8005-6015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8005-6015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8005-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8011-60012 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8011-60014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8011-60014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8011-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8011-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8011-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8011-60026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8011-60027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8011-60027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8011-60028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8011-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8011-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8011-6009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8011-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8011-6009 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8012-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8012-6003 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8012-6009 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8012-6100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8012-6101 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8012-6102 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8012-6103 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8012-6105 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8015-6001 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8015-6002 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8015-6007 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8015-6009 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8015-6406 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8015-6407 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8015-6417 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8016-6301 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8016-6301 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8016-6303 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8016-6303 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8016-6304 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8016-6306 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8016-6307 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8016-6401 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8016-6402 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8016-6404 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8017-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8017-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8017-6001 | OTHER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8017-6003 | OTHER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6005 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6005 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6007 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6009 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6009 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6017 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6019 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6019 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6035 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6047 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6057 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6057 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6060 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6060 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6061 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6061 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6069 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6069 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6072 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6074 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6074 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6075 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6075 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6080 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6080 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6082 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6082 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6083 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6084 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6084 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6087 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6092 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6092 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6099 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6100 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6104 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6104 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6106 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6106 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6108 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6108 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6109 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF8018-6109 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6110 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6110 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6112 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6112 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6113 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6113 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6114 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6114 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6115 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6115 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6117 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6117 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6119 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6119 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6129 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6129 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6130 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6130 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6131 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6131 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6132 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6133 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6133 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6135 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6138 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6138 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6140 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6140 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6141 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6141 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6143 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6143 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6144 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6144 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6145 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6145 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6146 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6150 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6151 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6151 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6153 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6154 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6155 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6155 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6156 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6157 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6158 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6158 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6160 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6160 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6161 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6162 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6162 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6164 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6164 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6165 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6165 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6167 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6167 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6171 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6171 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6172 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6172 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6173 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6173 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6174 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6174 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6175 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6175 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6177 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6177 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6178 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6178 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6180 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6180 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6181 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6181 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6182 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6182 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6183 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6183 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6184 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6184 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6185 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6185 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6186 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6186 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6190 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6190 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6191 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6191 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6192 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6193 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6194 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6195 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6195 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6196 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6196EDU | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6197 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6197 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6199 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6206 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6206 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6208 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6209 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8018-6209 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8021-6002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8021-60122 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8021-60122 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF8021-60135 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8021-60142 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8021-60148 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8021-60148 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8021-6016 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8021-6100 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8021-6104 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8021-6106 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8021-6108 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8021-6109 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8021-6114 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8021-6115 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8021-6116 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8021-6117 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8021-6117 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8026-6001 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8026-6001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8026-6002 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8026-6002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8027-6011 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8027-6060 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8027-6453 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8027-6456 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8027-6456 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6001 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6007 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6009 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6009 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6023 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6025 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6026 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6027 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6028 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6033 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6033 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6034 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6034 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6039 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6044 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6044 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6050 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6050 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6052 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6053 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6053 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6057 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6058 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6059 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6060 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6060 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6061 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6061 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6064 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6065 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6066 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6069 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6069 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6073 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6074 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6074 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6075 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6079 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6079 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6081 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6081 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6082 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6082 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6091 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6091 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6093 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6093 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6100 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6100 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6101 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6106 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6106 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6117 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8029-6117 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8032-6004 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8032-6004 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8032-6009 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8032-6010 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8032-6016 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8032-6016 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8032-6016 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8032-6017 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8032-6017 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8033-6001 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6004 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6004 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6004 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6004 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6009 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6009 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6009 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6009 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6010 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6010 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6010 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6010 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6014 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6014 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6014 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6014 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6015 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6019 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6019 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6020 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6020 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF8040-6020 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6020 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6024 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6024 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6024 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6024 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6045 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6398 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6398 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6399 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6399 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6399 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6399 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6401 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6403 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6405 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6406 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6410 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6410 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6412 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6414 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6415 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6415 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6415 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8040-6415 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8041-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8043-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8043-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8043-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6004 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6004 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6004 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6004 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6005 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6005 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6005 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6005 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6006 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6006 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6006 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6006 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6007 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6007 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6008 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6008 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6009 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6009 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6021 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6021 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6022 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6044 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6046 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6046 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6047 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6047 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6048 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6050 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6050 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6060 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6070 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6070 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6072 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6073 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6074 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6075 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6075 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6302 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6302 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6302 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6302 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6303 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6303 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6304 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6304 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6304 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6304 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6306 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6306 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6306 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6306 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6307 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6308 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8045-6308 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8047-6001 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8047-6001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8047-6002 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8047-6002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8050-6013 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8050-6013 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8050-6013 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8050-6013 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8050-6034 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8050-6034 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8050-6400 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8050-6402 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8051-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8051-60013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8051-60015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8051-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8051-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8051-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8051-60016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8051-60016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8051-60016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8052-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8052-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8052-6003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8053-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF8053-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8058-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8058-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8058-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8065-6002 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8065-6002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8065-6003 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8065-6003 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8065-6004 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8065-6004 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8065-6005 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8065-6005 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8065-6020 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8065-6020 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8065-6024 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8065-6024 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8065-6026 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8065-6026 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8065-6028 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8065-6028 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8065-6030 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8065-6034 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8065-6036 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8065-6038 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8075-6004 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8075-6005 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8080-6007 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8080-6007 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8080-6007 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8082-6300 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8082-6300 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8087-6001 | TERMINATION | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8087-6002 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8087-6002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8087-6003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8087-6004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8087-6005 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8087-6006 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8087-6007 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8087-6008 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8087-6009 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8087-6009 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8087-6010 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8087-6014 | TERMINATION | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8087-6014 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8087-6016 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8087-6016 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8087-6018 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8087-6024 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8087-6024 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8087-6026 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8087-6026 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8088-6001 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8088-6001 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8088-6001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8088-6001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8088-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8088-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8088-6003 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8089-6002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8093-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8093-6001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8093-6004 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8094-6001 | TERMINATION | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8411-6001 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8412-6000 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8412-6000 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8490-6001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8490-6001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8490-6002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8490-6002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8490-6003 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8490-6003 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8490-6005 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8490-6005 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8496-6002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8496-6002 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8496-6003 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8496-6003 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8496-6004 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8496-6004 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8496-6005 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8496-6005 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8496-6015 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8496-6015 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6001 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6005 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6006 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6007 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6008 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6009 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6010 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6011 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6012 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6013 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8700-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8702-6101 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8702-6101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF8702-6102 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8702-6102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8702-6102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8702-6103 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8702-6103 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8702-6103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8702-6104 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8702-6104 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8704-6000 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8704-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8704-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8704-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8704-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8704-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8704-6004 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8704-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8704-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8704-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8704-6006 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8704-6006 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8704-6006 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8704-6100 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8704-6100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6100 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6103 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6103 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6103 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6106 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6106 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6107 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6107 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6107 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6110 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6110 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6110 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6111 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6111 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6111 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6112 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6112 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6112 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6113 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6113 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6113 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6114 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6114 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6114 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6115 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6115 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6115 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6115 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6116 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6116 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6116 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6116 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6119 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6119 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6119 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6119 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6120 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6120 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6120 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6120 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6122 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6122 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6124 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6124 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6124 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6124 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6126 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6126 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6126 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6127 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6127 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6127 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6127 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6129 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6129 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6132 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6132 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6132 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6132 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6136 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6136 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6136 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6136 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6137 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8707-6137 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8708-6001 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8708-6001 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6001 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6002 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6003 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6004 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6004 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6004 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6005 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6005 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF8710-6005 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6006 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6006 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6006 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6007 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6007 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6007 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6008 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6009 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6009 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6009 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6010 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6010 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6010 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6011 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6011 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6011 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6011 | OTHER | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6011 | OTHER | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6012 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6012 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6012 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6012 | OTHER | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6012 | OTHER | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6013 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6013 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8710-6013 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6000 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6001 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60028 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60029 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60036 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60037 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60037 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60038 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60038 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60039 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60040 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60041 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60042 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60043 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60044 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60044 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60046 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60046 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60047 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60047 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60048 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60048 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60049 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60050 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60050 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60051 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60051 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60052 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60052 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60053 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60053 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60054 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60055 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60056 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60057 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60058 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60059 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60060 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60061 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60067 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60068 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60068 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60068 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60091 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60091 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60091 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60092 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF8711-60092 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60092 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60094 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60094 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60095 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60095 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60096 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60098 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60099 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60100 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60101 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60102 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60104 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60104 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60105 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60105 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60108 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60108 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60108 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60109 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60109 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60109 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60110 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60110 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60110 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60111 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60111 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60111 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60112 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60112 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60112 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60113 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60113 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60113 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60115 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60115 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60115 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60120 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60120 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60120 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60124 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60124 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60128 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60128 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60129 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60129 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60130 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60130 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60130 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6014 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60144 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60144 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60146 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60146 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60146 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60146 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60147 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60147 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60147 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60147 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60148 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60148 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6015 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60158 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-60158 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6016 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6018 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6021 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6023 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6024 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6027 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6030 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6030 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6031 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6032 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8711-6032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-6000 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-6001 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-60524 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-60524 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-60524 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF8712-60524 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-60525 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-60525 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-60525 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-60525 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-60527 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-60527 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-60527 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-60527 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-60528 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-60528 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-60528 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-60528 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-60548 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-60548 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-60553 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-60553 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-60553 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-60553 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-6520 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-6520 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-6520 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-6520 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-6521 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-6521 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-6521 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-6521 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-6523 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-6523 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-6523 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8712-6523 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8715-6000 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8715-6000 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8715-6000 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8715-6000 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8715-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8715-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6001 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6002 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6007 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6007 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6009 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6009 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6010 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6010 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6011 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6011 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6011 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6011 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6011 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6012 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6012 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6012 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6012 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6012 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6014 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6014 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6014 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6014 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6014 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6015 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6015 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6016 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6016 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6016 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6017 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6017 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6019 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6021 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6021 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6022 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF8717-6022 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6022 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6023 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6023 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6026 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6026 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6026 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6027 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6027 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6027 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6028 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6028 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6028 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8717-6028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8720-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60022 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60023 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60024 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60025 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60026 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60027 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60028 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60049 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60054 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60055 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60055 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60057 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60058 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60060 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60060 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60066 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60067 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60104 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60104 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60105 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60105 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60106 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60109 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60109 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60110 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60110 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60112 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60112 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60113 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-60121 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-6016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-6016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-6017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-6017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-6018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8721-6018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8722-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8722-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8722-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8722-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8722-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8722-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8722-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8722-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8722-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8722-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8722-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8722-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8722-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8722-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8722-60021 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8722-60021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8727-6100 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8727-6100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8727-6101 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF8727-6101 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8727-6102 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8727-6102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8727-6103 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8727-6103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8730-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8730-6800 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8741-6100 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8741-6100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8741-6101 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8741-6101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8741-6102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8741-6102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8741-6103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8742-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8742-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8742-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8742-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8750-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8750-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8752-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8752-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8752-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8752-6004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8752-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8752-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8760-6001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8760-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8760-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8760-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8760-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8760-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8760-6004 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8760-6004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8760-6004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8760-6006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8760-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8760-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8770-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8770-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8770-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8770-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8770-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8770-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8770-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8770-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8770-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8770-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8770-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8770-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8770-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8778-6006 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8778-6006 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8778-6006 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8778-6007 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8778-6007 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8778-6007 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8780-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8780-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8780-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8780-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8780-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8780-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8780-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6005 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6005 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6006 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6006 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6007 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6007 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6008 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6008 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6100A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6100A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8782-6100A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8798-6000 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8798-6001 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8798-6002 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8798-6003 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8799-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8800-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8800-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8802-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8802-6001 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF8802-6002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8802-6002 | OTHER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8802-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8802-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8802-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8802-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8802-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8802-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8802-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8802-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8802-6008 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8805-6000 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8805-6000 | OTHER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8805-6002 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8805-6002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8805-6002 | OTHER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8805-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8805-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8805-6004 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8805-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8805-6005 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8805-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8805-6005 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8805-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8805-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8805-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8805-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8806-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8806-6001 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8806-6002 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8806-6002 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8806-6006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8806-6006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8806-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8806-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8806-6007 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8806-6008 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8806-6008 | OTHER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8807-6002 | CONNECTOR | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8807-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8807-6002 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6001 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6001 | OTHER | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6001 | OTHER | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6001 | OTHER | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6001 | OTHER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6002 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6003 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6004 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6004 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6004 | OTHER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6005 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6005 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6005 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6006 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6007 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6008 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6008 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6008 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6008 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6009 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6009 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6009 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6009 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6011 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6011 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8810-6011 | OTHER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60006 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60006 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60008 | CONNECTOR | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60008 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60009 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60010 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60011 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60012 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60013 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8811-6003 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8812-60001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8812-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8812-60001 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8812-60002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8812-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8812-60002 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8820-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8821-60002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8821-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF8821-60008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8821-60008 | CONNECTOR | Insulator | Yes | INSULATOR (FLUOROLOY 'H') | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8821-6001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8821-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8821-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8821-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8821-60018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8821-60023 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8821-60029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8821-60031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8822-60001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8822-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8822-60002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8822-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8835-6000 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8835-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8840-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8840-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8840-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8840-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8840-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8840-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8840-6008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8840-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8840-6009 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8840-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8840-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8840-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8842-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8844-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8845-6000 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8845-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8847-6000 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8853-6301 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8853-6400 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8878-6002 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8878-6002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8882-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8890-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8890-6001 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8890-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8890-6003 | ADAPTER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8897-6001 | CONNECTOR | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF8899-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8901-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8901-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8901-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8901-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8901-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8901-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8901-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8901-6007 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8901-6007 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8903-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8903-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8903-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8903-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8903-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8903-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8903-6003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8903-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8903-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8903-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8903-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8903-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8903-6008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8903-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8903-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8903-6011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8903-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8903-6012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8903-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8903-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8910-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8910-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8910-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8910-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8910-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8910-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8910-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-60008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-60011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-60012 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-60012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-60014 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-60014 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-60014 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-60014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-60018 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-60018 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-60018 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-60019 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-60020 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-60020 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8911-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8912-60000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8914-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8914-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8915-6000 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8915-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8915-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF8921-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8921-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8921-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8921-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8921-60013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8921-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8921-60015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8921-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8921-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8921-60021 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8921-60021 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF8921-60029 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8921-60034 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8921-60035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8921-60035 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8921-60036 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8921-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8922-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8931-60010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8931-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8931-60011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8931-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8931-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8931-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8931-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8931-6009 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8931-6009 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8934-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8934-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8934-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8934-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8934-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8934-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8934-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8934-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8934-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8934-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8934-6015 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8934-6015 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8950-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8950-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8950-6003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8950-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8953-6100 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8953-6101 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8953-6102 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8953-6103 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8958-6000 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8958-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8958-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8958-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8958-6003 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8958-6003 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6005 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6007 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6008 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6008 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6010 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6011 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6012 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6014 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6014 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6015 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6015 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8961-6016 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8963-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8963-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8964-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8964-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF8975-6000 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF8975-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9018-6001 | TERMINATION | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9211-6000 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF9211-60005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9221-60003 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF9221-60012 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SF9301-60001 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9301-60009 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9301-60011 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9301-60014 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9301-60015 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9301-60016 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9301-60017 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9301-60026 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF9301-60028 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9301-60032 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9301-60033 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9301-60034 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9301-60035 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9301-60036 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9301-60038 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9301-60039 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9301-60041 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-10002 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-10002 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60009 | MULTI-PORT | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60009 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60026 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60041 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60056 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60057 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60057 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60073 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60074 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60083 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60092 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60093 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60094 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60103 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60117 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60117 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60118 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60118 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60122 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60145 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60162 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60162 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60162 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60162 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60164 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60164 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60164 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60164 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60165 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9311-60195 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9312-40008 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9312-40008 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9312-60007 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9312-60008 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9312-60010 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9312-60011 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9312-60013 | MULTI-PORT | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF9312-60013 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9312-60017 | MULTI-PORT | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF9312-60017 | MULTI-PORT | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF9312-60018 | MULTI-PORT | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF9312-60018 | MULTI-PORT | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF9312-60019 | MULTI-PORT | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF9312-60019 | MULTI-PORT | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF9321-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9321-60007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9321-60010 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9321-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9321-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9321-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9321-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9321-60026 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9321-60026 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9321-60027 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9321-60027 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9321-60028 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9321-60028 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9321-60029 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9321-60029 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9321-60043 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9321-60055 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9321-60060 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9322-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9322-60002 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9322-60002 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9322-60002 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9322-60005 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9322-60005 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9322-60005 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9341-60009 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9341-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9341-60010 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9341-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9341-60011 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9341-60013 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9341-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9341-60019 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9341-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9341-60020 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9341-60027 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9341-60027 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9341-60032 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9342-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60004 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60006 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60013 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60013 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60017 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60017 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60028 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60031 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60031 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60032 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SF9351-60033 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60038 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60041 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60041 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9351-60042 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9411-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9411-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9421-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9421-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9597-6400 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9597-6400 | ADAPTER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SF9700-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9700-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9700-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9700-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF9700-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9700-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9700-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9700-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9700-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9700-6003 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF9700-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9700-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9700-6003 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9700-6004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF9700-6004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9700-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9700-6007 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9741-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9751-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9811-6000 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF9811-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9811-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9811-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9811-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9811-60004 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF9811-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9811-60005 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9811-6001 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF9811-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9811-6002 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF9811-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9821-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9821-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9821-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9821-60003 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9821-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9821-60004 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9821-6001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9821-60010 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9821-6002 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9911-6000 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SF9911-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9911-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9911-60001 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9911-60001Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9911-60001Q | RAPID RESPONSE | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SF9921-6000 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK1786E | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK1920AC | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK1925-I | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK1930 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK1930-I | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK1933B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK1934 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK1947A | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK1947B | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK1947C | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK1947D | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK1947D | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK1947E | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-1953-03 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-1957-02 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-1961-02 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-1971-08 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-1972-02 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-1973-02 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-1996 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-1996-02 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK1999E | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK1999H | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK1999-JXX | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK1999K | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK1999-XX | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK1999-XX | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2000 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2000-06 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK2001-01 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK2001-02 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK2001-03 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK2001-04 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK2001-05 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK2001-06 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK2001A-01 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK2001A-02 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK2001A-03 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK2001A-05 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK2001A-06 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2004 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2005 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2007-021 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2007-022 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2007-023 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2007-024 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK2012 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK2012E | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK2014B1 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK2014B2 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SK2014B3 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK2017 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK2017B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK2021A2 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2028C | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2033 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2033-03 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2038 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2038-02 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2039 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2039-02 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2040 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2041 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2042 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK2045 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK2045B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK2045E | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK2045K | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK2047 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2056 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2056 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2056-04 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2059 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2059-02 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2060 | Other | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SK-2060 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2060-03 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2072 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2072-06 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2072-07 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2073A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2089 | Other | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SK-2089 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2091 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2091 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK2136B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2140-02 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2147-00 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2147-00 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2147-02 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2147-03 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2166 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2166 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2166-1 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2166-2 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2169 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2169A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2175C | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2176 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2176 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2176 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2178 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2178 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2178 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2183 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2183 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2183 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2183H | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2183J | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2183K | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2184 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2184 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2184 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2184/144 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2184/144 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2184/144 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2185-A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2185-B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2189 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2189 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2189 | OTHER | Insulator | Yes | TEFLON (OBS 2/2) | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2205 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2207 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2217 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2217 | Other | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SK-2217 | Other | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SK-2218 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2218 | Other | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SK-2218 | Other | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SK-2219 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2219 | Other | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SK-2219 | Other | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SK-2220 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2220 | Other | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SK-2220 | Other | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SK-2222A | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2249 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SK-2249 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2250 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SK-2250 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2262 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2270 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2271 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2275 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2283 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2283 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2283-2 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2308 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2309 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2309-2 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2310 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2321 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2329 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2329 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2330 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2334 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2334A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2349 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2349-5 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2351 | OTHER | Insulator | Yes | RUBBER, FLUOROCARBON | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SK-2355 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SK-2356 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SK-2356 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2357 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2380 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2380-3 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2381 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2381 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2381-3 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2386 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2386/185 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2387 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2392-1 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2392-10 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2392-2 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2392-3 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2392-4 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2392-5 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2392-6 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2392-7 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2392-8 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2392-9 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2396 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2396 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2396-3 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2396-4 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2424 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2424 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2424 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2425 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2425 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2447 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2447 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2448 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2448 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2449A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2449B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2455 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2455 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2456 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2456 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2456 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2456 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2456-02 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2456-03 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2457 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2457 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2457 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2457-03 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2473 | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2473 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2473 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2474 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2474 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2486 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2486-03 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2487 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2487-05 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2491 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2491 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2491 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2491-08 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2491-09 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2491-10 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2491-12 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2492 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2492 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2492 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2519 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2519-04 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2520-01 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2520-02 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2524-1 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2524-2 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2526 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2536 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2536 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2536 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2536 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2536 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2536 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2536-24 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2536-26 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2536-27 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2548B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2561 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2562 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2594 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2611 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2611-3 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2655B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2655C | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2655F | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2701 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2722A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2722B | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2722C | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2765-03 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2790 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2790-6 | Other | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2825 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2837 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2837A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2845 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2846 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2865 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2865 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2865 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2867D | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2874 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2875 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2875 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SK-2875 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2875 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2880 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2881 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2882 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2883 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2884 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2885 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2891 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2893 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2901 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2901 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2903 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2903 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2903 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2903 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2903 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2912 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2914 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2915 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2916A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2916B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2919 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2919 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2921 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2940 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2941 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2941C | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2944 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2944A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2945 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2970 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2970D | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2970-TESTKIT | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2974 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2974 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2974 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2975 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2975 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2975 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2975 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2975A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2975A | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2975B | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2977 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-2977 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2977 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2977 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-2982 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3001 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3002 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3010 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3011 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3013 | OTHER | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3014 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3025-FD | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3025-FEM | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3025-SB | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3028 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3028-3 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3031 | OTHER | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3032 | OTHER | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3033 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3035 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3045 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3046 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3049 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3054 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3055 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3072 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3076 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3076 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3079 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3083 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3085 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3086 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3086 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3097 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3106 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3106 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3109 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3110 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3112 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3113 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3116 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3121 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3121 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3122 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3142 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3157 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3159 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3160 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3165 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SK-3165 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3165 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3166 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3167 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3169 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3170 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3170 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3178 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3179 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3180 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3180 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3184 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SK-3184 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3184 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3184B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3186 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SK-3186 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3186 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3187 | OTHER | Insulator | Yes | RUBBER (VITON) | 9011-17-0 | 1-Propene, 1,1,2,3,3,3-hexafluoro-, polymer with 1,1-difluoroethene | Fluoroelastomer | 10,000 ppm to <150,000 ppm (15%) |
| SK-3187 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3187 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3193 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3194 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3200 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3200 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3201 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3202 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3204 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3204 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3205 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3205 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3205 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3206 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3206 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3207 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3208 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3211 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3212 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3212 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3212 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3212 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3212 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3212 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3212 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3212 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3212 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3223 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3223 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3237 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3237 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3237 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3237 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3237 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3237 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3237 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3237 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3237 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3247 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3247 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3247 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3249 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3250 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3253 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3254 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3256 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3268 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3269 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3279-1 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3279-2 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3280 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3280 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3280 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3281 | OTHER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3281 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3283 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3295 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3305 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3309 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3312 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3320 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3323 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3327 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3327-1 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3343 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3344 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3345 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3350 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3377 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3416 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3423 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3423 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3423 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3426 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3426D | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3426E | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3429 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3444 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3444 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3444 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3444 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3444 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3444 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3444 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3444 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3444A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3444B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3444C | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SK-3444D | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3444E | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3444F | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3444G | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3444H | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3448 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3448 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3457 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3460 | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3472 | TERMINATION | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3497 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3516 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3516 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3516 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3516 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3516 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3516 | OTHER | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3526A | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3526B | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3526C | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3530 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3534 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3534 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3534B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3535 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3535 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3535B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3540D | Other | Insulator | No | ABS PLASTIC | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3540E | Other | Insulator | No | ABS PLASTIC | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3546 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3546-60 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3546-75 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3547 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3567 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3567 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3567 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3567 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3567 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3567 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3567A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3567B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3567C | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3567D | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3567J | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3567K | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3577 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3577 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3578 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3580A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3580B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3580C | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3580D | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3580E | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3580F | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3580G | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3580H | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585G | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585G | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585G | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585H | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585H | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585H | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585J | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585J | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585J | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585K | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585K | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585K | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585L | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585L | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585L | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585M | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585M | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3585M | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3593 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3596 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3596 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3596 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3596 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3596 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3596 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3596 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3596A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3596B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3596C | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3596D | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3596E | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3596F | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3596G | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3596H | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3604 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3604 | CONNECTOR | Insulator | No | SILICONE RUBBER | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3621A | Other | Insulator | No | SILICON-ALUMINIUM ALLOY | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3621C | Other | Insulator | No | SILICON-ALUMINIUM ALLOY | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3623 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3623 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3624 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3633 | CABLE ASSEMBLY | Insulator | No | ABS PLASTIC | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3633 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3633 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3633 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3633A | Other | Insulator | No | ABS PLASTIC | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3644 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3644 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SK-3644 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3644 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3644 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3644 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3644 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3644 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3644 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3644 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3644 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3644 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3644 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3644 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3644 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3644 | CONNECTOR | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3647 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3647C | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3648 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3648 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3648C | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3648D | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3652 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3652 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3652 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3656 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3656 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3680 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3701 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3705 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3706 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3715 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3715 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3721 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3721 | CONNECTOR | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3721D | Other | Insulator | No | PEEK 1000 | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3742 | OTHER | Insulator | No | SILICON-ALUMINIUM ALLOY | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3742 | OTHER | Insulator | No | SILICON-ALUMINIUM ALLOY | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3742 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3742 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3753 | Other | Insulator | No | SILICON-ALUMINIUM ALLOY | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3755 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3755 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3757 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3757 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3758 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3758 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3760 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3760 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3760 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3760 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3760 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3761 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3761 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3761 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3778 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3778 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3778 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3782 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3784 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3792 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3792 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3793 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3793 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3793 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3794 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3794 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3794 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3809 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3820 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3830 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3832 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3833 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3833 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3834 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3834 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3835 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3835 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3835 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3836 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3836 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3836 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3837 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3837 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3837 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3845 | ADAPTER | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3856 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3857 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3857 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3857 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3857 | CABLE ASSEMBLY | Insulator | Yes | KEL-F(POLYCHLOROTRIFLUOROETHYLENE) | 9002-83-9 | Ethene, chlorotrifluoro-, homopolymer | Polychlorotrifluoroethylene (PCTFE) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3858 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3858 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3858 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3858 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3859 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3859 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3859 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3870 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3871 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3872 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3880 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3882 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3884 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3885 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3886 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3886 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3886 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3887 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3887 | OTHER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3897 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| SK-3899A | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3899B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3900 | CONNECTOR | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3900 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3901 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3902 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3902B | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3907 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3907 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3918 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3918 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3918 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3918 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3918 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3918 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3918 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3918 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3918 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3918 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3918 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3918 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3918 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3918 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3918 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3922 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3922 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3923 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3923 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3924 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3924 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3925 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3925 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3925 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3925 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3925 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3925 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3931 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3931 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3932 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3932 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3933 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3933 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3935 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3935 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3936 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3936 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3938 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3939 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3944 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3948 | CONNECTOR | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3949 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3952 | ADAPTER | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3957 | CABLE ASSEMBLY | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| SK-3957 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3957 | CABLE ASSEMBLY | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-3967 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-9312-10001 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-9312-10001A | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-9312-10003 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-9312-10003A | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-9321-10004 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-9321-10006 | MULTI-PORT | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SK-FMMKV | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| SOLDER_PLUG | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| STAKE-6M | Other | Insulator | No | SILICON-ALUMINIUM ALLOY | | | | 10,000 ppm to <150,000 ppm (15%) |
| STAKE-6M1 | Other | Insulator | No | SILICON-ALUMINIUM ALLOY | | | | 10,000 ppm to <150,000 ppm (15%) |
| TAB MOLD | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TEFLON_STOP_FOR_052-40-065 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TEMPLATE-FLEX | Other | Insulator | No | RUBBER, SILICONE | | | | 10,000 ppm to <150,000 ppm (15%) |
| TEMPLATE-FLEX | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF20A-PS50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF20C-DC50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF20-XM50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF22-MV50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF35-IQ50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF35P-MVP50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF35-PS50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF35P-VPA50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF36-VPA50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF40-XM50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF55-DC50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF60-VA50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF61-MQ50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF68-MV50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF70-MV50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF72-VPA50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF75-RM50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF77-MV50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF79-XM50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF80-XM50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF81-XM50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF84-XM50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF85-RM50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TF87-DC50 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TW-PLUG_8003-4002 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TW-PLUG_8051-40020 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| TW-PLUG4001 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| V673BUSHING | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| VA192B-26A2 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| VA192B-36M2 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| VP152A-26J6 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |
| VP192C-26C1 | Other | Insulator | Yes | TEFLON | 9002-84-0 | Ethene, tetrafluoro-, homopolymer | Polytetrafluoroethylene (Teflon) | 10,000 ppm to <150,000 ppm (15%) |